


FIRST FLOOR SLAB PLAN

1/4"=1'-0"


TOPPING SLAB THICKNESS VARIES.
TOP OF TOPPING SLAB EL. = 0'-0" (EQUAL TO SITE ELEV. 9.80')

MATERIAL PROPERTIES:
 CONCRETE: 4000 PSI AT 28 DAYS
 AGGREGATE: 3/4" ASTM C33
 ENTRAINED AIR: 7% ± 1%
 SLUMP: 3" ± 1"
 CORROSION INHIBITOR: 3 1/2 GAL/GY ADDED AT BATCH PLANT
 GRACE DCI-5 OR MASTER BUILDERS RHEOCRETE CNI

REINFORCING: ASTM A-615 EPOXY COATED



PROJECT NORTH



Prepared For:
MAINE WHARF, LLC
 P.O. Box 535
 BUXTON, ME 04093

Consulting Engineer:
STRUCTURAL DESIGN CONSULTING
 22 Ockrent Drive
 Old Orchard Beach, ME
 04064-4121
 Tel: 207.934.8038
 Fax: 207.934.8039

Architect:
ARCHETYPE architects
 48 Union Wharf Portland, Maine 04101
 (207) 772-6022 Fax (207) 772-4056

Project:
Maine Wharf Building 1 Section B
 68 Commercial Street
 Portland, ME

Revisions:	Phase 2 Permit & Const.	12/04/13

Date: 04 Dec 2013
 Scale: 1/4"=1'-0"
FIRST FLOOR SLAB PLAN

S2.01