

## 1. COMPACT SUBGRADE TO 95% MAXIMUM DRY DENSITY IN ACCORDANCE WITH ASTM D-1557 2. LOCAL BITUMINOUS PAVEMENT PROFILE APPLIES TO LOCATIONS INCLUDED WITHIN AVON STREET AND VERNON PLACE R.O.W.

NOTES:

- SURFACE COURSE MDOT 403.09

- BINDER COURSE MDOT 403.09 GRADE B

AGGREGATE BASE GRAVEL MDOT 703.06

----- AGGREGATE SUBBASE GRAVEL MDOT

GRADE C (9.5MM)

(19MM)

τύρε α

NOTES:

STANDARD

2"

- 3"

6"

18"

703.06 TYPE D

- SUBGRADE

SURFACE COURSE MDOT 403.09 GRADE C (12.5mm)

BINDER COURSE MDOT 403.09 GRADE B (19mm)

AGGREGATE BASE GRAVEL MDOT 703.06 TYPE B

AGGREGATE SUBBASE GRAVEL MDOT 703.06 TYPE D

1. COMPACT SUBGRADE TO 95% MAXIMUM DRY

ARTERIAL BITUMINOUS PAVEMENT PROFILE

DENSITY IN ACCORDANCE WITH ASTM D-1557.

THICKNESS OF LAYERS

LAYERS

CITY OF PORTLAND ARTERIAL

BITUMINOUS PAVEMENT PROFILE

NOT TO SCALE

APPLIES ONLY WITHIN CONGRESS STREET R.O.W.

	THICKNESS OF LAYERS
STANDARD	LAYERS
1-1/2"	SURFACE COURSE MDOT 403.09 GRADE C (9.5mm)
2"	BINDER COURSE MDOT 403.09 GRADE B (19mm)
3"	AGGREGATE BASE GRAVEL MDOT 703.06 TYPE B
15"	AGGREGATE SUBBASE GRAVEL MDOT 703.06 TYPE D

## LOCAL BITUMINOUS PAVEMENT PROFILE NOT TO SCALE









