## NOTES:

1.) ROT AND RUST RESISTANCE:

- A. ALL WOOD FRAMING MEMBERS THAT REST ON CONCRETE OR MASONRY, OR ARE LESS THAN 8" FROM THE EXPOSED GROUND, SHALL BE OF A ROT RESISTANT MATERIAL. PROVIDE CAPILLARY BREAK IN ALL
- ALL WOOD JOISTS, OR THE BOTTOM OF A WOOD STRUCTURAL FLOOR, WHEN CLOSER THAN 18", OR WOOD GIRDERS WHEN CLOSER THAN 12" TO THE EXPOSED GROUND, SHALL BE OF A ROT RESISTANT
- C. NEW WOOD SIDING AND/OR SHEATHING TO BE ABOVE GRADE A MINIMUM OF 6" OR ELSE OF A ROT RESISTANT MATERIAL
- ALL DECK/STAIR FRAMING/DECKING TO BE OF ROT RESISTANT WOOD ALL EXTERIOR AND BASEMENT HARDWARE TO BE SIMPSON Z-MAX (OR EQUIVALENT), OR

2.) HOUSE HEADERS, GIRDERS, AND SUPPORTS:

VERIFY ASSUMED JOIST ORIENTATIONS IN FIELD

- ALL GIRDERS & HEADERS TO BE SUPPORTED BY (1) 2X4 JACK, UNLESS OTHERWISE NOTED.
- VERIFY INTERIOR LOAD-BEARING WALL ASSUMPTIONS IN FIELD.
- ALL LOADS MUST BE CARRIED TO FOUNDATION/FOOTINGS WITH SOLID BLOCKING/POSTS. ADDITIONAL POSTS/FOOTINGS MAY BE REQUIRED IN BASEMENT IF NEW LOAD BEARING HEADER & GIRDER JACKS DO NOT LAND DIRECTLY OVER EXISTING FOUNDATION OR FOOTINGS. CONSULT ENGINEER IF ADDITIONAL

3.) DECK AND EXTERIOR STAIR FOOTINGS:

- NEW FOOTINGS TO BE FROST PROTECTED TO MIN. 4'-0" DEEP, ON UNDISTURBED SOIL (OR PINNED TO
- TYPICAL DECK/PORCH FOOTINGS: ON ROCK: MIN. 10"X10" FOOTINGS (BASIC PRECAST PYRAMIDAL PIER); ON SOIL: "PRECAST CONCRETE DELUXE FOOTING" FROM GAGNE AND SONS, WITH INTEGRAL 16"X16" FOOTING SECURE ABU66Z POST BASE TO CAST-IN-PLACE THREADED INSERT @ EACH FOOTING WITH 1/2" THREADED ROD, NUT AND WASHER.
- TYPICAL NEW EXTERIOR STAIR FOOTINGS: 12" X 6" SPREAD FOOTING (R403.1.1), 8" MORTARED SOLID CMU FROSTWALL (R404.1.1) WITH STANDARD LADDER REINFORCEMENT FULL WIDTH OF EACH MORTAR BED. 2X8 P.T. SOLE PLATE ANCHORED TO FROSTWALL ACCORDING TO R403.1.6, (DRILL AND EPOXY SET MIN. 6" INSERTION.)

## 4.) DECK POSTS AND BRACING

- SUPPORT ALL NEW DECK/PORCH GIRDERS WITH P.T. 6X6 POSTS. SECURE TO FOOTINGS WITH PROVIDED ABU66Z POST BASES.
- B. DIAGONALLY BRACE EACH POST TO GIRDER ABOVE WITH 2X6 DIAGONALS, FROM LOWER  $\frac{1}{3}$  POINT OF

5.) AWNING ROOF BRACKETS:

- EPOXY LAMINATE ROT-RESISTANT FINISH-GRADE BOARDS TO 4" THICKNESS, ALTERNATING GRAIN DIRECTION EACH LAYER. CUT, SHAPE, SAND TO MATCH PROVIDED DETAILS (T.B.D.). SEAL WITH EPOXY BASED PENETRATING WOOD STABILIZER, ALL SIDES.
- B. PRIME AND PAINT TO MATCH EXTERIOR TRIM.
- C. ATTACH BRACKETS TO HOUSE WITH (4) 8"X4" GRK RSS SCREWS THROUGH EACH VERTICAL LEG, AND INTO PROVIDED (3)2X4 POSTS (SEE S2), ENSURING MINIMUM 3" SCREW TIP GRAB.
- D. BUNG SCREW HOLES WITH MATCHING WOOD, SEAL, PRIME AND PAINT TO MATCH.

04108 Rachel Conly Desigrate Sterling Street
Peaks Island, Maine C 207.766.5625

8 1/4" = 1'

> enc Bates Reside 73 Spruce St. Portland, ME 04102

Proposed Second Floor Framing Plan



