



© 2016 RYAN SENATORE ARCHITECTURE

**LITTLE GIANT RESTAURANT**  
 211 DANFORTH STREET  
 PORTLAND, MAINE



RYAN SENATORE ARCHITECTURE  
 565 CONGRESS STREET  
 PORTLAND, MAINE 04101  
 207-650-6414  
 senatorearchitecture.com

CONSULTANTS:

REVISIONS:

DATE: NOVEMBER 29, 2016

PROJECT No. 1640

DRAWN BY: RRT, RJS

CHECKED BY: RJS

SCALE: AS NOTED

SHEET TITLE:

**WALL TYPES AND ASSEMBLIES**

**A0-1**

GRAPHIC DEPICTION		DESCRIPTION											
		<ul style="list-style-type: none"> <li>- LAYER OF 5/8" TYPE-X GWB</li> <li>- 3-5/8" METAL STUDS AT 16" O.C.</li> <li>- 3-1/2" ACOUSTICAL FIRE BATT INSULATION</li> <li>- LAYER OF 5/8" TYPE-X GWB</li> </ul>											
		<table border="1"> <thead> <tr> <th>TYPE</th> <th>FIRE RATING</th> <th>UL NUMBER</th> <th>STC RATING</th> <th>IIC RATING</th> </tr> </thead> <tbody> <tr> <td><b>1A</b></td> <td>1 HR</td> <td>U311</td> <td>N/A</td> <td>N/A</td> </tr> </tbody> </table>				TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	<b>1A</b>	1 HR	U311
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING									
<b>1A</b>	1 HR	U311	N/A	N/A									

GRAPHIC DEPICTION		DESCRIPTION											
		<ul style="list-style-type: none"> <li>- LAYER OF 5/8" GWB</li> <li>- 3-5/8" METAL STUDS AT 16" O.C.</li> <li>- 3-1/2" SOUND BATT INSULATION</li> <li>- LAYER OF 5/8" GWB</li> </ul>											
		<table border="1"> <thead> <tr> <th>TYPE</th> <th>FIRE RATING</th> <th>UL NUMBER</th> <th>STC RATING</th> <th>IIC RATING</th> </tr> </thead> <tbody> <tr> <td><b>NA</b></td> <td>N/A</td> <td>N/A</td> <td>35-39</td> <td>N/A</td> </tr> </tbody> </table>				TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	<b>NA</b>	N/A	N/A
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING									
<b>NA</b>	N/A	N/A	35-39	N/A									

GRAPHIC DEPICTION		DESCRIPTION											
		<ul style="list-style-type: none"> <li>- LAYER OF 5/8" TYPE-X GWB</li> <li>- EXISTING STUDS TO REMAIN</li> <li>- 3-1/2" ACOUSTICAL FIRE BATT INSULATION</li> <li>- LAYER OF 5/8" TYPE-X GWB</li> </ul>											
		<table border="1"> <thead> <tr> <th>TYPE</th> <th>FIRE RATING</th> <th>UL NUMBER</th> <th>STC RATING</th> <th>IIC RATING</th> </tr> </thead> <tbody> <tr> <td><b>1B</b></td> <td>1 HR</td> <td>U311</td> <td>N/A</td> <td>N/A</td> </tr> </tbody> </table>				TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	<b>1B</b>	1 HR	U311
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING									
<b>1B</b>	1 HR	U311	N/A	N/A									

GRAPHIC DEPICTION		DESCRIPTION											
		<ul style="list-style-type: none"> <li>- LAYER OF 5/8" GWB</li> <li>- 3-5/8" METAL STUDS AT 16" O.C.</li> <li>- LAYER OF 5/8" GWB</li> </ul>											
		<table border="1"> <thead> <tr> <th>TYPE</th> <th>FIRE RATING</th> <th>UL NUMBER</th> <th>STC RATING</th> <th>IIC RATING</th> </tr> </thead> <tbody> <tr> <td><b>NB</b></td> <td>N/A</td> <td>N/A</td> <td>N/A</td> <td>N/A</td> </tr> </tbody> </table>				TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	<b>NB</b>	N/A	N/A
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING									
<b>NB</b>	N/A	N/A	N/A	N/A									

GRAPHIC DEPICTION		DESCRIPTION											
		<ul style="list-style-type: none"> <li>- LAYER OF 5/8" TYPE-X GWB</li> <li>- 2X6 WOOD STUDS AT 16" O.C.</li> <li>- 5-1/2" ACOUSTICAL FIRE BATT INSULATION</li> <li>- LAYER OF 5/8" TYPE-X GWB</li> </ul>											
		<table border="1"> <thead> <tr> <th>TYPE</th> <th>FIRE RATING</th> <th>UL NUMBER</th> <th>STC RATING</th> <th>IIC RATING</th> </tr> </thead> <tbody> <tr> <td><b>1C</b></td> <td>1 HR</td> <td>U311</td> <td>N/A</td> <td>N/A</td> </tr> </tbody> </table>				TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	<b>1C</b>	1 HR	U311
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING									
<b>1C</b>	1 HR	U311	N/A	N/A									

GRAPHIC DEPICTION		DESCRIPTION											
		<ul style="list-style-type: none"> <li>- LAYER OF 5/8" GWB</li> <li>- 2X6 WOOD STUDS AT 16" O.C.</li> <li>- 5-1/2" SOUND BATT INSULATION</li> <li>- LAYER OF 5/8" GWB</li> </ul>											
		<table border="1"> <thead> <tr> <th>TYPE</th> <th>FIRE RATING</th> <th>UL NUMBER</th> <th>STC RATING</th> <th>IIC RATING</th> </tr> </thead> <tbody> <tr> <td><b>NC</b></td> <td>N/A</td> <td>N/A</td> <td>35-39</td> <td>N/A</td> </tr> </tbody> </table>				TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	<b>NC</b>	N/A	N/A
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING									
<b>NC</b>	N/A	N/A	35-39	N/A									

GRAPHIC DEPICTION		DESCRIPTION											
		<ul style="list-style-type: none"> <li>- LAYER OF 5/8" TYPE-X GWB</li> <li>- EXISTING STUDS TO REMAIN</li> <li>- 5-1/2" ACOUSTICAL FIRE BATT INSULATION</li> <li>- LAYER OF 5/8" TYPE-X GWB</li> </ul>											
		<table border="1"> <thead> <tr> <th>TYPE</th> <th>FIRE RATING</th> <th>UL NUMBER</th> <th>STC RATING</th> <th>IIC RATING</th> </tr> </thead> <tbody> <tr> <td><b>1D</b></td> <td>1 HR</td> <td>U311</td> <td>N/A</td> <td>N/A</td> </tr> </tbody> </table>				TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	<b>1D</b>	1 HR	U311
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING									
<b>1D</b>	1 HR	U311	N/A	N/A									

GRAPHIC DEPICTION		DESCRIPTION											
		<ul style="list-style-type: none"> <li>- LAYER OF 5/8" GWB</li> <li>- 2X6 WOOD STUDS AT 16" O.C.</li> <li>- LAYER OF 5/8" GWB</li> </ul>											
		<table border="1"> <thead> <tr> <th>TYPE</th> <th>FIRE RATING</th> <th>UL NUMBER</th> <th>STC RATING</th> <th>IIC RATING</th> </tr> </thead> <tbody> <tr> <td><b>ND</b></td> <td>N/A</td> <td>N/A</td> <td>35-39</td> <td>N/A</td> </tr> </tbody> </table>				TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	<b>ND</b>	N/A	N/A
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING									
<b>ND</b>	N/A	N/A	35-39	N/A									