1 NEW FOUNDATION WALL SECTION

3/4" = 1'-0"

2 TYPICAL PIN TO EXISTING WALL DETAIL

3/4" = 1'-0"

3 SONOTUBE & BIGFOOT DETAIL

3/4" = 1'-0"

4 TYPICAL SPREAD FOOTING DETAIL

3/4" = 1'-0"

5 TYPICAL BASEPLATE DETAIL

1 1/2" = 1'-0"

TYPICAL ANCHOR BOLT DETAIL

SCALE: NTS

TYP. SLAB-ON-GRADE DETAIL

SCALE: NTS

TYP. THROUGH WALL WALL PENETRATION DETAIL

SCALE: NTS

OPTION 1: #5's 2'-6" @ SPACING TO MATCH SLAB REINFORCING. LAP w/SLAB REINFORCING.

OPTION 2: HOOK SLAB REINFORCING @ ENDS TYPICAL AROUND OPENING

NOTE: TYPICAL SLAB REINFORCING NOT SHOWN FOR CLARITY

TYPICAL OPENING IN WALL OR SLAB DETAIL

SCALE: NTS

DETAIL @ WALL CORNER
W/ SINGLE ROW OF WALL REINFORCING

DETAIL @ WALL INTERSECTION
W/ SINGLE ROW OF WALL REINFORCING

DETAIL @ WALL END
W/ SINGLE ROW OF WALL REINFORCING

CONSTRUCTION JOINT DETAIL
W/ SINGLE ROW OF WALL REINFORCING

TYP. FOUNDATION WALL DETAILS

SCALE: NTS

PRINTED: Oct 03, 2017


CASCO BAY ENGINEERING
424 Fore Street
Portland, ME 04101
Phone 207.842.2800
Fax 207.842.2828
www.cascobayengineering.com


CLIENT:
DAVID MATERO ARCHITECTURE
100 FRONT STREET, SUITE 40
BATH, MAINE 04530

STATE OF MAINE
ERIC DUBE
No. 12630
LICENSED
PROFESSIONAL ENGINEER

MCMANN CONDO
26 MOODY STREET, PORTLAND MAINE

RESIDENTIAL RENNOVATION

ISSUED

| No. | DESCRIPTION | DR. BY | CKD. BY | DATE |
|---|---|---|---|---|
| A | ISSUE FOR REVIEW | SD | ED | 7-31-17 |
| B | FOR PERMIT ONLY | SD | TD | 8-1-17 |
| 0 | ISSUE FOR CONSTRUCTION | SD | ED | 10-3-17 |

SHEET TITLE:
TYPICAL CONCRETE DETAILS AND SECTIONS

| | |
|---|---|
| DESIGNED: | SD |
| DRAWN: | SD |
| DATE: | 10-3-2017 |
| PROJECT NUMBER: | 17-090 |

S2.0