PRINTED: Oct 03, 2017

NOTES:
1. SEE S2.0 FOR TYPICAL SLAB-ON-GRADE AND TYPICAL WALL REINFORCING DETAILS.
2. REFERENCE TOP OF EXISTING SLAB ELEVATION = 0'-0"
3. TOP OF CONCRETE ELEVATIONS ARE NOTED (+X'-X") FROM SLAB-ON-GRADE ELEVATION.
4. TOP OF FOOTING ELEVATIONS ARE NOTED [-X'-X"] FROM SLAB-ON-GRADE ELEVATION.

SPREAD FOOTING SCHEDULE

TYPE	LENGTH	WIDTH	DEPTH	REINFORCING
F2	2'-0"	2'-0"	1'-0"	(3)-#5's BOTT, EW
F4	4'-0"	4'-0"	1'-0"	(5)-#5's BOTT, EW

PLAN LEGEND

- BEARING WALL
- SHEAR WALL
- BEAM
- HSS COLUMN
- COLUMN FROM ABOVE
- COLUMN BELOW
- COLUMN ABOVE AND BELOW
- HOLD-DOWN

FOUNDATION PLAN

SCALE: 1/4"=1'-0"

CASCO BAY ENGINEERING
424 Fore Street
Portland, ME 04101
Phone 207.842.2800
Fax 207.842.2828
www.cascobayengineering.com

CLIENT:
DAVID MATERO ARCHITECTURE
100 FRONT STREET, SUITE 40
BATH, MAINE 04530

STATE OF MAINE
ERIC DUBE
No. 12630
LICENSED
PROFESSIONAL ENGINEER

MCMANN CONDO
26 MOODY STREET, PORTLAND MAINE

RESIDENTIAL RENNOVATION

ISSUED

No.	DESCRIPTION	DR. BY	CKD. BY	DATE
A	ISSUE FOR REVIEW	SD	ED	7-31-17
B	FOR PERMIT ONLY	SD	TD	8-1-17
0	ISSUE FOR CONSTRUCTION	SD	ED	10-3-17

SHEET TITLE:
FOUNDATION PLAN

DESIGNED:	SD
DRAWN:	SD
DATE:	10-3-2017
PROJECT NUMBER:	17-090

S1.0