Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 11/06/14

REFLECTIVE CEILING PLAN
1/8" = 1'-0"
A1

ROBERT J. FOSTER ARCHITECT
36 Groveside Road, Portland, Maine 04102
(207) 761-3822

REGISTERED ARCHITECT ROBERT J. FOSTER #1734 STATE OF MAINE

Project Title

U-HAUL MOVING & STORAGE

425 MARGINAL WAY
Portland, Maine

GENERAL NOTES

1. REFER TO ROOM FINISH SCHEDULES ON SHT A60.1 FOR CEILING HEIGHTS UNLESS NOTED OTHERWISE.
2. REFER TO MECHANICAL & ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION AND CO-ORDINATION.
3. CONSTRUCT 5/8" FIRE RATED BOXES BEHIND ANY RECESSED LIGHTS OR OTHER RECESSED ELEMENTS TO MAINTAIN REQ'T FIRE RATINGS.
4. PROVIDE ACCESS PANELS WHERE NECESSARY TO ACCESS MECH. AND PLUMBING ITEMS (SHUT OFF VALVES, ETC...). ACCESS PANELS SHALL BE FIRE RATED WHERE PENETRATING FIRE RATED BARRIERS.

Mark	Date	Description
	09 - 08 - 14	ISSUED FOR CONSTRUCTION

Issue Dates

0 5 10 15 20
Graphic Scale (feet)

Drawing Title

REFLECTIVE CLG PLAN

Drawing Number

A70.1