Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 11/06/14

1 / C3.0 TYPICAL SIDEWALK - PEDESTRIAN RAMP AT CROSSWALK

NOT TO SCALE

2 / C3.0 BITUMINOUS CONCRETE WALKWAY PAVING SECTION

NOT TO SCALE

NOTES:

1. PROVIDE SHOP DRAWINGS OF ALL SIGNS TO THE OWNER PRIOR TO PURCHASING.
2. OWNER TO APPROVE ALL SIGN LOCATIONS IN THE FIELD PRIOR TO INSTALLATION.

3 / C3.0 ADA SIGNAGE DETAIL

*NOT TO SCALE*

NOTE:

1. ALL ACCESSIBLE PARKING SPACE SIGNS SHALL BE MUTCD R7-8. ' VAN ACCESSIBLE' PLAQUES (MUTCD R7-8P) SHALL BE PROVIDED FOR ALL SPACES WITH AN 8' WIDE (OR WIDER) AISLE
2. PAINT ALL PAVEMENT STRIPES AND LINES 4 INCHES WIDE (TYP.)
3. ALL ACCESSIBLE PARKING SPACES SHALL MEET MOST RECENT ADA STANDARDS FOR ACCESSIBLE DESIGN

4 / C3.0 ACCESSIBLE PARKING STALL DETAIL

*NOT TO SCALE*

6 / C3.0 GUARD RAIL SECTION

*NOT TO SCALE*

| SERVICE | CONDUIT SIZE | CONDUIT TYPE | UTILITY |
|---|---|---|---|
| 'A' | 4" | SCHEDULE 40 P.V.C. ELECTRICAL GRADE | PRIMARY POWER |
| 'B' | 4" | SCHEDULE 40 P.V.C. ELECTRICAL GRADE | SECONDARY POWER |
| 'C' | 3" | SCHEDULE 40 P.V.C. ELECTRICAL GRADE | TELEPHONE |
| 'D' | 3" | SCHEDULE 40 P.V.C. ELECTRICAL GRADE | CATV |

NOTES:

1. CONDUIT SIZES TO BE AS LISTED ABOVE UNLESS OTHERWISE NOTED ON PLANS.
2. ALL WORK SHALL COMPLY WITH THE RESPECTIVE UTILITY COMPANY STANDARDS.
3. SEE UTILITIES PLANS FOR CONDUIT LOCATIONS.
4. CONTRACTOR TO PROVIDE 1/4" POLYPROPYLENE PULL ROPES IN ALL CONDUITS.

7 / C3.0 UNDERGROUND UTILITY TRENCH (MULTIPLE PIPE)

NOT TO SCALE

5 / C3.0 LOAM AND SEED DETAIL

*NOT TO SCALE*

8 / C3.0 VERTICAL GRANITE CURBING

NOT TO SCALE

9 / C3.0 BITUMINOUS CONCRETE PARKING LOT PAVING SECTION

NOT TO SCALE


WALSH
ENGINEERING ASSOCIATES, INC.
One Karen Dr., Suite 2A | Westbrook, Maine 04092
ph: 207.553.9898 | www.walsh-eng.com


Copyright © 2014

STATE OF MAINE
WILLIAM R. WALSH, III
No. 8204
PROFESSIONAL ENGINEER
9/17/14

U-Haul Moving & Storage at Rte 295
425 Marginal Way
Portland, Maine 04101

Uhaul Co. of New Hamsphire & Maine
515 South Willow Street
Manchester, NH 03103

| Rev. | Date | Description | Drawn | Check |
|---|---|---|---|---|
| 1 | 9/17/14 | Submitted for Level I Site Plan Application | SWC | WRW |

Sheet Title:

Details

| | | |
|---|---|---|
| Job No.: | 264 | Sheet No.: |
| Date: | SEP. 17, 2014 | C3.0 |
| Scale: | AS NOTED | |
| Drawn: | SWC | |
| Checked: | WRW | |

P:\264 - UHaul Portland\CADD\264C3D18-Details.dwg\Layout: C3.0 9/17/2014 1:57 PM