EASTERN PROMENADE

NORTH STREET

BRICK SIDEWALK

SIDEWALK INSTALLED IN 2003

ON-STREET PARKING (45 SPACES- SOUTH SIDE)

ON-STREET PARKING (51 SPACES- BOTH SIDES)

SERVICE AREA

SERVICE AREA

FFE 114.0
PROPOSED BUILDING

EXISTING SEWER SERVICE AND MANHOLE WAS REMOVED TO 10 FEET OUTSIDE THE PROPOSED BUILDING FACE AS PART OF AN EARLIER CONTRACT

SANITARY INV. @ BUILDING ELEV. 105.00

INSTALL 10' OF 8" SANITARY SEWER WITH EXTERNAL DROP

INSTALL EXTERNAL DROP SMH (CONNECT TO EXISTING 12" SANITARY SERVICE)

INSTALL SERVICE CAP & 2" BLOW OFF

INSTALL 6"X6"X6" TEE- SEE DETAIL

INSTALL 6" GATE SHUTOFF VALVE- SEE DETAIL

INSTALL HYDRANT ASSEMBLY- SEE DETAIL

INSTALL 4" ⅛ BEND

INSTALL 4" ⅛ BEND

INSTALL 6" ⅛ BEND- SEE DETAIL (TYP.)

INSTALL 6" ⅛ BEND

INSTALL HYDRANT & VALVE ASSEMBLY- SEE DETAIL

INSTALL 6"X6"X6" TEE- SEE DETAIL

INSTALL 6" ⅛ BEND-

INSTALL 6"X6"X6" TEE-SEE DETAIL

INSTALL 6" SHUTOFF VALVE- SEE DETAIL

INSTALL 6" SHUTOFF VALVE- SEE DETAIL

INSTALL 6" SHUTOFF VALVE- SEE DETAIL

INSTALL 6"X6"X6" TEE-SEE DETAIL

INSTALL 8" TO 6" REDUCER- SEE DETAIL

INSTALL 2-6" ⅛ BENDS

INSTALL 6" ⅛ BEND

INSTALL 3"X BEND SEE DETAIL

INSTALL 8" GATE VALVE @ ROW

CAP AND ABANDON 217' OF EXISTING 6" WATER MAIN

FUTURE CONNECTION TO GAS MAIN CONTACT NORTHERN UTILITIES FOR PIPING PLACEMENT NEAR EXISTING GAS MAIN

INSTALL 8"X8"X6" TEE-SEE DETAIL

REFLECT PIPE

HOLD PROPOSED 8" WATER MAIN 6' OFF PROPOSED CURB

INSTALL 4" ⅛ BEND

INSTALL 4" GAS LINE (NOT CONNECTED TO PUBLIC MAIN)

INSTALL 4" ⅛ BEND

REFLECT PIPE

PROVIDE 'T' SERVIVE ' ELDERL' CONS'

REMOVE 6" GATE VALVE. INSTALL 8" GATE VALVE- SEE DETAIL

REMOVE & REPLACE EXIST. 6" WATER MAIN WITH 8" D.I. WATER MAIN

INSTALL NEW 8" D.I. WATER MAIN

REMOVE (2"x6" REDUCER & INSTALL 12"x8" REDUCER- VERIFY EXACT LOCATION WITH P.W.D. PRIOR TO CONSTRUCTION

REMOVE TEMP. PAVEMENT & INSTALL PERMANENT PAVEMENT