DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK





This is to certify that

CITY OF PORTLAND

Located at

170 NORTH ST

PERMIT ID: 2017-00927

ISSUE DATE: 06/28/2017

CBL: 008 A007001

has permission to 2017 Maine YogaFest Event - setup July 5-7 (Event July 7-9) breakdown July 9-

10. Five tents (plus smaller pop-ups) and one stage.

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required.

A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Jason Grant

/s/ Laurie Leader

Fire Official

Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

Building Inspections

Fire Department

Use Group: A

Type: TEMPO RARY

Assembly

GROUND

MUBEC/IBC 2009

PERMIT ID: 2017-00927 **Located at:** 170 NORTH ST **CBL:** 008 A007001

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703

or email: buildinginspections@portlandmaine.gov

Check the Status of Permit or Schedule an Inspection at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that are attached to this permit.
- Permits expire in 6 months if the project is not started or ceases for 6 months.
- If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.

REQUIRED INSPECTIONS:

Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

Permit No: Date Applied For: CBL: City of Portland, Maine - Building or Use Permit 2017-00927 06/12/2017 008 A007001 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716 Proposed Use: Proposed Project Description: 2017 Maine YogaFest Event - setup July 5-7 (Event July 7-9) Same: East End Community School breakdown July 9-10. Five tents (plus smaller pop-ups) and one stage. **Dept:** Zoning Status: Approved **Reviewer:** Christina Stacey **Approval Date:** 06/16/2017 Ok to Issue: Note: **Conditions:** Reviewer: Laurie Leader 06/27/2017 Building Inspecti **Status:** Approved w/Conditions **Approval Date:** Dept: Note: Ok to Issue: **Conditions:** 1) The tent intallation shall conform to the structural strength, fire safety, means of egress, accessibility, light and ventilation

- requirements of the IBC. A separate permit is required for the installation of temporary power.
- 2) This permit DOES NOT authorize any construction activities. The tent/stage must be removed at the end of the event.

Dept: Fire **Status:** Approved w/Conditions **Reviewer:** Jason Grant **Approval Date:** 06/28/2017 Ok to Issue: Note:

Conditions:

- 1) A 3 foot wide aisle shall be maintained from all areas of the tents to the public way at all times the tent is occupied.
- No smoking, open flames or pyrotechnic are allowed inside or within 10' of the tent(s).
- 3) Tents shall maintain 10' space between stake lines, other tents and buildings and combustible materials unless an alternate site plan has been approved by the AHJ.
- 4) All tents shall meet the flame propagation performance criteria contained in NFPA 701. A certificate or other evidence of acceptance by an organization acceptable to the AHJ shall serve as evidence that the tent fabric materials have the required flame propagation performance.

Located at: 170 NORTH ST CBL: 008 A007001 **PERMIT ID:** 2017-00927