DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



This is to certify that

ANDERSON STREET REALTY LLC

Located at

122 ANDERSON ST (#128)

PERMIT ID: 2016-02694

ISSUE DATE: 03/06/2017

CBL: 010 H005001

has permission to Change of use from brewery to coffee roasting - construct a mezzanine for office - Tandem Coffee Roasters - 2nd building in from Anderson Street (#128)

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required.

A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Jason Grant

/s/ Laurie Leader

Fire Official

Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

Coffee Roasting with office

Building Inspections

Use Group: B/F-2 Type: 5B

..

Coffee Roasting
Mezzanine - office - Occupant Load = 3

Tatal Occurrent land

Total Occupant load = 8 Builiding is not sprinkled

ENTIRE

MUBEC/IBC 2009

Fire Department Classification:

Industrial

ENTIRE

PERMIT ID: 2016-02694 **Located at:** 122 ANDERSON ST (#128) **CBL:** 010 H005001

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703

or email: buildinginspections@portlandmaine.gov

Check the Status of Permit or Schedule an Inspection at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that are attached to this permit.
- Permits expire in 6 months if the project is not started or ceases for 6 months.
- If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.

REQUIRED INSPECTIONS:

Foundation/Backfill

Framing Only Final - Electric

Final - Fire

Certificate of Occupancy/Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

PERMIT ID: 2016-02694 **Located at:** 122 ANDERSON ST (#128) **CBL:** 010 H005001

City of Portland, Maine - Building or Use Permit 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716 Proposed Use: Coffee Roasting Change of use from brewery to coffee roasting - construct a mezzanine for office - Tandem Coffee Roasters - 2nd building in from Anderson Street (#128)

Dept: Zoning **Status:** Approved w/Conditions **Reviewer:** Ann Machado **Approval Date:** 12/14/2016

Note: Ilb zone coffeee roasting is low impact induastrial use - office is ancillary to the coffee roasting

Ok to Issue:

Conditions:

- 1) Separate permits shall be required for any new signage.
- 2) The use of the second building (#128) shall remain a low impact industrial use (coffee roasting) with an office in the mezzanine. Any change of use shall require a separate permit application for review and approval.
- 3) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.

Dept: Building Inspecti **Status:** Approved w/Conditions **Reviewer:** Laurie Leader **Approval Date:** 02/28/2017 **Note:** Ok to Issue: ✓

Conditions:

- 1) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems, fire suppression and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 2) This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.

Dept: Engineering DPS **Status:** Not Applicable **Reviewer:** Rachel Smith **Approval Date:** 10/25/2016 **Note:** Ok to Issue: ✓

Conditions:

1) This approval is non-applicable to Engineering DPW as it relates to approval for Grease Control Equipment for the Fats, Oil, and Grease Program. If approval is needed for this project by the Engineering Department of Public Works for any other reason than FOG, please contact 874-8801

Dept: Fire **Status:** Approved w/Conditions **Reviewer:** Jason Grant **Approval Date:** 03/03/2017 **Note:** Ok to Issue: ✓

Conditions:

- 1) The means of egress shall be illuminated and marked in accordance with 2009 NPFA 101, sections 7.8 and 7.10.
- 2) Portable fire extinguishers shall be installed, inspected and maintained in accordance with NFPA 10, Standard for Portable Fire Extinguishers and 2009 NFPA 101, Chapter 9.7.4 Manual Extinguishing Equipment.
- 3) Mezzanine Level has a maximum occupancy load of 3 people.
- 4) All construction shall comply with City Code, Chapter 10. All construction shall comply with 2009 NFPA 101, Chapters # 43 & 37 All construction shall comply with 2009 NFPA 1, Fire Code. Review and approval by the AHJ shall not relieve the applicant of the responsibility of compliance with this Code (Chapter 1.14.4).

PERMIT ID: 2016-02694 **Located at:** 122 ANDERSON ST (#128) **CBL:** 010 H005001