



Alex Jaegerman, FAICP
Division Director, Planning Division

August 15th, 2014

Douglas Cardente
Anderson Street Realty, LLC
322 Fore Street, 3rd floor
Portland, ME 04101

Michael Cardente
322 Fore Street, 3rd floor
Portland, ME 04101

Project Name: **Change of use to Intermodal Transportation Facility for up to 30 vehicles**
Project ID: #2014-112 CBL: 10 H005001
Address: 122 Anderson Street, Portland
Applicant: Douglas Cardente, Anderson Street Realty LLC
Planner: Jean Fraser

Dear Messrs Cardente:

On August 15th, 2014, the Planning Authority approved, with waivers and conditions as listed below, a Level II site plan for the use of the site for Intermodal Transportation for up to 30 vehicles at 122 Anderson Street. The approval includes the use of the northernmost drive for trucks accessing the intermodal part of the site. The decision is based upon the application, documents and plans submitted by Anderson Street Realty LLC and shown on the attached plan submitted July 18, 2014. The proposal was reviewed for conformance with the standards of Portland's site plan ordinance, particularly the Transportation Standards (see the Traffic Review Comments of August 4th, 2014 attached).

A. WAIVERS

1. *Sidewalks*

The Site Plan standards require a sidewalk along all frontages of the site. The Planning Authority has waived this requirement as the proposal meets two of the waiver criteria set out in section 14-506 (b):

3. A safe alternative-walking route is reasonably and safely available, for example, by way of a sidewalk on the other side of the street that is lightly traveled.
4. The reconstruction of the street is specifically identified and approved in the first or second year of the current Capital Improvement Program or has been funded through an earlier CIP or through other sources.

The City's Anderson Street Neighborhood Byway Project is anticipated to commence in September 2014 and will include construction work to create sidewalks, permanent pedestrian crossings and utility upgrades at the Anderson Street/Fox Street intersection, including a sidewalk along the frontage of the proposal site and along Anderson Street.

2. *Location and Spacing of Driveways*

Section 1.7.1.7 of the City's Technical Manual establishes spacing requirements for driveways. These are not fully met by the proposals as they are utilizing the existing driveways and curb cuts that currently serve other users as well as the proposed use. The Planning Authority supports a waiver from these standards in view of the existing conditions and the constraint on any substantial modification, and subject to the conditions of approval for the site plan.

B. SITE PLAN REVIEW

The Planning Authority finds the plan is in conformance with the Site Plan Standards of the Land Use Code subject to the following conditions of approval, and the standard conditions of approval, listed below:

- i. That this approval is for the use of the site for an intermodal transportation facility as presented in application #2014-112, ie for trucks waiting to load onto the Nova Star Ferry at Ocean Gateway (known as a staging area). Any other use of the site shall be subject to any city required reviews and approvals, licenses, and permits, as applicable; and
- ii. The trucks departing the site to go to the Ocean Gateway facility shall use the route from the site to Anderson Street to Fox Street to Franklin Street to Commercial Street; and
- iii. That the intermodal transportation facility trucks shall access the site only via the northern-most drive access, and that trucks entering or exiting the site over a delivery day time period (trucks arriving in advance of ship departure during the day and leaving the site to get to the ship) shall be limited to 15 trucks during 2014 operations. The applicant/operator shall be required to submit to the Planning Authority, on a monthly basis, a written record of the number of trucks using the site each day. Following the results of the monitoring study outlined in Condition iv., the number of trucks may be increased to a maximum number of 30 trucks either entering or exiting the site over a 24-hour period. Otherwise the maximum will remain 15 trucks at any one time; and
- iv. That the applicant shall fund a traffic and pedestrian monitoring study (maximum cost \$1500) to be conducted by the Planning Authority. The monitoring study shall be conducted within two weeks after operations begin and at a later date in the 2014 season. The monitoring study will ensure the conditions of this approval are being met and identify any issues that may need resolution. It should be noted that the monitoring study shall include all roadways / intersections between 122 Anderson Street and the Ocean Gateway site. If the monitoring study identifies safety concerns, the applicant shall be fully responsible for implementation of mitigation measures. It is anticipated that possible mitigation measures may include, but are not limited to, additional warning signs and pavement marking, traffic signal modifications at intersections along Franklin Street, truck arrival/departure management by personnel at the site, and route adjustments; and
- v. The applicant or operator shall implement, from the commencement of truck staging operations, a departure management plan that limits the truck departure rate to a maximum frequency of one truck per minute, to take place between the hours of 7:00pm and 9:30pm. The westbound Fox Street signal phase at Franklin Street will not likely be able to process more than one truck and therefore is currently a limiting factor. The departure management plan may be adjusted in agreement with the Planning Authority based on the monitoring study, which will review this departure rate and recommend adjustments, as necessary; and
- vi. That between the hours of 10pm and 7am no trucks shall access or leave the site, and any new lighting shall be turned off during these hours. Refrigerator trucks shall only utilize the site between 7am and 10pm, shall be parked as far as possible from Anderson Street and meet the sound standards of the ILb zone. All other trucks shall turn off their engines when on the site to minimize fumes; and

- vii. The applicant shall implement temporary pedestrian enhancements to the Anderson Street/Fox Street intersection to be implemented in advance of the commencement of the truck staging operation. These improvements shall include the following and be carried out in accordance with City standards:
- o A crosswalk shall be painted on the westerly Fox Street approach. The crosswalk shall be aligned with the apex on the southwest corner of the intersection and the Coffee By Design Driveway on the northwest corner (half of the crosswalk would be in the driveway).
 - o A crosswalk shall be painted on the easterly Fox Street approach. The crosswalk shall be aligned with each corner apex.
 - o STOP bars shall be re-painted on the eastbound Fox Street approach and the southbound Anderson Street approach.

It should be noted that the permanent improvements at this intersection are expected to be under construction beginning later this summer; if the temporary pedestrian enhancements are impacted by the construction activity, they will be reinstated per city requirements by the utility or city contractors until the permanent pedestrian measures are installed; and

- viii. That the monitoring study identified in Condition iv. shall include the driveway access/egress conditions for both site driveways. Currently, Tandem Coffee and Bunker Brewery use both driveways and this will continue in the future. If deemed necessary from the monitoring study, on-site circulation and access provisions will need to be formally regulated and controlled. An outcome of the monitoring study could be that the northerly driveway (with the truck scale) be used for trucks and employees only and the southerly driveway be used for Tandem Coffee and Bunker Brewery customers and the Community Center. Changes may require both regulatory and wayfinding signage and the applicant would be required to propose how to physically separate the two driveways, internally, so that vehicles are controlled; and
- ix. The applicant shall be responsible for providing a fully paved driveway of a minimum width of 22 feet wide from the right-of-way boundary extending into the site for 50 feet, prior to the commencement of the truck staging operation. A plan of the construction details for this improvement shall be provided for review and approval by the Planning Authority prior to installation. The remainder of the site shall be maintained with a surface that does not allow the creation of dust. In addition, the applicant shall install truck entering warning signs at the site driveway that are compliant with the Manual on Uniform Traffic Control Devices, Federal Highway Administration. Final details of signs shall be reviewed and approved by the Planning Authority; and
- x. That the applicant shall advise the lessees on the site and the Muslim Community Center in advance of the start date for the proposed truck staging operation, and provide details of the likely truck activity and a contact person if there are any problems on the site; and
- xi. That this approval is for an intermodal transportation facility based on the specific Nova Star operations as described in the submissions in July 2014 as part of #2014-112. Any proposed changes in the operator, timing of the truck departures or other operational characteristics shall be advised to the Planning Authority prior to commencement and may be subject to further review; and

- xii. That separate permits from the Inspections Division shall be required for any new or revised signage (except those meeting MUTCD as installed for traffic and pedestrian safety). Other required permits include a Street Opening Permit from the Department of Public Services for any work in the right of way (eg curb cuts); a Change of Use Permit from the Inspections Division; and a Building Permit for Site Work only from the Inspections Division.

The approval is based on the submitted site plan for application #2014-112. If you need to make any modifications to the approved site plan, you must submit a revised site plan for staff review and approval. The standard conditions of approval are listed below.

NOTE

The applicant and operator should note that the Anderson Neighborhood Byway Project is anticipated to commence in September 2014 and will include construction work to create sidewalks, permanent pedestrian crossings and utility upgrades at the Anderson Street/Fox Street intersection and along the frontage of the proposal site and Anderson Street. The construction will necessitate limitations on vehicle and pedestrian access to the site during the construction activities, such as single lane alternative flow scenarios. It is anticipated this would be less of an issue at the time of the trucks departure from the site in the evening, but would impact trucks arriving at the Intermodal Transportation facility as well as other users of the property.

STANDARD CONDITIONS OF APPROVAL

Please note the following standard conditions of approval and requirements for all approved site plans:

1. **Develop Site According to Plan** The site shall be developed and maintained as depicted on the site plan and in the written submission of the applicant. Modification of any approved site plan or alteration of a parcel which was the subject of site plan approval after May 20, 1974, shall require the prior approval of a revised site plan by the Planning Board or Planning Authority pursuant to the terms of Chapter 14, Land Use, of the Portland City Code.
2. **Separate Building Permits Are Required** A separate building permit for Site Work only is required from the Inspections Division, and permits for work in the right of way are required from the Department of Public Services. This approval does not constitute approval of building plans, which must be reviewed and approved by the City of Portland's Inspection Division.
3. **Site Plan Expiration** The site plan approval will be deemed to have expired unless work has commenced within one (1) year of the approval or within a time period up to three (3) years from the approval date as agreed upon in writing by the City and the applicant. Requests to extend approvals must be received before the one (1) year expiration date.
4. **Performance Guarantee and Inspection Fees** A performance guarantee covering the site improvements, inspection fee payment of 2.0% of the guarantee amount or a minimum of \$300. and four (4) final sets of plans must be submitted to and approved by the Planning Division and Public Services Department prior to the release of a building permit, street opening permit or certificate of occupancy for site plans. If you need to make any modifications to the approved plans, you must submit a revised site plan application for staff review and approval.
5. **Defect Guarantee** A defect guarantee, consisting of 10% of the performance guarantee, must be posted before the performance guarantee will be released.

6. **Preconstruction Meeting** Prior to the release of a building permit or site construction, a pre-construction meeting shall be held at the project site. This meeting will be held with the contractor, Development Review Coordinator, Public Service's representative and owner to review the construction schedule and critical aspects of the site work. At that time, the Development Review Coordinator will confirm that the contractor is working from the approved site plan. The site/building contractor shall provide three (3) copies of a detailed construction schedule to the attending City representatives. It shall be the contractor's responsibility to arrange a mutually agreeable time for the pre-construction meeting.
7. **Department of Public Services Permits** If work will occur within the public right-of-way such as utilities, curb, sidewalk and driveway construction, a street opening permit(s) is required for your site. Please contact Carol Merritt at 874-8300, ext. 8828. (Only excavators licensed by the City of Portland are eligible.)
8. **As-Built Final Plans** Final sets of as-built plans shall be submitted digitally to the Planning Division, on a CD or DVD, in AutoCAD format (*.dwg), release AutoCAD 2005 or greater.

The Development Review Coordinator must be notified five (5) working days prior to the date required for final site inspection. The Development Review Coordinator can be reached at the Planning Division at 874-8632. All site plan requirements must be completed and approved by the Development Review Coordinator prior to issuance of a Certificate of Occupancy. Please schedule any property closing with these requirements in mind.

The proposals have been reviewed as a Level II Staff level review in accordance with the current ordinance requirements, as summarized in the attached "*Report of Findings*".


The site plan ordinance includes a provision regarding appeals of an administrative decision, as follows:

Sec. 14-529. Appeals.

- (a) When the planning authority has approved, approved with conditions, or denied a site plan, or has approved a request to extend the expiration date of a Master Development Plan, any person aggrieved may appeal the decision to the planning board within thirty (30) calendar days of the date of the written decision of the planning authority. Upon the taking of such an appeal, the application or request for an extension shall be reviewed as a new application or request.

If there are any questions, please contact Jean Fraser at (207) 874- 8728.

Sincerely,



Alexander Jaegerman, FAICP
Planning Division Director

Attachments:

1. Staff Report of Findings
2. Site Plan and narratives submitted July 2014
3. Traffic Review comments from Tom Errico dated August 4, 2014, as amended 8.11.2014

cc list below

cc:

Jeff Levine, AICP, Director of Planning and Urban Development
Alexander Jaegerman, FAICP, Planning Division Director
Barbara Barhydt, Development Review Services Manager
Jean Fraser, Planner
Philip DiPierro, Development Review Coordinator, Planning
Marge Schmuckal, Zoning Administrator, Inspections Division
Tammy Munson, Inspections Division Director
Jonathan Rioux, Inspections Division Deputy Director
Jennie Bourke, Plan Reviewer/CLEO, Inspections Division
Lannie Dobson, Administration, Inspections Division
Brad Saucier, Administration, Inspections Division
Michael Bobinsky, Public Services Director
Katherine Earley, Engineering Services Manager, Public Services
Bill Clark, Project Engineer, Public Services
David Margolis-Pineo, Deputy City Engineer, Public Services

Doug Roncarati, Stormwater Coordinator, Public Services
Greg Vining, Associate Engineer, Public Services
Michelle Sweeney, Associate Engineer
John Low, Associate Engineer, Public Services
Rhonda Zazzara, Field Inspection Coordinator, Public Services
Mike Farmer, Project Engineer, Public Services
Jane Ward, Administration, Public Services
Jeff Tarling, City Arborist, Public Services
Jeremiah Bartlett, Public Services
Captain Chris Pirone, Fire Department
Danielle West-Chuhra, Corporation Counsel
Thomas Errico, P.E., TY Lin Associates
David Senus, P.E., Woodard and Curran
Rick Blackburn, Assessor's Department
Approval Letter File