


**NOTES:**


1. WIRE CABLES ARE TO BE ATTACHED PERPENDICULAR TO EACH OTHER FORMING A GRID PATTERN; DUAL-LOCKING TRELLIS CROSS CLAMPS OR AN APPROVED ALTERNATIVE SHALL BE USED AT EACH INTERSECTION
2. FINAL LOCATION OF TRELLIS MOUNTS WILL BE DEFINED BY THE CONTRACTOR AND APPROVED BY THE ARCHITECT
3. ALL TRELLIS COMPONENTS TO BE MADE OF SAE 316 STAINLESS STEEL AND MANUFACTURED BY HAYN LINES OR AN APPROVED EQUAL
4. CONTRACTOR TO INSTALL TRELLIS STRUCTURE IN ACCORDANCE TO MANUFACTURER'S RECOMMENDATIONS
5. REFER TO ARCHITECTURAL DETAILS FOR ADDITIONAL INFORMATION.




**STAINLESS STEEL GREEN WALL TRELLIS SYSTEM**  
NOT TO SCALE

**NOTES:**


1. DIG HOLE AT LEAST 2 TIMES THE DIAMETER OF THE ROOT BALL AND AS DEEP AS THE ROOT BALL (NO DEEPER). SET ROOT BALL CENTERED, WITH THE TOP AT DOWNHILL EDGE OF THE HOLE.
2. TOPSOIL BACKFILL SHALL BE NATURAL FRIABLE, FERTILE, FINE LOAMY SOIL POSSESSING THE CHARACTERISTICS OF TOPSOIL IN THE VICINITY WHICH PRODUCE A HEAVY GROWTH. TOPSOIL SHALL CONTAIN NOT LESS THAN 6% NOR MORE THAN 20% ORGANIC MATTER. TOP SOIL SHALL HAVE A pH VALUE OF NOT LESS THAN 5.5 NOR MORE THAN 7.0.
3. CONTAINER GROWN STOCK - REMOVE CONTAINER PROTECTING THE ROOT BALL. GENTLY COMB OUT THE ROOTS. PRUNE DAMAGED ROOTS.
4. BACKFILL THE HOLE WITH TOPSOIL TO A DEPTH NOT TO EXCEED 8" THEN WATER SUFFICIENTLY TO SETTLE TOPSOIL. REPEAT SOIL BACKFILL, WATER, DRAIN. TOPSOIL SHALL BE TAMPED UNDER EDGES OF THE BALLED PLANTS. BACKFILL TO FINISH GRADE AND CREATE AN EARTHEN SAUCER. SOAK PLANTS TWICE WITHIN THE FIRST TWENTY-FOUR HOURS OF PLANTING.




**TYPICAL PLANTING**  
NOT TO SCALE



**TREE PLANTING DETAIL**  
NOT TO SCALE



**PERENNIAL PLANTING DETAIL**  
NOT TO SCALE



**BARK MULCH DETAIL**  
NOT TO SCALE

**PLANTING NOTES:**

1. ALL PLANT SELECTION AND INSTALLATION WILL BE IN COMPLIANCE WITH THE CITY OF PORTLAND TECHNICAL MANUAL (SECTION 4).
2. CONTRACTOR TO VERIFY ALL UTILITIES ON PROPERTY AND TO PROTECT ALL UTILITIES DURING EXCAVATION FOR PLANTS.
3. IF THERE IS A DISCREPANCY BETWEEN THE NUMBER OF PLANTS SHOWN ON THE PLAN AND THE NUMBER OF PLANTS SHOWN IN PLANT LIST (IF ANY), THE NUMBER OF PLANTS SHOWN ON PLAN WILL TAKE PRECEDENCE.
4. ALL MATERIAL SHALL COMPLY WITH THE LATEST EDITION OF THE AMERICAN STANDARD FOR NURSERY STOCK, AMERICAN ASSOCIATION OF NURSERYMAN.
5. THE ENGINEER MAY TAG ALL PLANTS AT THE NURSERY AND INSPECT THEM AFTER DELIVERY TO THE SITE. ALL PLANT MATERIALS SHALL BE INSPECTED BY THE ENGINEER ON SITE PRIOR TO INSTALLATION.
6. ALL PROPOSED PLANTS SHALL BE LOCATED CAREFULLY AS SHOWN ON THE PLANS AND THE PLACEMENTS SHALL BE APPROVED BY ENGINEER BEFORE THE PLANTS ARE INSTALLED.
7. ALL DISTURBED AREAS NOT TO BE PAVED OR PLANTED SHALL BE LOAMED AND SEEDDED AS SHOWN. THE SEED MIX SPECIFICATIONS ARE AS FOLLOWS: LESCO FINE FESCUE LINKS BLEND OF 35% HARD FESCUE, 35% CREEPING RED FESCUE, 20% CHEWINGS FESCUE AND 10% SHEEP FESCUE. ADD 5% LITTLE BLUESTEM AND 5% NORTHEAST WILDFLOWER SEED MIXTURE BY WEIGHT TO THE LINKS BLEND.
8. STAKING AND GUYING SHALL BE DETERMINED BY THE ENGINEER ON A TREE BY TREE BASIS. FOR PRICING PURPOSES, PROVIDE A PER TREE UNIT COST FOR STAKING AND GUYING. IF STAKING AND GUYING IS REQUIRED, REMOVE TREE WRAP, STAKES, AND GUY WIRES AT END OF FIRST GROWING SEASON.
9. FOR TREE PLANTING IN LAWN AREAS, ANY DISTURBED LAWN SHALL BE LOAMED AND SEEDDED AS NECESSARY.

PERMIT LEVEL  
NOT ISSUED FOR  
CONSTRUCTION


ISSUED FOR	BY
CITY APP.	WHS
	12/4/17

LANDSCAPING DETAILS
PROJECT NAME: 151 WASHINGTON AVE. REDEVELOPMENT
CLIENT: DIVING ROCK, LLC
15 HOWARD STREET, PORTLAND, ME 04101

AWSON ENGINEERS, INC.  
158 BANGOR ST. PORTLAND, MAINE 04102  
(207) 775-2655

**A C O R N**  
ENGINEERING, INC.

FILE:	1090_CIVIL
JN:	1090
SCALE:	NTS
DESIGNED BY:	WHS
DRAWN BY:	SJL
CHECKED BY:	WHS



DRAWING NO.  
**C-42**