



	— NEW 1/2" CDX PLYWOOD SHEATHING
	— NEW 2 X 4 WALL FRAMING @ 24" O.C.
	— EXISTING WALL FRAMING
	— NEW (2) 2 X 4 ACQ SILL
	— 5/8" X 12" GALV. FOUNDATION BOLTS @ 48"± O.C.
	— NEW 4,000psi CONCRETE REINFORCING WALL CAST AGAINST EXISTING BRICK WORK
	- LAYER OF REFLECTIVE ROLL INSULATION TO ISOLATE CONCRETE FROM EXISTING BRICKWORK
	— #5 REINFORCING BARS AT 12" O.C HORIZONTALLY AND VERTICALLY
	 4" 4,000psi CONCRETE SLAB ON GRADE WITH #4 BARS @ 36" O.C.EACH WAY AND 6 X 6 WELDED WIRE MESH
· · · × · · ×	- 2" RIGID INSULATION
	— 15 MIL TAPED VAPOR BARRIER
	— HEIGHT T.B.D.
	— COMPACTED FILL.
	— NEW 16" WIDE 4,000psi CONCRETE FOOTING CAST AGAINST EXISTING RUBBLE FOUNDATION WITH (6) #5 BARS CONTINUOUS.
	— EXISTING RUBBLE FOUNDATION WALL (ASSUMED)
	— UNDISTURBED SUBGRADE

- NEW 1/2" CDX PLYWOOD SHEATHING
- NEW 2 X 8 WALL FRAMING @ 24" O.C.
- NEW (2) 2 X 8 ACQ SILL .
- 5/8" X 12" GALV. FOUNDATION BOLTS @ 48"± O.C.
- 4" 4,000psi CONCRETE SLAB ON GRADE WITH #4 BARS @ 36" O.C. EACH WAY AND 6 X 6 WELDED WIRE MESH
- 15 MIL TAPED VAPOR BARRIER
- NEW 8" THICK 4,000psi CONCRETE GRADE BEAM CAST ON EXISTING RUBBLE FOUNDATION WITH #5 BARS @ 12" O.C HORIZONTALLY AND VERTICALLY
- COMPACTED FILL
- 2" RIGID INSULATION TYP.
- EXISTING RUBBLE FOUNDATION WALL (ASSUMED)
- UNDISTURBED SUBGRADE

PERMIT SET

Scale: As Shown Revisions:	
Title:	
Main Block & Ell	
Foundation Plans	
and	
Sections	
Sheet No: S-1	

Date: 2 October 2015

RESURGENCE

ENGINEERING & PRESERVATION, INC

132 BRENTWOOD STREET

PORTLAND, ME 04103

207.773.4880

WWW.RESURGENCEENGINEERING.COM

OF

ALFRED H.

ENGINEER OF RECORD

HODSON III 🚩

No. 9246

NYE.

CENSE'

Ļ σ

____ ____

Ш

σ

 \square

σ

Ч

C

0

ш

• σ

Ð

0

0

•—

<u>ч</u> Я

᠆

•—

_____ •—

Ω

σ

L

Φ

 $\mathbf{\mathcal{L}}$

U

Ľ

>

<

Ο

O

S

σ

 \geq

3

 $\overline{}$

S

θG

_. თ

≥ α

ע ≥

Ш

Я

μ μ

ר ש

c 0

പ

σ

σ