

© 2016 RYAN SENATORE ARCHITECTURE

123 WASHINGTON
123 WASHINGTON AVENUE
PORTLAND, MAINE



RYAN SENATORE
ARCHITECTURE
565 CONGRESS STREET
PORTLAND, MAINE 04101
207-650-6414
senatorearchitecture.com

CONSULTANTS:

REVISIONS:

DATE: DECEMBER 05, 2016

PROJECT No. 1638


DRAWN BY: JPF

CHECKED BY: RJS

SCALE: AS NOTED

SHEET TITLE:
WINDOW
SCHEDULE

A7-1



1 WINDOW TYPES
1/8" = 1'-0"

WINDOW SCHEDULE											
KEY	ACTION	ROUGH OPENING (WxH) VIF	ROUGH HEIGHT FROM SUB FLOOR	HEAD	JAMB	SILL	DETAILS		MATERIAL	FINISH	REMARKS
							EQ	EQ			
A	STORE	8'-0" x 8'-0"	-	-	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
B	STORE	8'-0" x 5'-0"	-	-	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
C	STORE	5'-1" x 5'-0"	-	-	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
D	STORE	VIF	-	-	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
E	STORE	8'-0" x 8'-0"	-	-	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
F	STORE	5'-1" x 8'-0"	-	-	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
G	STORE	MATCH EXISTING	-	-	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
H	F	6'-0-1/2" X 4'-0-1/2"	-	-	-	-	-	-	STL	PTD	INTERIOR WINDOW - 45 MINUTE FIRE RATED GLAZING AND FRAME

WINDOW NOTES:

- COORDINATE AND ADJUST ROUGH OPENING DIMENSIONS TO ACCOMMODATE SILL PAN FLASHING SYSTEM
- ALL GLAZING LOCATED WITHIN 18" OF FINISHED FLOOR TO BE TEMPERED GLASS
- ALL EXTERIOR GLAZING TO BE INSULATED
- FRAME ALL OPENINGS WITH ELEVATIONS
- SEAL WINDOW TO ROUGH OPENING WITH LOW EXPANDING FOAM INSULATION - SEE DETAILS
- ALL NEW STOREFRONT FRAMES TO MATCH EXISTING COLOR