

1. SEE GENERAL NOTES FOR ADDITIONAL INFORMATION.

- 2. TEMPORARY SHORING OF ALL REPAIR WORK BY CONTRACTOR -TYP
- 3. (E) INDICATES EXISTING, (N) INDICATES NEW, (R) INDICATES REMOVE.
- 4. ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE 3-2x6 AND IN 2x4 WALLS SHALL BE 3-2x4 UNLESS NOTED OTHERWISE ON PLANS.
- 5. ALL BEAMS ARE FLUSH, UNO.
- 6. ALL HEADERS IN 2x6 BEARING WALLS ARE (3) 2x6, UNO. 7. ALL HEADERS IN 2x4 BEARING WALLS ARE (2) 2x8, UNO.
- 8. SAWCUT NEW MASONRY OPENINGS OR ALIGN/ KNIT BLOCK/ BRICK FOR CLEAN EDGE -TYP.

© 2015 RYAN SENATORE ARCHITECTURE

23

ARCHITECTURE 565 CONGRESS ST. SUITE 304 PORTLAND, MAINE 04101 207-650-6414 senatorearchitecture.com

CONSULTANTS: STRUCTURAL: Structural Integrity 77 Oak Street Portland, ME 04101 207-774-4614

REVISIONS:

March 8, 2017 1638 PROJECT No. DRAWN BY: WMc CHECKED BY: AS NOTED SCALE:

SHEET TITLE:

FOR PERMIT

SI # 16-0239

77 Oak Street

Portland, ME, 04101 р. 207-774-4614 f. 866-793-7835 www.structuralinteg.com

BUILD WITH CONFIDENCE

© 2017 Structural Integrity Consulting Engineers, Inc.

ROOF FRAMING PLAN