Reviewed for Code Compliance
Inspection Services
Portland, Maine
Date: 03/21/17

1 WINDOW TYPES
1/4" = 1'-0"

WINDOW SCHEDULE LEGEND

T = TEMPERED GLASS
FG = FIBERGLASS
AL = ALUMINUM
DH = DOUBLE HUNG
AW = AWNING
LV = LOUVER
F = FIXED
GL = GLIDER

WINDOW SCHEDULE

KEY	ACTION	ROUGH OPENING (WxH) VIF *	ROUGH HEIGHT FROM SUB FLOOR	DETAILS HEAD	DETAILS JAMB	DETAILS SILL	MATERIAL	FINISH	REMARKS (FOR TEMPERED GLASS LOCATIONS SEE WINDOW ELEVATION TYPES FOR MASONRY OPENING DIMENSIONS COORDINATE COURSING WITH EXTERIOR ELEVATION SHEETS AND PLAN AND SECTION DETAIL SHEETS)
A	STORE	8'-0" x 8'-0"	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
B	STORE	8'-0" x 5'-0"	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
C	STORE	5'-1" x 5'-0"	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
D	STORE	VIF	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
E	STORE	8'-0" x 8'-0"	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
F	STORE	5'-1" x 8'-0"	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
G	STORE	MATCH EXISTING	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM
H	F	6'-0-1/2" X 4'-0-1/2"	-	-	-	-	STL	PTD	INTERIOR WINDOW - 45 MINUTE FIRE RATED GLAZING AND FRAME

WINDOW NOTES:

1.) COORDINATE AND ADJUST ROUGH OPENING DIMENSIONS TO ACCOMMODATE SILL PAN FLASHING SYSTEM
2.) ALL GLAZING LOCATED WITHIN 18" OF FINISHED FLOOR TO BE TEMPERED GLASS
3.) ALL EXTERIOR GLAZING TO BE INSULATED
4.) FRAME ALL OPENINGS WITH ELEVATIONS
5.) SEAL WINDOW TO ROUGH OPENING WITH LOW EXPANDING FOAM INSULATION - SEE DETAILS
6.) ALL NEW STOREFRONT FRAMES TO MATCH EXISTING COLOR

REGISTERED ARCHITECT
RYAN J. SENATORE
No. 3322
STATE OF MAINE

© 2016 RYAN SENATORE ARCHITECTURE

123 WASHINGTON

123 WASHINGTON AVENUE
PORTLAND, MAINE

RSA
RYAN SENATORE
ARCHITECTURE
565 CONGRESS STREET
PORTLAND, MAINE 04101
207-650-6414
senatorearchitecture.com

CONSULTANTS:

REVISIONS:

DATE:	DECEMBER 05, 2016
PROJECT No.	1638
DRAWN BY:	JPF
CHECKED BY:	RJS
SCALE:	AS NOTED

SHEET TITLE:
WINDOW SCHEDULE

A7-1