



**CANTILEVER BUILD-OUT FRAMING PLAN**  
SCALE 1/4"=1'-0"



**UPPER STAIR ROOF FRAMING PLAN**  
SCALE 1/4"=1'-0"




**THIRD FLOOR FRAMING PLAN**  
SCALE 1/4"=1'-0"

- NOTES:**
- SEE S1.0 FOR GENERAL STRUCTURAL NOTES.
  - FLOOR SHEATHING AT THIS LEVEL TO BE DIAGONALLY PLACED 1" THICK T&G.
  - ROOF SHEATHING AT THIS LEVEL TO BE 5/8" OSB - SEE GENERAL NOTES TYP.
  - ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE 3-2x6 AND IN 2x4 WALLS SHALL BE (3) 2x4, UNO.
  - ALL WOOD BEAMS ARE FLUSH, UNO.
  - ALL HEADERS ARE (2) 2x8, UNO.
  - ALL EXTERIOR BEARING WALLS, AND INTERIOR BEARING WALLS ARE 2x6 @ 16" O.C. - TYP UNO.
  - COORDINATE JOIST LAYOUT W/ LOCATIONS OF PLUMBING RUNS AND FIXTURES - TYP

FRAMING PLAN SYMBOLS KEY	
□	WOOD POST
○	STEEL COLUMN
(X)	NUMBER OF WOOD STUDS IN POST BELOW
A	COLUMN ABOVE THIS LEVEL
C	COLUMN CONTINUOUS THROUGH THIS LEVEL
—	JOIST BEARING
—	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
—	FLUSH FRAMED JOIST BEARING WITH HANGER
—	WOOD STUD BEARING WALL BELOW
—	SHEAR WALL
—	NUMBER OF TRIM STUDS UNDER HEADER
—	NUMBER OF KING STUDS ADJACENT TO HEADER

TRUSS DESIGNER NOTE: DESIGN FOR 100 P.S.F. AT ROOF DECK



77 Oak Street  
Portland, ME, 04101  
p. 207-774-4614  
f. 866-793-7835  
www.structuralinteg.com

BUILD WITH CONFIDENCE  
© 2014 Structural Integrity Consulting Engineers, Inc.

Prepared For: \_\_\_\_\_

Consulting Engineer: **ARCHETYPE** Architects  
48 Union Wharf Portland, Maine 04101  
(207) 772-6022 Fax (207) 772-4056

Project: **SHERIDAN STREET**  
SHERIDAN STREET  
PORTLAND, MAINE

Revisions: \_\_\_\_\_

Date: 10 March 2014  
Scale: AS NOTED

**THIRD FLOOR PLAN**

**S1.3**

SI # 13-0139