


ROOF FRAMING PLAN

- NOTES:
- SEE SHEET S1.0 FOR GENERAL STRUCTURAL NOTES
 - ROOF SHEATHING AT THIS LEVEL TO BE DIAGONALLY PLACED 1" THICK T&G.
 - ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE 3-2x6 AND IN 2x4 WALLS SHALL BE 3-2x4 UNLESS NOTED OTHERWISE ON PLANS
 - ALL BEAMS ARE DROPPED, UNO
 - ALL HEADERS IN 2x BEARING WALLS ARE (2) 2x8, UNO
 - VERIFY ALL ROOF PITCHES W/ ARCH
 - ALL ROOF TRUSSES SHALL BE DESIGNED FOR THE MANUFACTURER BY A MAINE REGISTERED P.E. SUBMIT LAYOUT PLANS, BRACING REQUIREMENTS AND CALCULATIONS TO ARCH. AND ENGINEER OF RECORD FOR REVIEW AND APPROVAL.
 - SET EXTERIOR WALLS IN ±1/4" AT THIRD FLOOR TO ACCOUNT FOR DIFFERENCE IN THICKNESS OF DIAGONAL BOARD SHEATHING.
 - ALL THIRD FLOOR BOTTOM SILL PLATE CONNECTION TO HAVE (3) #10 X 8" SCREWS @ 16" O.C. - TYP UNO
 - ALL EXTERIOR BEARING WALLS, AND INTERIOR BEARING WALLS ARE 2x6 @ 16" O.C. - TYP UNO.



FRAMING PLAN SYMBOLS KEY

□	WOOD POST
○	STEEL COLUMN
(X)	NUMBER OF WOOD STUDS IN POST BELOW
A	COLUMN ABOVE THIS LEVEL
C	COLUMN CONTINUOUS THROUGH THIS LEVEL
—	JOIST BEARING
—	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
—	FLUSH FRAMED JOIST BEARING WITH HANGER
—	WOOD STUD BEARING WALL BELOW
—	SHEAR WALL
2x4	NUMBER OF TRIM STUDS UNDER HEADER
2x4K	NUMBER OF KING STUDS ADJACENT TO HEADER

Prepared For: _____

Consulting Engineer: _____

Architect: **ARCHETYPE architects**
48 Union Wharf Portland, Maine 04101
(207) 772-6022 Fax (207) 772-4056


Project: **SHERIDAN STREET**
SHERIDAN STREET
PORTLAND, MAINE

Revisions: _____

Date: 10 March 2014

Scale: AS NOTED

ROOF FRAMING PLAN



Structural Integrity
Consulting Engineers, Inc.

77 Oak Street
Portland, ME, 04101
p. 207-774-4614
f. 866-793-7835
www.structuralinteg.com

BUILD WITH CONFIDENCE
© 2014 Structural Integrity Consulting Engineers, Inc.

S1.4

SI # 13-0139