

WALL TYPE NOTES

- 1.) INSTALL WATER RESISTANT GYPSUM WALLBOARD IN ALL RESTROOMS AND TOILET ROOM WALLS AND CEILINGS, AND AT ANY WALL WITH PLUMBING FIXTURES
- 2.) WHEN TWO ADJACENT WALL TYPES HAVE DIFFERING NUMBERS OF LAYERS OF GWB, THE FINISHED FACE OF GWB MUST FORM ONE CONTINUOUS PLANE, ADJUST STUD PLANE LOCATION AS REQUIRED TO ACHIEVE THE CONTINUOUS PLANE
- 3.) HOLD BOTTOM OF GWB UP 1/2" FROM CONCRETE, PROVIDE SEALANT AT JOINT.
- 4.) ALL WALL TYPES WITH AN INSULATION COMPONENT TO BE ACOUSTICALLY SEALED

GRAPHIC DEPICTION		DESCRIPTION			
		R VALUE 30.15 (U .033) - CORRUGATED STEEL CONTAINER ROOF - 4-1/2" SPRAY FOAM INSULATION R-30.15 - 2x4 WOOD CEILING JOISTS AT 16" O.C. - LAYER OF 5/8" TYPE-X GWB			
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	
R1	N/A	N/A	N/A	N/A	


GRAPHIC DEPICTION		DESCRIPTION			
		R VALUE 16.75 (U .059) - CORRUGATED STEEL CONTAINER WALL - 2-1/2" SPRAY FOAM INSULATION R-16.75 - 2x4 WOOD STUD ON THE FLAT 16" O.C. - LAYER OF 5/8" TYPE-X GWB			
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	
E1	N/A	N/A	N/A	N/A	

GRAPHIC DEPICTION		DESCRIPTION			
		- LAYER OF 5/8" TYPE-X GWB - 2x4 WOOD STUDS AT 16" O.C. - 3-1/2" ACOUSTICAL FIRE BATT INSULATION - LAYER OF 5/8" TYPE-X GWB NOTE: - GWB TO EXTEND UP TO DECK AND SEALED TO DECK WITH FIRE CAULKING			
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	
1A	1 HR	U311	50-54	N/A	

GRAPHIC DEPICTION		DESCRIPTION			
		R VALUE 20.1 (U .049) - 1-1/8" MARINE GRADE PLYWOOD CONTAINER FLOOR - STEEL JOISTS - 3" SPRAYFOAM INSULATION (FULL COVER ON ALL SIDES OF JOISTS) - CRUSHED STONE BASE, SEE STRUCTRAL AND CIVIL DRAWINGS			
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	
F1	N/A	N/A	N/A	N/A	

GRAPHIC DEPICTION		DESCRIPTION			
		R VALUE 16.75 (U .059) - CORRUGATED STEEL CONTAINER WALL - 2-1/2" SPRAY FOAM INSULATION R-16.75 - 2x4 WOOD STUD ON THE FLAT 16" O.C. - (2) LAYERS OF 5/8" TYPE-X GWB			
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	
E2	1 HR	N/A	N/A	N/A	

GRAPHIC DEPICTION		DESCRIPTION			
		- LAYER OF 5/8" GWB - 2x4 WOOD STUDS AT 16" O.C.			
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	
NB	N/A	N/A	N/A	N/A	



© 2017 RYAN SENATORE ARCHITECTURE

93 WASHINGTON AVE.
PORTLAND, MAINE



RYAN SENATORE
ARCHITECTURE
585 CONGRESS STREET
PORTLAND, MAINE 04101
207-650-6414
senatorearchitecture.com

CONSULTANTS:

REVISIONS:

DATE: JULY 22, 2017

PROJECT No. 1626

DRAWN BY: RJS / RRT

CHECKED BY: RJS

SCALE: AS NOTED

SHEET TITLE:
WALL TYPES
AND
ASSEMBLIES

A0-1