

© 2017 RYAN SENATORE ARCHITECTURE

93 WASHINGTON AVE.
PORTLAND, MAINE



RYAN SENATORE
ARCHITECTURE
565 CONGRESS STREET
PORTLAND, MAINE 04101
207-650-6414
senatorearchitecture.com

CONSULTANTS:

REVISIONS:

DATE: JULY 22, 2017

PROJECT No. 1626


DRAWN BY: RJS / RRT

CHECKED BY: RJS

SCALE: AS NOTED

SHEET TITLE:
WINDOW
SCHEDULE

A7-1



WINDOW SCHEDULE LEGEND

- T = TEMPERED GLASS O/F S = OPERABLE / FIXED STOREFRONT
- FG = FIBERGLASS
- AL = ALUMINUM
- DH = DOUBLE HUNG
- AW = AWNING
- LV = LOUVER
- F = FIXED
- GL = GLIDER
- OC = OPERABLE CASEMENT

1 WINDOW TYPES
1/4" = 1'-0"

WINDOW SCHEDULE

KEY	ACTION	ROUGH * OPENING (WxH) VIF	R.O. HEAD HEIGHT FROM SUB FLOOR	DETAILS			MATERIAL	FINISH	REMARKS
				HEAD	JAMB	SILL			
A	F	4'-0" X 5'-0"	-	-	-	-	-	-	FOR TEMPERED GLASS LOCATIONS SEE WINDOW ELEVATION TYPES FOR MASONRY OPENING DIMENSIONS COORDINATE COURSING WITH EXTERIOR ELEVATION SHEETS AND PLAN AND SECTION DETAIL SHEETS
B	F	8'-0" X 5'-0"	-	-	-	-	-	-	FIXED THERMALLY BROKEN STOREFRONT
									FIXED THERMALLY BROKEN STOREFRONT

WINDOW NOTES:

- 1.) COORDINATE AND ADJUST ROUGH OPENING DIMENSIONS TO ACCOMMODATE SILL PAN FLASHING SYSTEM
- 2.) ALL WINDOW UNITS AND MULTI-WINDOW UNIT COMBINATIONS TO MEET OR EXCEED DP-50 RATINGS FOR BOTH STRUCTURAL AND WATER
- 3.) ALL GLAZING LOCATED WITHIN 18" OF FINISHED FLOOR TO BE TEMPERED GLASS
- 4.) ALL EXTERIOR GLAZING TO BE INSULATED
- 5.) FRAME ALL OPENINGS WITH ELEVATIONS
- 6.) SEAL WINDOW TO ROUGH OPENING WITH LOW EXPANDING FOAMINSULATION - SEE DETAILS
- 7.) MINIMUM VISIBLE TRANSMITTANCE "VT" OF ALL GALLS TO BE 0.7 OR GREATER

STOREFRONT INFORMATION

- 1.) ALL STOREFRONT TO BE THERMALLY BROKEN WITH INSULATED GLAZING UNITS WITH LOW-E COATING ARGON FILLED UNITS
- 2.) TEMPER ALL GLASS AS REQUIRED BY BUILDING CODE
- 3.) PROVIDE SUB SILLS WITH DRAINED PANS WITH END AND BACK DAMS
- 4.) FOR STOREFRONT FRAME GEOMETRY AND ARRANGEMENTS SEE EXTERIOR BUILDING ELEVATIONS
- 5.) G.C. TO FIELD MEASURE ALL STOREFRONT UNITS PRIOR TO ORDER