1 DOOR TYPES
1/4" = 1'-0"

DOOR SCHEDULE

DOOR								FRAME						GENERAL			
		SIZE									DETAILS						
DOOR NO.	TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	INSULATED	TYPE	MATERIAL	THRESHOLD	HEAD	JAMB	SILL	CLOSER	FIRE RATING (MINUTES)		REMARKS
100.1	A	3'-0"	7'-0"	-	-	-	-	-	-	-	-	-	-	Y	-	-	PAINTED STEEL HM THERMALLY BROKEN DOOR AND FRAME, PANIC HARDWARE
100.2	B	6'-0"	7'-0"	-	-	-	-	-	-	-	-	-	-	Y	45	-	-
101.1, 102.1, 103.1, 104.1, 105.1	C	6'-8"	8'-0"	-	AL	PTD	Y	-	AL	AL	-	-	-	-	-	-	OLD CASTLE - FG 3000 THERMAL ENTRANCE DOORS WITH EXTERIOR PULLS
101.2, 102.2, 103.2, 104.2, 105.2	D	3'-0"	7'-0"	1-3/4"	STL	PTD	-	1	STL	AL	-	-	-	Y	45	-	
106.1	D	3'-0"	7'-0"	1-3/4	STL	PYD	Y	1	STL	AL	-	-	-	Y	45	-	INTERIOR DOORS WITH ADA HARDWARE
107.1	D	3'-0"	7'-0"	1-3/4	STL	PYD	Y	1	STL	AL	-	-	-	-	45	-	INTERIOR DOORS WITH ADA HARDWARE

HARDWARE KEY
MLS - MORTISE LOCK SET
LS - LOCK SET
PR - PRIVACY SET
PS - PASSAGE SET
LP - LEVER PULL
PH - PEEPHOLE LENSE

SCHEDULE KEY
STL - STEEL
WD - WOOD (ALSO MASONITE SEE SPECIFICATION)
FG - FIBERGLASS
AL - ALUMINUM

DOOR NOTES:

1.) ALL EXTERIOR GLAZING TO BE LOW-E ARGON FILLED INSULATED GLAZING UNITS

2.) FRAME ALL OPENINGS WITH ELEVATIONS

3.) SEAL EXTERIOR DOORS TO ROUGH OPENING WITH LOW EXPANDING FOAM INSULATION - SEE DETAILS

4.) ALL DOOR HARDWARE TO BE 'LEVER' TYPE

5.) ALL EXTERIOR DOORS TO BE WEATHERSTRIPPED

6.) MINIMUM VISIBLE TRANSMITTANCE "VT" OF ALL GALLS TO BE 0.7 OR GREATER

7.) ISOLATE DIS-SIMILAR METALS WITH BITUMINOUS ISOLATION STRIPS (NO STEEL AND ALUMINUM TO TOUCH)

NOTES:
1. EXTERIOR DOOR JAMBS TO BE SEALED TO THIER ROUGH OPENINGS USING LOW EXPANDING FOAM, BACKER ROD OR CAULKING.
2. ALL EXTERIOR DOORS TO BE WEATHER STRIPPED

1
STEEL

GLAZING SCHEDULE

KEY	GLAZING TYPE
GL-1	INSULATED CLEAR GLAZING
GL-2	FIRE RATED INSULATED GLAZING
GL-3	CLEAR TEMPERED GLASS
GL-4	CLEAR INSULATED TEMPERED GLASS
GL-5	FIRE RATED GLAZING

Reviewed for Code Compliance
Inspections Division
Portland, Maine
Date: 02/28/18

REGISTERED ARCHITECT
RYAN J. SENATORE
No. 3322
STATE OF MAINE

© 2017 RYAN SENATORE ARCHITECTURE

93 WASHINGTON AVE.
PORTLAND, MAINE

RSA
RYAN SENATORE
ARCHITECTURE
565 CONGRESS STREET
PORTLAND, MAINE 04101
207-650-6414
senatorearchitecture.com

CONSULTANTS:

REVISIONS:
1 REVISION #1 -07 / 24 / 17

DATE:	JUNE 22, 2017
PROJECT No.	1626
DRAWN BY:	RJS / RRT
CHECKED BY:	RJS
SCALE:	AS NOTED

SHEET TITLE:
DOOR SCHEDULE

A7-0