

146-150 SHERIDAN STREET

SHAW-WALKER

Full cut # 920R - Half cut # 9202R - Third cut # 9203R - Fifth cut # 9205R



OFFICE HOURS  
10 TO 12 M.  
4 TO 5 P. M.

# City of Portland.

## OFFICE OF INSPECTOR OF BUILDINGS

June 25th, '12. 191

To the Inspector of Buildings of the City of Portland:

The undersigned respectfully makes application for a permit to erect enlarge a building on  
**Marion & Sheridan St.** street, at number **56** to be  
**Three** stories high **Thirty-eight** feet long **Twenty-four**  
feet wide; also an addition to be **Three** stories high  
feet long **Twenty-four** feet wide, and to be used as a **Dwelling**

CELLAR WALL—To be constructed of **Concrete** to be **16** inches wide on bottom and  
batter to **12** inches on top.

UNDERPINNING—To be **Brick** Height **12** underpinning from top of cellar wall to bottom of  
sill **12** inches to be **12** inches in thickness.

EXTERIOR WALLS—To be constructed of **Wood** If of Brick, Stone, etc. Total length of wall  
ft. inches. Thickness of 1st. 2d. 3d. 4th  
5th. 6th. story walls. If of reinforced concrete state mix and reinforcing system  
to be used.

If wood construction, sills to be **6-8"** Girders **8-8"**  
Posts **4-6"** Girts **4-4"** Studs **2-4"** to be spaced **16 in. on C**

This building will be used for the purposes of **Dwelling** (If for apartments,  
tenements, or other family uses state number of families accommodated and number on each floor.  
If for manufacturing or mercantile purposes state character of business and amount of estimated  
weight to be carried by the floor) **One**  
Number of families on floor **One**

Total number of families.  
Manufacturing (state character).  
Estimated load on floors per sq. ft. **60 lbs.**  
Mercantile business (state character and load per sq. ft.)

If building is used for tenement house or family use and more than one family, the following provisions  
of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this).

FIRESTOPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap  
and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in  
tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of  
Buildings may consider necessary.

STAIRWAYS—No. in building **Two** location **Front & Rear** to be enclosed  
with **Stud** walls to be lathed with **Wood** lathing.

ROOF—To be constructed of **Wood** Rafters to be **2-8"** inches to be spaced **16**  
inches on centers. Roof to be covered with **Tar & Gravel**

Gutters to be made of **None** Cornices to be made of **Wood**

Bay windows to be made of **Wood** to be covered with

Dormer Windows to be made of **Flue Lining** to be covered

Chimneys, Smoke flues to be lined with **Flue Lining** and provided with a 10 inch outside collar and an  
inside collar to go to the inside of the flue.

Estimated Cost of Building  
INSPECTION—The Inspector of Buildings is to be notified when building is ready for lathing and at least  
24 hours before the lathing is begun.

The Builder is **James Forgiione** Address **56 Washington Ave.**

The Architect is **James Forgiione** Address **56 Washington Ave.**

The Owner is **James Forgiione** Address **56 Washington Ave.**

No Deviation will be made from the above application without written permission from the Inspector of  
Buildings.

The above petition was granted the **25th** day of **May** 191 **2**

Floor Timbers to be **2"X8"** and to be spaced **16 in. on centers**

(Applicant to sign here **James Forgiione**)



~~Main St.~~  
146-57  
Cot Sheidan St.

PERMIT NO. 3732.....

DATE OF ISSUE 6-25-12

LOCATION

Main St. Sheidan St.

