


ACOUSTICAL TILE

CEILING SYSTEM



FASTEN TO CONC. SLAB

FIRE CAULKING

TAPERED INSULATION

SLOPE 1/4" PER FT -

5/8" TYPE X EXTERIOR

GYPSUM SHEATHING

CORRUGATED STEEL

6" SPRAY FOAM

(4) LAYERS TYPE 'X'

INSULATION

DECK

ROOF UNDERLAYMENT

RUN ROOF MEMBRANE DOWN

FACE OF WALL MINIMUM 6"

PREFINISHED STEEL

WITH HEMMED EDGE

- CAULK PERIMETER

EPDM CLOSURE

METAL CLOSURE

6" MTL FRAMING

DRAINAGE PLANE

SHEATHING

CMU SHAFT

SHAFT PENTHOUSE ROOF EDGE DETAIL

EXTERIOR PLYWOOD

RIGID INSULATION

WALL SHEATHING

- CAULK PERIMETER

FIBERCEMENT PANEL SIDING

3/4" GALVANIZED METAL HAT


CHANNEL 24" O.C. WITH STRIP


OF BITUMINOUS TAPE BEHIND


SEE STRUCTURAL DRAWINGS


SEE STRUCTURAL DRAWINGS


ROOF EDGE














5 TYPE 'X' GWB

UNIT DEMISING WALL DETAL AT ROOF

SECTION DETAIL AT CORRIDOR AND UNIT DEMISING WALL

2X BLOCKING

ROOF MEMBRANE

FIRE RATED SEALANT

JOINT (BOTH SIDES)

INFILL GWB BETWEEN

TRUSSES AND WEBS

FILL CAVITY WITH CELLULOSE

TO DECK PROVIDE

BLOCKING AS


REQUIRED


INSULATION


5/8" TYPE 'X' GWB


ROOF TRUSS


WALL INSULATION











ARCHITECTURE

TRE SHERID

PORTL,

RYAN SENATORE **ARCHITECTURE** 565 CONGRESS STREET PORTLAND, MAINE 04101 207-650-6414 CONSULTANTS:

Structural Integrity
77 Oak Street

Portland, ME 04101 207-774-4614

REVISIONS:

DATE: JANUARY 16, 2018 PROJECT No. DRAWN BY: RRT, RJS CHECKED BY: AS NOTED SCALE:

SHEET TITLE: DETAILS