

 COMPACT SUBGRADE TO 95% MAXIMUM DRY DENSITY IN ACCORDANCE WITH ASTM D-1557.
 ARTERIAL BITUMINOUS PAVEMENT PROFILE

APPLIES ONLY WITHIN FORE STREET R.O.W.

THICKNESS OF LAYERS

STANDARD	LAYERS		
2"	SURFACE COURSE MDOT 403.09 GRADE C (12.5mm)		
3"	BINDER COURSE MDOT 403.09 GRADE B (19mm)		
6"	AGGREGATE BASE GRAVEL MDOT 703.06 TYPE B		
18"	AGGREGATE SUBBASE GRAVEL MDOT 703.06 TYPE D		

CITY OF PORTLAND ARTERIAL
BITUMINOUS PAVEMENT PROFILE:
SHERIDAN STREET

NOT TO SCALE

NOTES:

 REFER TO GRADING, DRAINAGE AND EROSION CONTROL PLANS FOR SITE GRADING

2. REFER TO BITUMINOUS DRIVEWAY APRON DETAIL FOR APRON CROSS—SECTION

SIDEWALK

SIDEWALK

SIDEWALK

SIDEWALK

SIDEWALK

SIDEWALK

GRANITE CURB TIPDOWN

GRANITE CURB TIPDOWN


2' FLARE, (TYP.)


6' MIN.

DRIVEWAY APRON LAYOUT DETAIL

NOT TO SCALE

VARIES, SEE NOTE 1





FINISHED
STREET
GRADE

2. INSTALL BRICK FLUSH UP TO BUILDING, PAVEMENT, STAIRS,
CONCRETE SURFACES, CURB OR LANDSCAPED AREAS.

GRANITE
ER DETAIL

NUMBER #VBBB

1. BRICKS TO BE USED:

NEW CONSTRUCTION:

4"X8" PINE HALL PATHWAY PAVER BRICK; MFG. BY PINE


HALL BRICK CO., MADISON, NORTH CAROLINA. LACHANCE

ITEM #193623; PINE HALL PATHWAY PAVER BRICK.

REPAIR/MAINTENANCE TO EXISTING BRICK SIDEWALKS: VERMONT BACKER SUPPLIED BY GAGNE AND SONS SPECIFICATION NUMBER: "VERMONT PAVER BRICK", ITEM

NOTES:

BRICK SIDEWALK WITH BITUMINOUS BASE DETAIL NOT TO SCALE




BRICK DRIVEWAY APRON WITH BITUMINOUS BASE DETAIL NOT TO SCALE

NOTES:

- 1. SAWCUT EXISTING PAVEMENT AND REMOVE 2' STRIP OF EXISTING PAVEMENT.


 APPLY BITUMINOUS TACK COAT PRIOR TO PLACEMENT OF NEW BITUMINOUS

 PAVEMENT
- 2. THE NEW PAVEMENT SECTION SHALL MEET THE CITY OF PORTLAND ARTERIAL BITUMINOUS PAVEMENT SECTION DETAIL AT A MINIMUM OR THE THE EXISTING PAVEMENT AND AGGREGATE BASE AND SUBBASE DEPTH WHICHEVER IS GREATER.




PAVEMENT SAWCUT DETAIL

NOT TO SCALE



VERTICAL GRANITE CURB PLAN VIEW



VERTICAL GRANITE CURB CROSS SECTION

NOTES:

 CURB SHALL BE RESET IN ACCORDANCE WITH MDOT 609.08 WITH THE EXCEPTION OF CURB SPACING TO BE INSTALLED PER DETAIL.

VERTICAL GRANITE CURB AND TIPDOWN INSTALLATION
IN EXISTING STREETS DETAIL

NOT TO SCALE

PRELIMINARY
NOT ISSUED FOR
CONSTRUCTION

SITE DETAILS - 1	155 SHERIDAN STREET	VAZZA REAL ESTATE GROUP BD SHERIDAN, LLC
DRAWING NAME:		ACORN ENGINEERING, INC. ACORN ENGINEERING, INC. 158 DANFORTH ST, PORTLAND MAINE 04102 OR OTHERWISE, SHALL NOT BE MODIFIED WITHOUT WRITTEN PERMISSION FROM ACORN ENGINEERING, INC. ANY ALTERATIONS, AUTHORIZED OR OTHERWISE, SHALL BE AT THE USER'S SOLE RISK AND
FILE: JN: SCALE: DESIGNI DRAWN CHECKE	BY:	1069 NTS WHS SJL WHS

DRAWING NO.

PRELIM APP