

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

19/may

Minor/Minor Site Review for New Detached Single Family Dwelling, All Purpose Building Permit Application

REQUEST FOR ADDITIONAL SEATING

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 70 WASHINGTON AVE. PORTLAND, ME.

Total Square Footage of Proposed Structure 74x10x70x48x70 per plot. Square Footage of Lot 12 acres

Tax Assessor's Chart, Block & Lot Number 1409 Page 53 Chart# 13-C-11 Block# Lot# BUSINESS ZONE Owner: LUIS RODRIGUEZ Telephone#: 828-4971

Lessee/Buyer's Name (If Applicable) Owner's/Purchaser/Lessee Address: 70 WASHINGTON AVENUE Cost Of Work: \$ Fee: \$75.00

Current use: Food service establishment / Commercial If the location is currently vacant, what was prior use: Approximately how long has it been vacant: Proposed use: Project description: to extend seating with addition of 2-4 tables in outside yard. outside dining How many chairs 28. How many tables 7.

Contractor's Name, Address & Telephone: Applicants Name, Address & Telephone: Who should we contact when the permit is ready: Telephone: If you would like the permit mailed, what mailing address should we use: X Mail TU Casa 70 Washington Ave. Portland, ME 04101 DEPT. OF BUILDING INSPECTION CITY OF PORTLAND, ME MAY 18 2001 5/18/06 Rec'd By:

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

ONE SET OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED


Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

*

Signature of applicant: <i>Erenda Alvarez</i>	Date: <i>5-8-01</i>
---	---------------------

You may draw your sketch in the space below



BUILDING PERMIT REPORT

DATE: 19 MAY 2001 ADDRESS: 70 Washington Ave. CBL: 13-C-011

REASON FOR PERMIT: OUTSIDE DINING

BUILDING OWNER: Luis Rodriguez

PERMIT APPLICANT: CONTRACTOR SAO.

USE GROUP: A-3 CONSTRUCTION TYPE: CONSTRUCTION COST: PERMIT FEES: 75.00

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: *1 *38 #39

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve.
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts.
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating.
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code.
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level.
12. Headroom in habitable space is a minimum of 7'6".
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise.
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less than 36".
16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue.
17. Each apartment shall have access to two (2) separate, remote and approved means of egress.
18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's.
19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment.

5/18

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. **No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.**
- 29. All requirements must be met before a final Certificate of Occupancy is issued.
- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 32. Please read and implement the attached Land Use Zoning report requirements.
- 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 34. Bridging shall comply with Section 2305.16.
- 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
- 36. All flashing shall comply with Section 1406.3.10.
- 37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code. (The BOCA National Building Code/1999).

*38. The owner shall follow the rules & regulations set forth by the City of Portland for outside dining.

#39 If at any time the City's traffic engineer requires the tables or chairs to be removed the applicant shall comply immediately. Any City Sidewalks' shall not be completely blocking any foot traffic.

[Signature]
 Samuel Hodges, Building Inspector
 Cc: Lt. McDougall, PFD
 Marge Schmuckal, Zoning Administrator
 Michael Nugent, Inspection Service Manager

PSH 10/1/00

****This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.**

*****THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)**

******ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.**

*******CERTIFICATE OF OCCUPANCY FEE \$50.00**

owner/occupied.



C/B/L: _____

CONDITIONS FOR SIDEWALK OCCUPANCY PERMIT

Written consent and agreement relating to occupancy of the City of Portland sidewalk in the front, side, and or rear of the building at the stated location: _____; in Portland, Maine, by the owner of the establishment being: _____, doing business as: _____, hereby, to the fullest extent permitted by law, shall defend, indemnify and hold harmless the City of Portland, its officers and employees, from and against all claims, damages, losses and expenses, just or unjust, including, but not limited to costs of defense and attorney's fees, arising out of the establishment's occupancy of the sidewalk, provided that any such claims, damage, loss or expense (1) is attributable to bodily injury, sickness, disease, or death, or to injury to or destruction of tangible property including the loss of use therefrom, and (2) is caused in whole or in part by any negligent act or omission of the establishment, anyone directly or indirectly employed by it, or anyone for whose act it may be liable.

Signed and acknowledged: Elinda Alvarez
 Establishment owner

Date: 20-4-30-01

Inspection Services
Michael J. Nugent, Manager



Department of Urban Development
Joseph Gray, Jr. Director

CITY OF PORTLAND

OUTSIDE DINING ON PRIVATE AND/OR CITY PROPERTY

Permits are required for expanding eating facilities (tables and chairs) to the outside whether it is on private and/or City Property. The fee is based on the cost of work (which in most cases would be less than \$1,000 or a fee of \$75.00). The permit after obtained is covered from April 15th thru September 30th of that same year. This is a permit that you must renew every year prior to commencing the activity.

The following will have to be included as part of your submissions. Please note that you will also fill out a standard building permit. We have deleted many of the unnecessary requirements that are related to a structural building permit hoping to make the process easier for the applicant.

A plot plan showing the following:

- A drawing of the lot and where the building sits on the lot along with the lot and building dimensions
- Show the dimensional setback from the sidewalk to the building
- The location of the street, and if it's a corner lot intersecting streets
- Show the sidewalk on the drawing along with its width and location of curbing
- Show the location of the table and chair placement

The tables and chairs shall be placed on the sidewalk in such a manner as to allow the free and safe passage of pedestrian traffic. If the placement of the tables and chairs creates a public safety hazard, the establishment shall comply with the request of the Municipality to relocate the chairs and tables to a more suitable location.

The establishment shall keep the sidewalk area where the tables and chairs are located neat and free from litter and debris.

If the establishment shall produce and maintain public liability insurance coverage in an amount of not less than three hundred thousand (\$300,000) combine single limit for bodily injury, death and property damage. The City will be named as an additional insured thereon if the chairs and tables on City property.

No food shall be prepared outside. If alcohol is to be served, we need to be notified. State law requires that the area be segregated from the rest of the public. **Please contact the Licensing Department at 207-874-8557 before you commence any serving of alcohol outside.**

If the establishment is to be on City Property an indemnifying statement shall be signed by the establishment (owner). Please read the attached and sign.