DORMER SIDING SHALL BE .032" MIN KYNAR COATED ALUMINUM SMOOTH PANELS WITH FLAT-LOCK SEAM AT PANEL EDGES, SEQUENTIALLY INSTALLED AND MECHANICALLY ATTACHED WITH CONCEALED STAINLESS STEEL CLIPS. PANEL WIDTH TO BE MIN +/- 1'-4" AND PANEL HEIGHT TO BE FULL HEIGHT OF SIDEWALL. TRIM TO BE FIELD FABRICATED FROM SAME STOCK AS PANELS. FASTENERS TO BE #10 PAN-HEAD STAINLESS STEEL. TRIM TO BE FASTENED WITH EQUALLY SPACED FASTENERS +/- 16" O.C. EXPOSED FASTENERS TO MATCH COLOR OF WALL PANELS WITH FACTORY APPLIED COATING. PANEL COLOR TO MATCH STANDING SEAM ROOFING, AS APPROVED BY ARCHITECT.

1 NORTH ELEVATION
1/4"=1'-0"

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 05/02/18

LICENSED ARCHITECT
JAMES GAUTHIER
NO. 3476
STATE OF MAINE

Rachel Conly Design LLC
26 Sterling Street
Peaks Island, Maine 04108
207.766.5625
www.rachelconlydesign.com

DATE	NOTES
2018.03.01	Issued for Permit
REVISED	

PROJECT
Renovations to
123 Cumberland Ave.
Portland, ME 04101
Phase I

NORTH ELEVATION

A2.1