

# 18 - EAST OXFORD ST. WINDOW + DOOR SCHEDULE

|   |   |  |
|---|---|--|
| <b>Customer:</b><br><b>Salesperson:</b> Administrator<br><b>Trade ID:</b><br><b>Promotion Code:</b><br><b>Report:</b> Andersen Unit Spec Report | <b>UNIT SPEC REPORT</b><br><b>iQ Version:</b> 17.2<br><b>Today's Date:</b> 02/27/2018<br><b>Date Quoted:</b> 02/27/2018 | <b>Project:</b> CREATIVE EQUITY, OXFORD<br><b>Quote No:</b> 507<br><b>Page:</b> 1 Of 3 |
|---|---|--|

**Disclaimer/Notes**

|  |             |                     |                      |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
|--|-------------|---------------------|----------------------|--|------------------|--------|-----------------|----------------------|-----------------------|--|--|--|---|--|--|--|--------------------|--|--------------|---------------|-------|--|--------------|-------------|----------------|--|-----------|-----------|-----------------|--|-----------|--------------|------------------------|--|-----------|--|-------------|--|-----|--|----------------------------------|--|--|--|-------------|-------|---------|--|------------|-------|---------|--|-----------------|-------|---------|--|-------------------------|------|--|--|--|--|--|--|--|
| <table style="width: 100%;"> <tr> <td style="width: 20%;"><b>Item</b></td> <td style="width: 20%;">0003</td> <td colspan="2" style="text-align: center;"><b>EGRESS SPECS</b></td> </tr> <tr> <td><b>Unit Size</b></td> <td>CXW155</td> <td><b>Location</b></td> <td><b>Arm:</b> Straight</td> </tr> <tr> <td><b>Unit Operation</b></td> <td></td> <td></td> <td></td> </tr> <tr> <td>L</td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Dimensions:</b></td> <td></td> <td style="text-align: center;"><b>Width</b></td> <td style="text-align: center;"><b>Height</b></td> </tr> <tr> <td>Unit:</td> <td></td> <td style="text-align: center;">2' 11 15/16"</td> <td style="text-align: center;">5' 4 13/16"</td> </tr> <tr> <td>Rough Opening:</td> <td></td> <td style="text-align: center;">3' 0 1/2"</td> <td style="text-align: center;">5' 5 3/8"</td> </tr> <tr> <td>Max. Clr. Open:</td> <td></td> <td style="text-align: center;">2' 6 1/8"</td> <td style="text-align: center;">4' 11 15/16"</td> </tr> <tr> <td>Subfloor to Sill Stop:</td> <td></td> <td style="text-align: center;">1' 7 7/8"</td> <td></td> </tr> <tr> <td>Projection:</td> <td></td> <td style="text-align: center;">n/a</td> <td></td> </tr> <tr> <td><b>Operating Specifications:</b></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Glass Area:</td> <td style="text-align: center;">13.10</td> <td style="text-align: center;">SQ FEET</td> <td></td> </tr> <tr> <td>Vent Area:</td> <td style="text-align: center;">12.60</td> <td style="text-align: center;">SQ FEET</td> <td></td> </tr> <tr> <td>Max. Clr. Open:</td> <td style="text-align: center;">12.54</td> <td style="text-align: center;">SQ FEET</td> <td></td> </tr> <tr> <td><b>Extension Jambs:</b></td> <td style="text-align: center;">None</td> <td></td> <td></td> </tr> <tr> <td colspan="4" style="padding-top: 10px;">           Zone: Northern<br/>           U-Factor: 0.29, SHGC: 0.26, ENERGY STAR® Certified: No         </td> </tr> </table> | <b>Item</b> | 0003                | <b>EGRESS SPECS</b>  |  | <b>Unit Size</b> | CXW155 | <b>Location</b> | <b>Arm:</b> Straight | <b>Unit Operation</b> |  |  |  | L |  |  |  | <b>Dimensions:</b> |  | <b>Width</b> | <b>Height</b> | Unit: |  | 2' 11 15/16" | 5' 4 13/16" | Rough Opening: |  | 3' 0 1/2" | 5' 5 3/8" | Max. Clr. Open: |  | 2' 6 1/8" | 4' 11 15/16" | Subfloor to Sill Stop: |  | 1' 7 7/8" |  | Projection: |  | n/a |  | <b>Operating Specifications:</b> |  |  |  | Glass Area: | 13.10 | SQ FEET |  | Vent Area: | 12.60 | SQ FEET |  | Max. Clr. Open: | 12.54 | SQ FEET |  | <b>Extension Jambs:</b> | None |  |  | Zone: Northern<br>U-Factor: 0.29, SHGC: 0.26, ENERGY STAR® Certified: No |  |  |  | <div style="margin-bottom: 20px;"> <p style="font-size: 1.2em;"><u>EGRESS WINDOW SPECS</u></p> </div> <div style="margin-bottom: 20px;"> <p style="font-size: 1.2em;"><u>INTERIOR DOORS</u></p> <p style="font-size: 1.2em;">8 - 2'8" x 6'8"</p> <p style="font-size: 1.2em;">1 - 2' Bifold</p> </div> <div> <p style="font-size: 1.2em;"><u>EXTERIOR DOORS</u></p> <p style="font-size: 1.2em;">3 - 3'0" x 6'8"</p> <p style="font-size: 1.2em;">Thermatru</p> </div> |
| <b>Item</b>  | 0003        | <b>EGRESS SPECS</b> |                      |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| <b>Unit Size</b>   | CXW155      | <b>Location</b>     | <b>Arm:</b> Straight |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| <b>Unit Operation</b>  |             |                     |                      |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| L  |             |                     |                      |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| <b>Dimensions:</b>   |             | <b>Width</b>        | <b>Height</b>        |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| Unit:  |             | 2' 11 15/16"        | 5' 4 13/16"          |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| Rough Opening:   |             | 3' 0 1/2"           | 5' 5 3/8"            |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| Max. Clr. Open:  |             | 2' 6 1/8"           | 4' 11 15/16"         |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| Subfloor to Sill Stop:   |             | 1' 7 7/8"           |                      |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| Projection:  |             | n/a                 |                      |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| <b>Operating Specifications:</b>   |             |                     |                      |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| Glass Area:  | 13.10       | SQ FEET             |                      |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| Vent Area:   | 12.60       | SQ FEET             |                      |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| Max. Clr. Open:  | 12.54       | SQ FEET             |                      |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| <b>Extension Jambs:</b>  | None        |                     |                      |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |
| Zone: Northern<br>U-Factor: 0.29, SHGC: 0.26, ENERGY STAR® Certified: No   |             |                     |                      |  |                  |        |                 |                      |                       |  |  |  |   |  |  |  |                    |  |              |               |       |  |              |             |                |  |           |           |                 |  |           |              |                        |  |           |  |             |  |     |  |                                  |  |  |  |             |       |         |  |            |       |         |  |                 |       |         |  |                         |      |  |  |  |  |  |  |  |

# 18 EAST OXFORD WINDOW SCHEDULE

|   |   |  |
|---|---|--|
| <b>Customer:</b><br><b>Salesperson:</b> Administrator<br><b>Trade ID:</b><br><b>Promotion Code:</b><br><b>Report:</b> Andersen Unit Spec Report | <b>UNIT SPEC REPORT</b><br><b>iQ Version:</b> 17.2<br><b>Today's Date:</b> 02/27/2018<br><b>Date Quoted:</b> 02/27/2018 | <b>Project:</b> CREATIVE EQUITY, OXFORD<br><br><b>Quote No:</b> 507<br><b>Page:</b> 2 Of 3 |
|---|---|--|

**Disclaimer/Notes**

|  |                 |               |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
|--|-----------------|---------------|-----|--|------------------|---------|--|--|-----------------------|-----------------|-------------|-----|----|--|--|--|--------------------|--------------|---------------|--|-------|------------|-----------|--|----------------|-----------|-----------|--|-----------------|-----------|-----------|--|------------------------|-----------|--|--|-------------|-----|--|--|----------------------------------|--|--|--|-------------|-------|---------|--|------------|------|---------|--|-----------------|------|---------|--|------------------------|------|--|--|----------------|--|--|--|--|--|--|--|--|
| <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;"><b>Item</b></td> <td colspan="3">0004</td> </tr> <tr> <td><b>Unit Size</b></td> <td colspan="3">TW21052</td> </tr> <tr> <td><b>Unit Operation</b></td> <td style="width: 20%;"><b>Location</b></td> <td style="width: 20%;"><b>Arm:</b></td> <td>N/A</td> </tr> <tr> <td colspan="4">AA</td> </tr> <tr> <td><b>Dimensions:</b></td> <td style="text-align: center;"><b>Width</b></td> <td colspan="2" style="text-align: center;"><b>Height</b></td> </tr> <tr> <td>Unit:</td> <td style="text-align: center;">2' 11 5/8"</td> <td colspan="2" style="text-align: center;">5' 4 7/8"</td> </tr> <tr> <td>Rough Opening:</td> <td style="text-align: center;">3' 0 1/8"</td> <td colspan="2" style="text-align: center;">5' 4 7/8"</td> </tr> <tr> <td>Max. Clr. Open:</td> <td style="text-align: center;">2' 7 7/8"</td> <td colspan="2" style="text-align: center;">2' 4 1/4"</td> </tr> <tr> <td>Subfloor to Sill Stop:</td> <td style="text-align: center;">1' 8 1/2"</td> <td colspan="2"></td> </tr> <tr> <td>Projection:</td> <td style="text-align: center;">n/a</td> <td colspan="2"></td> </tr> <tr> <td><b>Operating Specifications:</b></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Glass Area:</td> <td style="text-align: center;">11.25</td> <td colspan="2" style="text-align: center;">SQ FEET</td> </tr> <tr> <td>Vent Area:</td> <td style="text-align: center;">6.28</td> <td colspan="2" style="text-align: center;">SQ FEET</td> </tr> <tr> <td>Max. Clr. Open:</td> <td style="text-align: center;">6.25</td> <td colspan="2" style="text-align: center;">SQ FEET</td> </tr> <tr> <td><b>Extension Jamb:</b></td> <td colspan="3" style="text-align: center;">None</td> </tr> <tr> <td colspan="4">Zone: Northern</td> </tr> <tr> <td colspan="4">U-Factor: 0.31, SHGC: 0.28, ENERGY STAR® Certified: No</td> </tr> </table> | <b>Item</b>     | 0004          |     |  | <b>Unit Size</b> | TW21052 |  |  | <b>Unit Operation</b> | <b>Location</b> | <b>Arm:</b> | N/A | AA |  |  |  | <b>Dimensions:</b> | <b>Width</b> | <b>Height</b> |  | Unit: | 2' 11 5/8" | 5' 4 7/8" |  | Rough Opening: | 3' 0 1/8" | 5' 4 7/8" |  | Max. Clr. Open: | 2' 7 7/8" | 2' 4 1/4" |  | Subfloor to Sill Stop: | 1' 8 1/2" |  |  | Projection: | n/a |  |  | <b>Operating Specifications:</b> |  |  |  | Glass Area: | 11.25 | SQ FEET |  | Vent Area: | 6.28 | SQ FEET |  | Max. Clr. Open: | 6.25 | SQ FEET |  | <b>Extension Jamb:</b> | None |  |  | Zone: Northern |  |  |  | U-Factor: 0.31, SHGC: 0.28, ENERGY STAR® Certified: No |  |  |  | <p style="font-size: 2em; font-family: cursive;">ALL OTHER<br/>WINDOWS</p> |
| <b>Item</b>  | 0004            |               |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| <b>Unit Size</b>   | TW21052         |               |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| <b>Unit Operation</b>  | <b>Location</b> | <b>Arm:</b>   | N/A |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| AA   |                 |               |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| <b>Dimensions:</b>   | <b>Width</b>    | <b>Height</b> |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| Unit:  | 2' 11 5/8"      | 5' 4 7/8"     |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| Rough Opening:   | 3' 0 1/8"       | 5' 4 7/8"     |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| Max. Clr. Open:  | 2' 7 7/8"       | 2' 4 1/4"     |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| Subfloor to Sill Stop:   | 1' 8 1/2"       |               |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| Projection:  | n/a             |               |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| <b>Operating Specifications:</b>   |                 |               |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| Glass Area:  | 11.25           | SQ FEET       |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| Vent Area:   | 6.28            | SQ FEET       |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| Max. Clr. Open:  | 6.25            | SQ FEET       |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| <b>Extension Jamb:</b>   | None            |               |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| Zone: Northern   |                 |               |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |
| U-Factor: 0.31, SHGC: 0.28, ENERGY STAR® Certified: No   |                 |               |     |  |                  |         |  |  |                       |                 |             |     |    |  |  |  |                    |              |               |  |       |            |           |  |                |           |           |  |                 |           |           |  |                        |           |  |  |             |     |  |  |                                  |  |  |  |             |       |         |  |            |      |         |  |                 |      |         |  |                        |      |  |  |                |  |  |  |  |  |  |  |  |

**\*\* Rough opening dimensions are minimums and may need to be increased to allow for use of building wraps or flashings or sill panning or brackets or fasteners or other items.**

