


FRAMING PLAN SYMBOLS KEY	
□	WOOD POST
(X)	NUMBER OF WOOD STUDS IN POST BELOW
←	JOIST BEARING
↔	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
⊥	FLUSH FRAMED JOIST BEARING WITH HANGER
▬	WOOD STUD BEARING WALL BELOW
"X" T	NUMBER OF TRIM STUDS UNDER HEADER
"X" K	NUMBER OF KING STUDS ADJACENT TO HEADER



THIRD FLOOR FRAMING PLAN

NOTES:

SCALE 1/4"=1'-0"


- SEE SHEET S-1.0 FOR GENERAL STRUCTURAL NOTES
- ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE 3-2x6 AND IN 2x4 WALLS SHALL BE 3-2x4 UNLESS NOTED OTHERWISE ON PLANS
- ALL BEAMS ARE FLUSH, UNO
- ALL HEADERS IN 2x BEARING WALLS ARE 3-2x6, UNO
- FLOOR SHEATHING TO BE 3/4" T+G, SEE GENERAL NOTES FOR ADDITIONAL INFORMATION -TYP

Structural Integrity
Consulting Engineers, Inc.

77 Oak Street
Portland, ME, 04101
p. 207-774-4614
f. 866-793-7835

www.structuralinteg.com

BUILD WITH CONFIDENCE
© 2015 Structural Integrity Consulting Engineers, Inc.



MARK
MUELLER
ARCHITECTS

A.I.A.

100 Commercial Street
Suite 205
Portland, Maine 04101
Phone: 207.774.9057
Fax: 207.773.3851
Email:
mark@muellerarchitects.com

©COPYRIGHT
MUELLER ARCHITECTS, LLC

RENOVATION:
6 OXFORD ST RENOVATION
6 OXFORD STREET
PORTLAND, MAINE

THIRD FLOOR FRAMING PLAN

REVISIONS

DATE

NOV 18, 2015
FOR CONST.

PROJECT

6 OXFORD

DRAWN BY

JCS

CHECK BY

ACJ

SCALE: 1/4"=1'-0"

S-1.4