2ND FLOOR FRAMING PLAN

3/16"=1'-0"

NOTES:

1. INDICATES SPAN DIRECTION OF 3 1/2" NORMAL WEIGHT CONCRETE SLAB ON 2VLI20GA GALV METAL DECK (3 1/2" CONCRETE FILL OVER 2" DECK, 5 1/2" TOTAL, 3 SPAN MIN), W/W6x6-W2.1xW2.1 W.W.F.
2. TOP OF SLAB EL 114'-0" U.N.O.
3. TOP OF STEEL EL 113'-6 1/2" U.N.O.
4. [XX] INDICATES 3/4"Øx3 1/2" LG HEADED SHEAR STUDS UNIFORMLY SPACED ALONG W BEAM SPAN OR BETWEEN CONCENTRATED LOADS. (MAX SPACING 18").
5. INDICATES MOMENT CONN. SEE TYP DETAILS DWG S3.1.
6. BF-x INDICATES VERTICAL BRACING. SEE BRACING ELEVATIONS DWG S1.8
7. BEAMS ARE EQUALLY SPACED WITHIN BAYS U.N.O.
8. INDICATES INTERIOR 2x6 WOOD SHEARWALL AND EXTERIOR CFMF BRG WALL. REF PLAN FOR EXTENTS.
9. INDICATES INTERIOR 2x6 BRG WALL AT JOIST SPACING AND EXTERIOR CFMF SHEARWALL. REF PLAN FOR EXTENTS.

CALEB JOHNSON ARCHITECTS + BUILDERS
265 MAIN STREET, SUITE 201 BIDDEFORD, ME 04005
T: 207.283.8777 F: 207.283.8778 CJAB.ME

BECKER STRUCTURAL ENGINEERS
75 York Street, Portland, Maine 04101
207.879.1838 ▪ beckerstructural.com

STATE OF MAINE DANIEL S. BURNE No. 10910 LICENSED PROFESSIONAL ENGINEER

PERMIT SET

DRAFTSPERSON: SE

DATE OF ISSUE: 07/21/17

PROJECT STATUS: PERMIT SET

221 Congress Street

Hay Runner, LLC
221 Congress Street Portland ME 04101

2ND FLOOR FRAMING PLAN

S1.3