CALEB JOHNSON
ARCHITECTS + BUILDERS

265 MAIN STREET, SUITE 201 BIDDEFORD, ME 04005
T: 207.283.8777   F: 207.283.8778   CJAB.ME

BECKER
STRUCTURAL ENGINEERS

75 York Street, Portland, Maine 04101
207.879.1838 ● beckerstructural.com

PERMIT SET

SECTION 1 — S1.6
3/4" = 1'-0"

- STONE PAVERS (SEE ARCH)
- ROOF ASSEMBLY (SEE ARCH)
- ROOF SHTG (SEE PLAN)
- T/SHTG EL (SEE PLAN)
- CONT 2xPL W/(2)-P.A.F.'s @24" O.C.
- HSS BEAM (SEE PLAN)
- T/STL EL (SEE PLAN)
- WALL SYSTEM (SEE ARCH)
- ROOF JOIST (SEE PLAN)
- SIMPSON HANGER (SEE SCHEDULE)
- CONT 3/4" PLY STRIP W/(2)-P.A.F.'s @24" O.C.
- CFMF DEFLECTION TRACK (BY OTHERS)
- CFMF (BY OTHERS)

SECTION 2 — S1.6
3/4" = 1'-0"

- STONE PAVERS (SEE ARCH).
- ROOF ASSEMBLY (SEE ARCH).
- ROOF SHTG (SEE PLAN)
- FLOOR OVER-FRAMING ASSEMBLY (SEE ARCH)
- FLR SHTG (SEE PLAN)
- T/SHTG EL (SEE PLAN)
- T/SHTG EL (SEE PLAN)
- FLR JOIST (SEE PLAN)
- SIMPSON HANGER (SEE SCHEDULE)
- W BEAM (SEE PLAN). SEE TYP W BEAM BLKG DETAIL DWG S3.1

SECTION 3 — S1.7
3/4" = 1'-0"

- ROOF ASSEMBLY (SEE ARCH)
- ROOF SHTG (SEE PLAN)
- T/STL EL (SEE PLAN)
- T/SHTG EL (SEE PLAN)
- WALL SYSTEM (SEE ARCH)
- SIMPSON HANGER (SEE SCHEDULE)
- W BEAM (SEE PLAN). SEE TYP W BEAM BLKG DETAIL DWG S3.1
- CFMF DEFLECTION TRACK (BY OTHERS)
- CFMF (BY OTHERS)

SECTION 4 — S1.4
3/4" = 1'-0"

- 10 3/4"
- CONT 2xPL W/(2)-P.A.F.'s @24" O.C.
- L3x3x5/16 @48" O.C. MAX)
- GYP CRETE TOPPING (SEE ARCH)
- FLR SHTG (SEE PLAN)
- T/STL EL (SEE PLAN)
- T/SHTG EL (SEE PLAN)
- U/R.A. EL (SEE ARCH)
- LIP STRETCHER BRICK (SEE SCHEDULE)
- CONT 3/8" SOFT JOINT (SEE ARCH)
- CONT GALV L6x4x3/8 LLV W/VERT SLOTTED HOLES FOR (2)-3/4"Ø A325 ERECTION BOLTS. (BOLTS TO BE REMOVED FOLLOWING LEVELING & FIELD WELDING)
- FLR JOIST (SEE PLAN)
- SIMPSON HANGER (SEE SCHEDULE)
- CONT 3/4" PLY STRIP W/(2)-P.A.F.'s @24" O.C.
- CFMF DEFLECTION TRACK (BY OTHERS)
- CFMF (BY OTHERS)
- AFTER ADJUSTMENT

SECTION 5 — S1.4
3/4" = 1'-0"

- 5/8" FT PLY SHTG (TYP AT EXTERIOR WALL)
- GYP CRETE TOPPING SLAB (SEE ARCH).
- FLR SHTG (SEE PLAN)
- T/SHTG EL (SEE PLAN)
- T/SHTG EL (SEE PLAN)
- CONT 9 1/2 RIMBOARD
- FLR JOIST (SEE PLAN)
- WALL SYSTEM (SEE ARCH)
- LOAD BEARING CFMF (BY OTHERS)
- CFMF BLKG AT SHEARWALL SHTG EDGE (TYP)

SECTION 6 — S1.4
3/4" = 1'-0"

- CONT SOLE PLATE NAILED THRU SHTG INTO FLR JOIST BLKG PER SHEARWALL REQMNTS
- LVL FLR JOIST BLKG BTWN JOISTS (TYP)
- SIMSON A35 CLIP @ 12" O.C. TO LVL & WALL TOP PL
- GYP CRETE TOPPING SLAB (SEE ARCH).
- FLR SHTG (SEE PLAN)
- T/SHTG EL (SEE PLAN)
- FLR JOIST (SEE PLAN)
- 1/2" PLY SHTG AGAINST STUDS (SEE SHEARWALL REQMNTS)
- SOLID BLKG AT EA PANEL JOINT. (TYP AT SHEARWALLS).
- 2x6 STUD ALIGNED W/JOIST SPACING (TYP)

SECTION 7 — S1.4
3/4" = 1'-0"

- GYP CRETE TOPPING SLAB (SEE ARCH).
- FLR SHTG (SEE PLAN)
- T/SHTG EL (SEE PLAN)
- SIMPSON HANGER (SEE SCHEDULE)
- FLR JOIST (SEE PLAN)
- W BEAM (SEE PLAN). SEE TYP W BEAM BLKG DETAIL DWG S3.1

SECTION 8 — S1.4
3/4" = 1'-0"

- GYP CRETE TOPPING SLAB (SEE ARCH)
- FLR SHTG (SEE PLAN)
- T/SHTG EL (SEE PLAN)
- DBL BOND BEAM AT FLOOR W/2#5 CONT
- FLR JOIST (SEE PLAN)
- (2)1 3/4x9 1/2 LVL LEDGER W/3/4"Ø THRD RODS STAGGERED @16" O.C. INTO GROUTED BOND BEAM W/4" MIN EMBED

SECTION 9 — S1.4
3/4" = 1'-0"

- GYP CRETE TOPPING SLAB (SEE ARCH)
- FLR SHTG (SEE PLAN)
- T/SHTG EL (SEE PLAN)
- DBL BOND BEAM AT FLOOR W/2#5 CONT
- FLR JOIST (SEE PLAN)
- SIMPSON HANGER (SEE SCHEDULE)
- (2)1 3/4x9 1/2 LVL LEDGER W/3/4"Ø THRD RODS STAGGERED @16" O.C. INTO GROUTED BOND BEAM W/4" MIN EMBED

STATE OF MAINE
DANIEL S. BURNE
No. 10910
LICENSED
PROFESSIONAL ENGINEER