WHITEKEE DROIE! AUGUSTA, ME 04333-0001

Construction Permit

No. 24540

nce with the provisions of M.R.S.A. Title 25, Chapter 317, Sec. 317 and Title 5, Section 4594-F, permission is I construct or alter the following referenced building according to the plans hitherto filed with the Commissione ved. No departure from application form/plans shall be made without prior approval in writing. Nothing herein holder of this permit for failure to comply with local ordinances, zoning laws, or other pertinent legal restrictions.

Each permit issued shall be displayed at the site of construction.

43 WASHINGTON AVE

43 WASHINGTON AVE, PORTLAND, ME 04101-2617

ROB EVANS

Address: 43 MIDDLE ST, PORTLAND, ME 04101-4213

Occupancy Type: Mercantile Class B

Secondary Use: No Sprinkler System

Barrier Free

Construction Mode: Renovation

Unprotected Noncombustable: Type II (000)

Final Number of Stories: 1

04/25/2017 it Date:

Expiration Date: 10/24/2017

s and additional requirements:

Permit does not include suppression/vent hood. A seperate permit must be issued for NFPA 96 compliant hood/supperssion system before project is completed.

COMMISSIONER OF PUBLIC SAFETY

John E Morus

Copy 1 - Owner

Get Outlook for iOSI got this snail mail and hope this photo works...Rob