ROOF FRAMING PLAN

0' 1' 5' 10'

SCALE 1/4"=1'-0"

NOTES:

1. ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE 3-2x6 AND IN 2x4 WALLS SHALL BE 3-2x4 UNLESS NOTED OTHERWISE ON PLANS
2. ALL HEADERS IN 2x6 BEARING WALLS ARE (3) 2x6, UNO
3. ALL HEADERS IN 2x4 BEARING WALLS ARE (2) 2x8, UNO
4. SHORING BY G.C. -TYP.
5. ALL ROOF SHEATHING 5/8" -TYP.

SECTION A S1.2 3/4"=1'-0

STATE OF MAINE
AARON C. JONES
No. 10968
LICENSED
PROFESSIONAL ENGINEER
Oct. 3rd, 2014

77 Oak Street
Portland, ME 04101
p. 207-774-4614
f. 866-738-3055
www.structuralintegrity.com
BUILD WITH CONFIDENCE
©2011 Structural Integrity, Inc.

Structural Integrity
Consulting Engineers

Reviewed for Code Compliance
Inspections Division
Date: 11/18/14

SI# 14-0161

PROJECT NO.
14-0161
PROJECT NAME
Rayvich Residence
Cumberland, Maine

DRAWN BY
BDH
SHEET TITLE
ROOF FRAMING PLAN

ISSUE DATE
10.03.14
REVISED

S

S1-2