TYPICAL SLAB-ON-GRADE

NOTES:
1. SAW CUT ¼ OF SLAB THICKNESS, TYP.
2. SPACE CONTROL JOINTS 8–12 FT APART & PERP. TO EACH OTHER.
3. PROVIDE (2) #4x3'–0" AT ALL RE-ENTRANT CORNERS

CONTROL JOINT

CONSTRUCTION JOINT

TYPICAL SLAB-ON-GRADE DETAILS

SCALE: NTS | 1

DETAIL @ WALL CORNER
W/ SINGLE ROW OF WALL REINFORCING

DETAIL @ WALL INTERSECTION
W/ SINGLE ROW OF WALL REINFORCING

DETAIL @ WALL END
W/ SINGLE ROW OF WALL REINFORCING

NOTE:
PLACE @ 40'–0"o.c. MAX. OR AS SHOWN ON FDN PLAN. DO NOT LOCATE JOINT WITHIN 3'–0" OF ANY GRID LINE OR BUILDING CORNER.

CONSTRUCTION JOINT DETAIL
W/ SINGLE ROW OF WALL REINFORCING

TYPICAL FOUNDATION WALL DETAILS

SCALE: NTS | 2

SECTION

SCALE: 3/4"=1'-0" | 3

SECTION

SCALE: 3/4"=1'-0" | 4

SECTION

SCALE: 3/4"=1'-0" | 5

SECTION

SCALE: 3/4"=1'-0" | 6

TYPICAL STEPPED FOOTING DETAIL

SCALE: 3/4"=1'-0" | 7

SECTION

SCALE: 3/4"=1'-0" | -

SECTION

SCALE: 3/4"=1'-0" | -

SECTION

SCALE: 3/4"=1'-0" | -

SECTION

SCALE: 3/4"=1'-0" | -

PRINTED: Nov 21, 2013

Reviewed for Code Compliance Inspectors Division Portland, Maine
Date: 06/24/14

CASCO BAY ENGINEERING
424 Fore Street
Portland, ME 04101
Phone 207.842.2800
Fax 207.842.2828
www.cascobayengineering.com

CLIENT:
MIKE D'AMBOISE
93 CUMBERLAND AVE
PORTLAND, ME 04101

STATE OF MAINE
ERIC DUBE
No. 12630
LICENSED
PROFESSIONAL ENGINEER

CUMBERLAND AVE. RENOVATION
93 CUMBERLAND AVE
PORTLAND, ME
BUILDING RENOVATION

ISSUED

No.	DESCRIPTION	DR. BY	CKD. BY	DATE
A	FOR PERMIT ONLY	SJP	ED	10-10-13
B	FOR PERMIT ONLY-REVISION #1	SJP	ED	10-30-13
C	FOR PERMIT ONLY-REVISION #2	SJP	ED	11-21-13

SHEET TITLE:
CONCRETE DETAILS

DESIGNED:	SJP
DRAWN:	SJP
DATE:	9–17–13
PROJECT NUMBER:	13–099

S200