1 South
1/4" = 1'-0"

2 North
1/4" = 1'-0"

WINDOW SCHEDULE			
Type	Width	Height	Comments
A	2' - 6"	4' - 6"	
B	2' - 6"	4' - 0"	
C	3' - 0"	4' - 6"	
D	3' - 0"	5' - 6"	
E	2' - 6"	4' - 6"	

A 1.30" x 54" DOUBLE HUNG

B 1.30" x 48" DOUBLE HUNG

C 1.36" x 54" DOUBLE HUNG

D 1.36" x 48" DOUBLE HUNG

E 1.30" x 54" SIMULATED DOUBLE HUNG - CASEMENT OPERATION FOR EMERGENCY EGRESS

Window Types
1/4" = 1'-0"

CONTRACTOR TO ENSURE THAT WINDOWS & DOORS REQUIRING SAFETY GLAZING PER IRC 2009 & ENERGY EFFICIENCY REQUIREMENTS OF IECC 2009 PER MUBEC. ROUGH OPENINGS SHOULD BE 1" WIDER THAN WINDOW, ALL SIDES. SEE DETAIL W/A-3.1 FOR INSTALLATION, FLASHING DETAIL @ HEAD & SILL, TYP. SEE STRUCT. FOR HEADER SIZES. NOTE THAT WINDOW SIZES ARE GENERIC, CONTRACTOR TO MATCH TO SELETED MANUFACTURER'S SIZING TABLE, TYP.

IRC 2009: SAFETY (TEMPERED) GLAZING REQUIRED
-IN ALL DOORS
-IN BATHROOMS
-GLAZING W/IN 24" OF DOOR SWING IF SILL IS LESS THAN 60" AFF WALKING SURFACE
-GLAZING ADJACENT TO RAMP'S OR STAIRS (W/IN 36" AFF OF HORIZONTAL WALKING SURFACE)
-GLAZING W/A SILL HEIGHT OF LESS THAN 18" AFF

IECC 2009 MIN. ENERGY REQ.
-WINDOWS: U-0.35
-SKYLIGHT: U-0.6

LICENSED ARCHITECT
TRACIE J. REED
No. 4139
STATE OF MAINE

93R CUMBERLAND AVENUE

NEW SINGLE-FAMILY INFILL

OWNER
Nancy Boulanger
85 Little John Road
Yarmouth, ME 04096
(207) 653-5307 (cell)
boulan9@hotmail.com

DEXTROUS CREATIVE
PORTLAND, ME 04102
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
traciereed@dextrouscreative.com
207.409.0459 (cell)

PROJECT TEAM

GENERAL CONTRACTOR
Paul Grant
Wally J. Staples Builders
21 Greenwood Rd, Brunswick, ME 04011
(207) 725-7700 (office)
(207) 751-1683 (cell)
paul@wally.jstaplesbuilders.com
www.wally.jstaplesbuilders.com

No.	Description	Date

NORTH & SOUTH ELEVATION

Project number	16-16_73 Cumberland
Date	08.10.16
Drawn by	Author
Checked by	Checker

A-2.1

Scale 1/4" = 1'-0"

Inspection Division
Date: 10/07/16

8/10/2016 11:02:35 AM