



Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 10/13/16



© 2016 RYAN SENATORE ARCHITECTURE

NISSEN BUILDING - COURTYARD
 75 WASHINGTON STREET
 PORTLAND MAINE



RYAN SENATORE ARCHITECTURE
565 CONGRESS STREET
PORTLAND, MAINE 04101
207-650-6414
senatorearchitecture.com

CONSULTANTS:
STRUCTURAL: Structural Integrity
77 Oak Street
Portland, ME 04101
207-774-4614

REVISIONS:

DATE: AUGUST 31, 2016

PROJECT No. 1523.C

DRAWN BY: JPF

CHECKED BY: RJS

SCALE: AS NOTED

SHEET TITLE:
DOOR AND WINDOW SCHEDULE

A7-0

DOOR SCHEDULE

A OVERHEAD

1

FRAME TYPES

NOTES:
1. EXTERIOR DOOR JAMBS TO BE SEALED TO THEIR ROUGH OPENINGS USING LOW EXPANDING FOAM, BACKER ROD OR CAULKING.
2. ALL EXTERIOR DOORS TO BE WEATHER STRIPPED

GLAZING SCHEDULE	
KEY	GLAZING TYPE
GL-1	INSULATED CLEAR GLAZING
GL-2	FIRE RATED INSULATED GLAZING
GL-3	CLEAR TEMPERED GLASS
GL-4	CLEAR INSULATED TEMPERED GLASS
GL-5	FIRE RATED GLAZING

1 DOOR TYPES
1'-4" 1'-0"

DOOR SCHEDULE																
DOOR NO.	TYPE	DOOR			FRAME					GENERAL						
		SIZE		THICKNESS	MATERIAL	FINISH	INSULATED	TYPE	MATERIAL	DETAILS			CLOSER	FRAMING (INDICES)	HARDWARE	
		WIDTH	HEIGHT							HEAD	JAMB	SILL				
110.1	A	15'-0"	13'-0"	1-3/4"	AL	ANO	Y	-	AL	-	-	-	Y	-	-	OVERHEAD DOOR WITH AUTOMATIC OPERATOR, BY OVERHEAD DOOR, 521 SERIES, FINISH TO MATCH ADJACENT STOREFRONT
110.2	B	3'-0"	7'-0"	1-3/4"	AL	ANO	Y	-	AL	-	-	-	Y	-	-	
111.1	EX	3'-0"	7'-0"	-	-	-	-	-	-	-	-	-	-	-	-	EXISTING DOOR, PROVIDE PANIC HARDWARE
111.2	EX	3'-0"	7'-0"	-	-	-	-	-	-	-	-	-	-	-	-	EXISTING DOOR, PROVIDE PANIC HARDWARE
120.1	EX	3'-0"	7'-0"	-	-	-	-	-	-	-	-	-	-	-	-	EXISTING DOOR, PROVIDE PANIC HARDWARE

WINDOW SCHEDULE

A FI ED STOREFRONT

B FI ED STOREFRONT

2 WINDOW TYPES
1'-4" 1'-0"

LEGEND:
T = TEMPERED GLASS
F = FIXED

NOTES:
1. CONTRACTOR TO VERIFY ALL ROUGH OPENINGS
2. ALL EXTERIOR GLAZING INSULATED
3. FRAME OPENINGS WITH ELEVATIONS
4. SEAL WINDOW TO ROUGH OPENINGS WITH LOW EXPANDING FOAM INSULATION - SEE DETAILS

WINDOW SCHEDULE									
KEY	ACTION	ROUGH OPENING (WxH) VIF	R.O. HEAD HEIGHT FROM SUBFLOOR	DETAILS			MATERIAL	FINISH	REMARKS
				HEAD	JAMB	SILL			
A	STORE	18'-0" x 13'-0"	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM - PROVIDE STEEL REINFORCING WITHIN MEMBERS AS REQUIRED
B	STORE	18'-0" x 13'-0"	-	-	-	-	AL	ANO	OLDCASTLE SERIES 3000 THERMAL MULTIPANE CENTER SET - THERMALLY BROKEN STOREFRONT WINDOW SYSTEM - PROVIDE STEEL REINFORCING WITHIN MEMBERS AS REQUIRED

- #### STOREFRONT INFORMATION
- ALL STOREFRONT TO BE THERMALLY BROKEN WITH INSULATED GLAZING UNITS WITH LOW-E COATING ARGON FILLED UNITS
 - TEMPER ALL GLASS AS REQUIRED BY BUILDING CODE
 - PROVIDE SUB SILLS WITH DRAINED PANS WITH END AND BACK DAMS, PROVIDE COMPRESSION HEAD SLIP TRACKS
 - PROVIDE FINISH TO MATCH ADJACENT EXISTING STOREFRONT, PROVIDE SAMPLE AND SHOP DRAWINGS FOR OWNER AND ARCHITECT APPROVAL PRIOR TO ORDER
 - FOR STOREFRONT FRAME GEOMETRY AND ARRANGEMENTS SEE EXTERIOR BUILDING ELEVATIONS
 - G.C. TO FIELD MEASURE ALL STOREFRONT UNITS PRIOR TO ORDER
 - PROVIDE STANDARD HEAD COMPENSATING RECEPTORS DEFLECTION HEAD