Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 10/13/16

					DOOR SIZE			FRAME MATERIAL	NEW / EXISTING / RELOCATED	FRAME DETAIL			FRAME TYPE	FIRE RATING	REMARKS
					WIDTH	HEIGHT	THICK			HEAD	JAMB	THRESHOLD			
					3'-0"	7'-0"	1-3/4"	MTL	E	-	-	E	-	-	
					3'-0"	7'-0"	1-3/4"	MTL	E	-	-	E	-	-	
					3'-0"	6'-8"	1-3/4"	MTL	E	-	-	-		-	REMOVE EXISTING DOOR. LEAVE HM FRAME IN PLACE. PATCH HINGE AND HARDWARE HOLES.
					3'-0"	6'-8"	1-3/4"	MTL	N	-	-	-		60 MIN	
5	-	N	WD	INT	3'-0"	6'-8"	1-3/4"	MTL	N	-	-	-	-	-	
6	-	N	WD	INT	3'-0"	6'-8"	1-3/4"	MTL	N	-	-	-	-	-	
7	-	N	MTL	INT	3'-0"	6'-8"	1-3/4"	MTL	N	-	-	-	-	45 MIN	
8	-	N	WD	INT	3'-0"	6'-8"	1-3/4"	MTL	N	-	-	-	-	-	
9	-	N	WD	EXT	3'-0"	6'-8"	1-3/4"	MTL	N	-	-	-	-	-	
10	-	N	WD	EXT	3'-0"	6'-8"	1-3/4"	MTL	N	-	-	-	-	-	
11	-	N	WD	INT	3'-0"	6'-8"	1-3/4"	MTL	N	-	-	-		-	
12	-	N	WD	INT	3'-0"	6'-8"	1-3/4"	MTL	N	-	-	-		-	
13	-	N	WD	INT	3'-0"	6'-8"	1-3/4"	MTL	N	-	-	-	-	-	
14	-	N	WD	INT	3'-0"	6'-8"	1-3/4"	MTL	N	-	-	-	-	-	
15	-	N	WD	INT	3'-0"	6'-8"	1-3/4"	MTL	N	-	-	-	-	-	
16	-	N	WD	INT	3'-0"	6'-8"	1-3/4"	MTL	N	-	-	-	-	-	
17	N/A	E	MTL	INT	3'-0"	6'-8"	1-3/4"	MTL	E	-	-	E	-	-	
18	N/A	E	MTL	INT	3'-0"	6'-8"	1-3/4"	MTL	E	-	-	-	-	60 MIN	

1 / A101 DOOR TYPES
SCALE: 1/4"=1'-0"

(A) FLUSH WOOD DOOR LEVER HARDWARE

(B) HOLLOW METAL DOOR AND FRAME LEVER HARDWARE

HANDRAIL
SCALE: FULL SIZE

5 / A101 SECTION DETAIL @ NEW STAIR
SCALE: 1 1/2"=1'-0"

3 / A101 PROPOSED SPOTME TENANT SPACE LAYOUT
SCALE: 1/4"=1'-0"

4 / A101 SECTION DETAIL @ NEW STAIR
SCALE: 1 1/2"=1'-0"

BARBA+WHEELOCK
ARCHITECTURE SUSTAINABILITY PRESERVATION
500 CONGRESS STREET
PORTLAND, MAINE 04101
207 772 2722
WWW.BARBAWHEELOCK.COM

NOT FOR CONSTRUCTION

SpotMe
935 W CHESTNUT STREET, SUITE 650
CHICAGO, IL 60642

PARTIAL FLOOR PLAN, DOOR SCHEDULE, STAIR DETIALS

SHEET SIZE: 22" x 34"
DATE: 09/06/2016
ISSUED FOR/REVISION: OWNER REVIEW
DRAWN BY: B-AW

Copyright 2016 Barba + Wheelock

WASHINGTON STREET
PORTLAND, MAINE

A101