				© 2016 RYAN SENATOR ARCHITECTURE
				ONG TU BOT - RESTAURANT FIT-UP 59 WASHINGTON AVENUE PORTLAND, MAINE
		GRAPHIC DEPICTION	- LAYER OF 5/8" GWB - 3 5/8" LIGHT GAUGE METAL STUDS AT 16" O.C LAYER OF 5/8" GWB	RYAN SENATORE ARCHITECTURE 565 CONGRESS STREET PORTLAND, MAINE 04101 207-650-6414 senatorearchitecture.com CONSULTANTS:
GRAPHIC DEPICTION	DESCRIPTION	TYPE NB FIRE RATING UL NU N/A GRAPHIC DEPICTION		REVISIONS: DATE: 17, OCTOBER 201 PROJECT No. 164
	- LAYER OF TYPE 'X' 5/8" GWB - 3-5/8" LIGHT GAUGE METAL STUDS AT 24" O.C 3-1/2" SOUND BATT INSULATION - LAYER OF TYPE 'X' 5/8" GWB		- LAYER OF 5/8" GWB - 3 5/8" LIGHT GAUGE METAL STUDS AT 16" O.C 3 1/2" SOUND BATT INSULATION - LAYER OF 5/8" GWB	CHECKED BY: RJ SCALE: AS NOTE SHEET TITLE: WALL ASSEMBLIES
TYPE 1A FIRE RATING UL NU 1 HR V	JMBER STC RATING IIC RATING /450 50-54 N/A		JMBER STC RATING IIC RATING N/A N/A	A0-1

