

GENERAL REMOVALS NOTES:

1. COORDINATE ALL REMOVALS WORK WITH ALL TRADES PRIOR TO COMMENCING ANY WORK.
2. CONTRACTOR IS TO COORDINATE SALVAGE OF EXISTING BUILDING COMPONENTS WITH BUILDING OWNER PRIOR TO COMMENCING ANY WORK.
3. SAFELY STORE ALL ITEMS INDICATED TO BE SALVAGED AND REINSTALLED. REPLACE ANY DAMAGED ITEMS OR COMPONENTS.
4. PATCH AND REPAIR ALL ADJACENT SURFACES INDICATED TO REMAIN WHICH ARE DAMAGED DURING THE REMOVALS PROCESS.
5. PATCH AND REPAIR ALL REMAINING INTERIOR WALL AND CEILING SURFACES AS REQUIRED. PREPARE WALL SURFACES FOR NEW FINISHES PER FINISH MANUFACTURER'S RECOMMENDATIONS. REFERENCE PARTITION SCHEDULE FOR FURTHER INFORMATION.
6. THE CONTRACTOR SHALL PROVIDE TEMPORARY SUPPORT, BRACING AND SHORING AS REQUIRED FOR ANY AND ALL REMOVALS. TEMPORARY BRACING, SUPPORT AND SHORING SHALL BE IN PLACE PRIOR TO ANY AND ALL REMOVALS.
7. REFERENCE THE MECHANICAL, PLUMBING AND ELECTRICAL DRAWINGS FOR ALL REMOVALS RELATED TO THE BUILDINGS UTILITIES, CLIMATE CONTROL EQUIPMENT, AND OTHER RELATED ITEMS.
8. THE CONTRACTOR SHALL CUT, PATCH, AND REPAIR ANY AND ALL WALL SURFACES AS REQUIRED FOR INSTALLATION OF BLOCKING THAT IS REQUIRED BY THE INSTALLATION OF CABINETS AND WALL CABINETS. PROVIDE BLOCKING FOR ALL CABINETS AND WALL CABINETS TYPICAL. PROVIDE NEW PAINT FINISHES WITHIN THE ENTIRE SPACE.

REMOVALS NOTES:

- | | |
|--|---|
| <ol style="list-style-type: none"> 1 REMOVE EXISTING DOOR, DOOR TRACK & HARDWARE COMPLETE; DOOR FRAME TO REMAIN. 1B REMOVE EXISTING DOOR, FRAME, & ASSOCIATED HARDWARE COMPLETE. 2 REMOVE EXISTING EXTERIOR WINDOW SASH, CUT PORTION OF EXISTING WOOD TRIM, AND HALF ROUND WOOD TRIM - SEE DRAWING A4.1/1A FOR REMOVAL DETAILS. 2A REMOVE EXISTING EXTERIOR WINDOWS, FRAME AND ASSOCIATED HARDWARE COMPLETE. 3 REMOVE EXISTING GYPSUM BOARD PARTITION TO EXTENTS INDICATED ON PLAN. 4 REMOVE EXISTING SINK AND ASSOCIATED PLUMBING COMPLETE. 5 REMOVE EXISTING TUB/SHOWER AND ASSOCIATED PLUMBING COMPLETE. 6 REMOVE EXISTING TOILET FIXTURE AND ASSOCIATED PLUMBING COMPLETE. 7 REMOVE EXISTING CABINETS, COUNTER TOP, WALL CABINETS, AND ASSOCIATED HARDWARE COMPLETE. 8 REMOVE EXISTING APPLIANCES - REFRIGERATOR, RANGE, MICROWAVE WALL OVEN, DUCT HOOD AND ASSOCIATED HARDWARE COMPLETE. 9 REMOVE EXISTING GYPSUM WALL OPENING COMPLETE. 10 REMOVE EXISTING CLOSET RODS, SHELVES AND ASSOCIATED HARDWARE COMPLETE. 11 REMOVE EXISTING VCT AND/OR CARPET FLOOR FINISH AND WALL BASE, COMPLETE; PATCH, LEVEL & SAND SUBSTRATE AS REQ'D TO INSTALL NEW FLOORING - SEE FINISH SCHEDULE FOR NEW FLOOR FINISH. 12 REMOVE EXISTING INTERIOR BEARING WALL TO THE EXTENTS INDICATED ON PLAN. 13 REMOVE EXISTING LIGHTING FIXTURES AND ASSOCIATED HARDWARE COMPLETE. 14 REMOVE / MODIFY EXISTING ELECTRICAL PANEL, EXIT LIGHT, EMERGENCY LIGHTING HEAD, SWITCHES, OUTLETS, ELECTRICAL CONDUIT, ELECTRICAL WIRING, AND ASSOCIATED ELECTRICAL AS REQUIRED - COORD. WITH ELECTRICAL DRAWINGS. 15 REMOVE EXISTING WATER HEATER AND ASSOCIATED HARDWARE COMPLETE. 16 REMOVE EXISTING ELECTRIC BASEBOARD COVER IN ALL UNITS AND PUBLIC SPACES AND ASSOCIATED HARDWARE COMPLETE - REFERENCE MECHANICAL DRAWINGS FOR MORE DETAILS. 17 REMOVE EXISTING MAILBOXES AND ASSOCIATED HARDWARE. 18 REMOVE / MODIFY PORTION OF EXISTING INFILL GWB WALL BEHIND EXISTING EXTERIOR WINDOWS - REFERENCE REMOVAL PLANS FOR MORE INFORMATION. 19 REMOVE EXISTING STEEL TUBE COLUMN - REFERENCE STRUCTURAL DWG'S FOR MORE INFO. 20 UPGRADE OF EXISTING SPRINKLER SYSTEM TO NFPA 13R FOR ALL UNITS AND NFPA 13 FOR ALL COMMON SPACES. 21 REMOVE EXISTING EXTERIOR SLIDING DOOR AND ASSOCIATED HARDWARE COMPLETE. 22 REMOVE EXISTING SKYLIGHT AND ASSOCIATED HARDWARE COMPLETE. 23 REMOVE EXISTING EXTERIOR WOOD STUDS WALL PARTITION COMPLETE. 24 REMOVE EXISTING ABANDONED BOILER AND COMPONENTS OF OIL-FIRED HEATING SYSTEM FROM BASEMENT. 25 NOT USED. 26 REMOVE EXISTING EXTERIOR WOOD DECKING TO TOP OF EXISTING DECK JOISTS, GUARDRAILS, AND WALLS COMPLETE. 27 REMOVE EXISTING WASHER AND DRYER AND ASSOCIATED HARDWARE COMPLETE. 28 REMOVE EXISTING INTERIOR STAIR HANDRAILS AND ASSOCIATED HARDWARE COMPLETE. 29 REMOVE EXISTING TOILET PARTITIONS AND ASSOCIATED HARDWARE COMPLETE. 30 REMOVE PORTION OF EXISTING CEILING IN DWELLING UNITS TO CREATE WINDOW WELLS FOR NEW FULL HEIGHT WINDOWS. 31 REMOVE EXISTING SINK BASE CABINET AND SINK W/ BUBBLER. SAVE EXISTING SINK W/ BUBBLER FOR RELOCATION. SEE FIRST FLOOR PLAN FOR SINK RELOCATION. 32 REMOVE EXISTING BATHROOM SINK COMPLETE. 33 CUT EXISTING BEARING WALL FOR NEW OPENING - SEE STRUCTURAL DWG'S FOR DETAILS. 34 SAW CUT EXISTING CONCRETE SLAB AS REQUIRED FOR NEW PLUMBING TRENCH - COORD. WITH PLUMBING DRAWINGS FOR NEW PIPING AND SAW CUT LOCATIONS. 35 PORTION OF EXISTING CONCRETE SLAB FLOOR FOR NEW ELEVATOR PIT AND NEW LALLY COLUMNS BASES - SEE STRUCT. DWG'S FOR DETAILS. 36 REMOVE EXISTING SUSPENDED ACOUSTICAL TILE CEILING AND GRID SYSTEM COMPLETE. 37 REMOVE EXISTING PLYWOOD INFILL WINDOW OPENINGS COMPLETE. | <ol style="list-style-type: none"> 38 REMOVE EXISTING PAINT FROM EXISTING MASONRY WALLS AND COLUMNS, PREPARE SURFACE TO RECEIVE NEW PRIMER AND PAINT. 39 SANDBLAST CONCRETE FLOOR, PATCH CRACKS & HOLES & APPLY LEVELING COMPOUND TO SMOOTH OUT ALL IRREGULARITIES AND PROVIDE A CLEAN, LEVEL SURFACE FOR NEW FINISHES. 40 REMOVE DUCT WORK, PIPING, WALL GRILLES, AND ASSOCIATED PLUMBING COMPLETE. 41 REMOVE EXISTING INTERIOR WOOD STAIR, HANDRAIL AND ASSOCIATED HARDWARE COMPLETE. 42 REMOVE EXISTING PAINT FROM METAL PIPE HANDRAILS, PREPARE SURFACE TO RECEIVE NEW PRIMER AND PAINT. 43 REMOVE EXISTING CMU WALL COMPLETE; CAP OFF EXISTING URINAL PIPING. 44 REMOVE EXISTING OPENING WD/ METAL CASING COMPLETE. 45 REMOVE EXISTING BUILDING ROOF SHINGLES, UNDERLAYMENT AND ASSOCIATED HARDWARE COMPLETE; PREPARE ROOF TO RECEIVE NEW ROOFING. 46 REMOVE EXISTING BALLASTED EPDM ROOFING MEMBRANE TO EXISTING ROOF SHEATHING. EXISTING ROOF SHEATHING TO REMAIN. 46A REMOVE EXISTING ROOF DRAIN COVER; ROOF DRAIN PIPING TO REMAIN. 47 REMOVE PORTION OF EXISTING FLOOR FRAMING SYSTEM FOR NEW STAIRCASE BELOW. 48 REMOVE EXISTING WOOD STUDS WALL PARTITION COMPLETE. 49 REMOVE EXISTING WHEELCHAIR LIFT AND ASSOCIATED HARDWARE COMPLETE. 50 REMOVE EXISTING MECHANICAL DUCTS AND ASSOCIATED HARDWARE COMPLETE. 51 REMOVE PAINT FROM EXISTING EXTERIOR DOOR, DOOR FRAME, AND CASING, PER SPECIFICATION SECTION 09 91 13 EXTERIOR PAINTING AND REHABILITATION. 52 SAW CUT EXISTING CONCRETE SLAB AS REQUIRED FOR NEW RADON PIPING SYSTEM - COORD. WITH BASEMENT PLAN FOR NEW RADON PIPING LOCATIONS. 53 REMOVE ALL EXISTING SNOW GUARD ASSEMBLIES. 54 SELECTIVELY REMOVE PORTION OF EXISTING GWB WALL FOR NEW BLOCKING AS REQUIRED FOR NEW HANDRAIL AND CHAIR RAIL INSTALLATION. REFERENCE FLOOR PLANS FOR NEW HANDRAIL AND CHAIR RAIL LOCATIONS. 55 REMOVE EXISTING CONCRETE RAMPS - REFERENCE SITE DWG'S FOR MORE INFORMATION. 56 REMOVE PORTION OF EXISTING CEILING ASSEMBLY TO ALLOW FOR NEW STEEL BEAMS - REFERENCE STRUCTURAL DRAWING'S FOR MORE INFORMATION. 57 REMOVE PORTION OF EXISTING GWB CEILING AS REQUIRED TO ALLOW FOR NEW INSULATION INSTALLATION. REFERENCE A7.4/7 & 11. |
|--|---|

1

NOT USED

REFERENCED FROM:

SCALE: N/A

2

REMOVALS NOTES

REFERENCED FROM:

SCALE: N/A




CWS Architects

**Architecture
Space Planning
Value Design**

434 Cumberland Avenue
Portland, ME 04101
Phone: (207)774-4441
Fax: (207)774-4016

www.CWSArch.com



Owner:

**Avesta Munjoy
Commons, LP.**

307 Cumberland Ave.
Portland, Maine 04101
TEL. 207-553-7780

Client:

**Munjoy Commons
Apartments**

Portland, Maine

Project No: 07429

Drawing Title:

**SHALER
REMOVALS
NOTES**

Scale: 1/4" = 1'-0"

Date: August 28, 2009

Revisions:



Drawing Number:

**SHALER
DA1.0**