

ALL STEEL AND BOLTS GALV. TYP.

ANGLE ATTACHMENT (TYP)

FASTEN P.T. 2x10 TO (E) RIM W/ (16) TOTAL 3/8" Ø x 4" RSS SCREENS INTO (E) RIM @ THIS AREA. MAINTAIN CONT. LEDGER @ THIS FASTENING. FASTEN BM. CLIPS TO LEDGER PER DETAIL ON SHEET 1

FASTEN P.T. 2x10 TO (E) RIM W/ (4) 3/8" x 4" RSS SCREENS THRU CLIP, LEDGER, AND (E) RIM, EA. SIDE OF (N) ST. BM. GALV. W10x12

LAST JOIST FASTENED TO (E) RIM W/ MIN. (2) 10d @ 16" O.C. UNO

GALV. L6x3 1/2 x 3/16 CLIP EA. SIDE OF ST. BM., W/ (4) 3/8" Ø GALV. BOLTS THRU CLIP, LEDGER, AND (E) RIM PER CLIP (8 TOTAL PER CONNECTION). (2) 3/4" Ø ABS'S THRU CLIPS AND BM. WEB

LUS28-Z-TYP.

P.T. 2x10 LEDGER FASTENED TO (E) RIM W/ (3) 1/4" Ø x 3 1/2" RSS SCREENS @ 16" O.C.

WIDE FLANGE BEAMS


STEEL TUBE (TYP)

DTT2Z, SEE H/7 (4) RSS SCREENS IN LEDGER @ BM. CONNECTION

SEE DETAIL ON SHEET 2

P.T. 2x10 @ 16" O.C.

3/A505



THIRD FLOOR FRAMING

0 4'-0" SCALE: 1/4" = 1'-0"

(4) 1/4" Ø TIMBERLOKS THRU JOISTS, FULLY EMBEDDED INTO P.T. WEB PACKING @ ACUTE JOIST ANGLE TO BEAM

3/8

