

98-100 NINE PLAND AVENUE



Fila cut #920H - Hat cut #9202H - Fla. cut #9203H - Flth cut #9205H



**APPLICATION FOR PERMIT**  
**DEPARTMENT OF BUILDING INSPECTIONS SERVICES**  
**ELECTRICAL INSTALLATIONS**

Date March 31, 19 78  
 Receipt and Permit number A 10534

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:  
 The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 98 Cumberland Ave.  
 OWNER'S NAME: Michael Keene ADDRESS: Falmouth St.

OUTLETS: (number of)

Lights	_____	
Receptacles	_____	FEES
Switches	_____	
Plugmold	_____ (number of feet)	
TOTAL	_____	

FIXTURES: (number of)

Incandescent	_____	
Fluorescent	_____ (Do not include strip fluorescent)	
TOTAL	_____	
Strip Fluorescent, in feet	_____	

SERVICES:

Permanent, total amperes <u>3-100 amp services</u>	_____	6.00
Temporary	_____	1.50

METERS: (number of) 3 \_\_\_\_\_

MOTORS: (number of)

Fractional	_____	
1 HP or over	_____	

RESIDENTIAL HEATING:

Oil or Gas (number of units)	_____	
Electric (number of rooms)	_____	

COMMERCIAL OR INDUSTRIAL HEATING:

Oil or Gas (by a main boiler)	_____	
Oil or Gas (by separate units)	_____	
Electric (total number of kws)	_____	

APPLIANCES: (number of)

Ranges	_____	Water Heaters	_____
Cook Tops	_____	Disposals	_____
Wall Ovens	_____	Dishwashers	_____
Dryers	_____	Compactors	_____
Fans	_____	Others (denote)	_____
TOTAL	_____		

MISCELLANEOUS: (number of)

Branch Panels	_____	
Transformers	_____	
Air Conditioners	_____	
Signs	_____	
Fire/Burglar Alarms	_____	
Circus, Fairs, etc.	_____	2.00
Alterations to wires	<u>x</u> _____	
Repairs after fire	_____	
Heavy Duty, 220v outlets	_____	
Emergency Lights, battery	_____	
Emergency Generators	_____	

INSTALLATION FEE DUE: \_\_\_\_\_  
 FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT ..... DOUBLE FEE DUE: \_\_\_\_\_  
 FOR REMOVAL OF A "STOP ORDER" (304-16.b) ..... \_\_\_\_\_  
 FOR PERFORMING WORK WITHOUT A PERMIT (304-9) ..... \_\_\_\_\_  
 TOTAL AMOUNT DUE: 9.50

INSPECTION:  
 Will be ready on \_\_\_\_\_, 19\_\_\_\_, or Will Call XX

CONTRACTOR'S NAME: Paul Bourget  
 ADDRESS: 312 P. O. Box 194 Oak Hill Scarborough  
 TEL.: \_\_\_\_\_

MASTER LICENSE NO.: 2555  
 LIMITED LICENSE NO.: \_\_\_\_\_

SIGNATURE OF CONTRACTOR  
*Paul Bourget C.E.F.*

INSPECTOR'S COPY



CITY OF PORTLAND, MAINE  
MEMORANDUM

TO: David Vining, Public Works Department  
DATE: 5-14-74

FROM: A. Allan Soule, Asst. Director Building & Inspection Services

SUBJECT: 98 Cumberland Avenue - Curb cut -

Phil Mullin notified me that the owner at the above named location are trying to make their own curb cut and asked if we would allow parking at this location. I have checked this out on this date, and we can allow parking in the rear yard. It will be necessary for the person proposing parking to apply for a certificate of occupancy for the number of spaces they desire with a plan showing the location before we can give our O.K.

---

A. Allan Soule  
Asst. Dir. Building & Inspection  
Services

AAS:m

98 Cumberland Ave.

March 20, 1970

Robert T. Hayden  
97 Exchange Street

Dear Mr. Hayden:

Upon inspection of the above job on March 20, 1970  
the following omissions were found:

1. Fuel line not protected against physical  
damage. As per our letter of March 2, 1970  
the fuel line shall be permanently protected.

It is important that correction of this condition be  
made before April 3, 1970, and notification be given this  
office of readiness for another inspection.

If additional information relative to the above is  
desired, please phone Inspector Malcolm Ward at 774-8221,  
extension 234, any weekday but Saturday between 8:00 and  
9:00 A. M.

Very truly yours,

Malcolm Ward  
Building Inspection Department

MW:m

98 Cumberland Ave.

March 2, 1970

Robert T. Hayden  
97 Exchange Street

cc to: Capt. Gerber  
Fire Prevention Bureau

Dear Mr. Hayden:

On complaint from the Portland Fire Department at the above location, it was reported that the fuel oil line to the hot water heater is not completely protected against physical damage. It is necessary that the fuel line be permanently protected.

It is important that correction of these conditions be made before March 13, 1970, and notification be given this office of readiness for another inspection.

If additional information relative to the above is desired, please phone Inspector Malcolm Ward at 774-9221, extension 234, any weekday but Saturday between 8:00 and 9:00 A. M.

Very truly yours,

Malcolm Ward  
Building Inspection Department

MW:m

CITY OF PORTLAND  
HEALTH DEPARTMENT  
HOUSING DIVISION



Loc. 98 Cumberland Ave.  
cc w/1 S  
Bldg XFire Elec XOther X  
Issued June 5, 1969  
Expires July 5, 1969

Mr. Robert T. Hayden  
97A Exchange Street  
Portland, Maine 04111

Dear Sir:

On May 27, 1969 an examination was made of the premises located  
at 98 Cumberland Avenue, Portland, Maine

Non-compliance with the ordinances relating to housing conditions was found as detailed below.  
In accordance with the provisions of the above ordinance, you are hereby ordered to  
correct these defects according to specifications within the time limits allowed. Failure to  
comply with this notice will necessitate legal action.

Some repairs or improvements required will necessitate permits which are to be ob-  
tained from the Building Inspector, Health, Fire or other City Departments. These must be ob-  
tained before the work is started.

If any additional information is desired, visit or telephone the Housing Supervisor at  
this Office, Tel. 774-8221, extension 226. Kindly notify this office as soon as all corrections  
have been completed.

Very truly yours,  
Health Director

By \_\_\_\_\_  
Housing Supervisor

#### VIOLATIONS & SPECIFICATIONS

# Responsibility of Owner or Agent    \*\* Responsibility of Occupant

##### STRUCTURAL

Repair and put in good order all deteriorated and hazardous parts of the  
structure as follows:

##### REPAIR or REPLACE -

- a. The loose worn and missing parts of the exterior siding.
- b. The defective butthead door.
- c. The roof which shows signs of leakage.
- d. The loose, worn and missing drainpipes on the left side of the structure.
- e. The broken window panes in the rear door.
- f. The missing trim over the rear door.
- g. The loose, cracked or missing plaster in the front and rear halls.
- h. The defective first floor front door.
- i. The loose door in the kitchen on the first floor.
- j. The loose, cracked or missing plaster on the kitchen walls on the first floor.
- k. The defective first floor front door.
- l. The defective front door on the second floor.
- m. Determine the reason and remedy the condition which causes the signs of leakage in the dining room on the second floor.
- n. Tighten the loose window sashes in the front bedroom on the second floor.

98 Cumberland Avenue

STRUCTURAL - continued

- o. The broken window pane and tighten the loose window sashes in the shed on the second floor.
- p. Determine the reason and remedy the condition which causes the signs of leakage in the bedroom, living room, middle bedroom, front bedroom and shed on the third floor.
- q. The loose, cracked or missing plaster on the ceiling in the kitchen and front bedroom on the third floor.
- r. The missing door knob to the bedroom on the third floor.
- s. The loose, cracked or missing plaster on the walls in the dining room on the third floor.
- t. The missing ceiling tile in the living room on the third floor.
- u. The defective skylight in the bedroom on the third floor.

ELECTRICAL

Check and have repaired all defective electric wiring and electrical equipment throughout the structure.

- a. Install adequate artificial illumination in the cellar.
- b. Repair or replace the bare socket in the front living room on the first floor.
- c. Disconnect and do not connect again the illegal wiring in the living room on the second floor.
- d. Install one duplex convenience outlet in the living room on the second floor.
- e. Repair or replace the bare exposed and dangerous wiring at the ceiling light fixture in the third floor kitchen.
- f. Install one duplex convenience outlet in the living room on the third floor.
- g. Properly enclose the hot water heater so that the bare wiring no longer is exposed.

HEATING

- a. Install a clean-out door at the base of the chimney in the cellar.
- b. The missing bricks in the chimney in the cellar.

NUISANCES AND INSANITARY CONDITIONS

- a. Accomplish a general clean-up of the yard, basement, rear shed and kitchen on the first floor by removing and properly disposing of all litter and debris.

The above mentioned conditions are in violation of Chapter 307 of the Municipal Code of the City of Portland and must be corrected on or before July 5, 1969.

CITY OF PORTLAND, MAINE  
FIRE DEPARTMENT



File 122

JOSEPH R. LRE #0  
CHIEF

March 13, 1969

Mr. Robert T. Hayden  
97-A Exchange Street  
Portland, Maine 04111

Re: One tank required to be enclosed at  
98 Cumberland Ave., Portland, Maine

Dear Mr. Hayden:

An inspection of the building located at 98 Cumberland Ave., Portland, Maine which you are reported to own or control, disclosed a violation of the Municipal Code of the City of Portland, Section 2002.9.3 . . . Standards for Oil Burning Equipment and Installation Thereof. . . which reads as follows:

"Section 2202 (c) - Not more than one 550 gallon supply tank or two tanks having an aggregate capacity of 550 gallons or less shall be installed in the lowest story, cellar or basement of a building unless all tanks exceeding such capacities are enclosed as specified in exception to Section 2307 outlined below: except that, when specifically approved by the Chief of the Fire Department, tanks having an aggregate capacity of not more than 1100 gallons may be permitted without enclosure if not more than a 350 gallon tank or two tanks of 275 gallon capacity or less are connected to a single burner.

Section 2307. Tanks of not more than 600 gallons aggregate capacity may be enclosed by walls of reinforced concrete at least 6 inches thick, or of brick or concrete block (not cinder block) at least 8 inches thick, well bonded to a non-burnable floor, and constructed to a level not less than 12 inches above the top of the tanks, -- space between tanks and enclosure and to top of walls to be completely filled with sand or well tamped earth, and tanks to be coated as for underground tanks." Therefore, one tank must be enclosed.

Before starting work on this enclosure a permit must be obtained from the Department of Building Inspection and be posted on the premises where the work is to be done.

Sincerely,

Samuel Gerber  
Captain - Fire Prevention Bureau

cc: Building Inspector  
File

CERTIFIED MAIL R.R.# 394591

File in  
G.L.

June 28, 1927

Robert W. Hayden Agency  
97A Exchange Street  
Portland, Maine

Re: 98 Cumberland Avenue  
Portland, Maine

Gentlemen:

A recent inspection of the building located at 98 Cumberland Avenue, Portland, of which you are reported to own or control, disclosed a violation of the City of Portland Building Code. Appendix A, Section 2202 states that the aggregate capacity of fuel oil to be stored in a cellar or basement shall not exceed 550 gallons. Should this amount be exceeded, the additional tanks must be enclosed as follows:

(As indicated in Section 2307 - Appendix A) "enclosed by walls of reinforced concrete at least 6 inches thick, or of brick or concrete block (not cinder block) at least 8 inches thick, well bonded to a non-burnable floor, and constructed to a level not less than 1. inches above the top of the tanks, -- space between tanks and enclosure and to top of walls to be completely filled with sand or well tamped earth, and tanks to be coated as for underground tanks."

Before any of this work is started, a permit must be obtained from the Office of the Building Inspector.

We request your cooperation in the enclosing of the third tank without delay.

Sincerely,

Samuel Carter  
Captain - Fire Prevention Bureau

Copy: Building Inspector

LOCATION G.S. Levitt Ave

DATE 1/23/58

PERMIT

INSURANCE

COMPLAINT

OCB.

Sh. check

~~11/24/58~~

11/24/58

Permit denied. See  
letter O.C.B.

Hoed for repairs

Bray...

11/4/58

... ..  
... ..  
... ..

BU - E.S.S. - 1/22/58

January 24, 1958

A - 98 Cumberland Avenue

Mr. Vincent Kenna  
98 Cumberland Avenue

Dear Mr. Kenna:

We are unable to issue a permit for construction of a one-story frame building for a boat shelter to be erected on the lot with the apartment house at the above named location because such a use is not among those listed as allowable in the R-6 Residence Zone in which the property is located.

Neither is it a use considered as customarily accessory to the apartment house on the lot, so it is not allowable on that basis.


It also seems doubtful if there is unoccupied space on the lot great enough to allow the building to be built so as to provide required distances from lot lines. Framing information given in application for permit also does not comply with Building Code requirements in some respects. However, in view of the fact that the permit cannot be issued because of the use, there is no need to go further into detail regarding these other matters of non-compliance.

We have been informed that you have seen fit to start work on this structure without a permit in violation of the law. It is necessary that all such work as has been done be immediately removed. Failure to do so will make it necessary for us to report the matter to the Corporation Counsel for taking whatever action against you he deems appropriate for violation of the Building Code in building without a permit.

Very truly yours,

A. J. Sears  
Deputy Inspector of Buildings

NJS:M



RECEIVED  
 JAN 23 1959  
 DEPT. OF BLD'G. INSP.  
 CITY OF PORTLAND

Algriffman, A. R. ...  
 9/10/57

98 150 3 Family  
 13-71-5  
 Nicholas M. & Theresia  
 M. Peters

96 137-33 7 1/2 Family  
 H. E. ...



APPLICATION FOR PERMIT

REPAIR ZONE

Class of Building or Type of Structure... Third Class

Portland, Maine, January 23, 1958

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect alter-repair-demolish-install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 98 Cumberland Ave. Within Fire Limits? yes Dist. No. 3
Owner's name and address Vincent Renna, 98 Cumberland Ave. Telephone
Lessee's name and address Telephone
Contractor's name and address owner Telephone 4-2849
Architect Specifications Plans yes No. of sheets 1
Proposed use of building Boat Shelter No. families
Last use No. families
Material frame No stories 1 Heat Style of roof Roofing
Other building on same lot Dwelling
Estimated cost \$ 25.00 Fee \$ .50

General Description of New Work

To construct 1-story frame building 6' x 10'

Noted

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO owner

Details of New Work

Is any plumbing involved in this work? Is any electrical work involved in this work?
Is connection to be made to public sewer? If not, what is proposed for sewage?
Has septic tank notice been sent? Form notice sent?
Height average grade to top of plate 8' Height average grade to highest point of roof 9'
Size, front 10' depth 6' No. stories 1 solid or filled land? earth or rock?
Material of foundation Thickness, top bottom cellar
Material of underpinning Height Thickness
Kind of roof shed flat Rise per foot Roof covering Asphalt Class C Und. Lab.
No. of chimneys Material of chimneys of lining Kind of heat fuel
Framing Lumber—Kind used Dressed or full size? Corner posts 2-2x4 Sills 4x6
Size Girder Columns under girders Size Max. on centers
Kind and thickness of outside sheathing of exterior walls?
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor, 2nd, 3rd, roof 2x4
On centers: 1st floor, 2nd, 3rd, roof 20"
Maximum span: 1st floor, 2nd, 3rd, roof 6'
If one story building with masonry walls, thickness of walls? height?

If a Garage

No. cars now accommodated on same lot, to be accommodated number commercial cars to be accommodated
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

APPROVED:

Signature lines for approval

Miscellaneous

Will work require disturbing of any tree on a public street? no
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes
Vincent Renna

Signature of owner by:

Vincent A. Renna

INSPECTION COPY

F.M.



1002



FILL IN AND SIGN WITH INK

00193

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, February 17, 1950

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 98 Cumberland Avenue Use of Building Tenement house No. Stories 2 Existing Building Existing "
Name and address of owner of appliance Nicholas Gikas, 98 Cumberland Avenue
Installer's name and address Richard Waltz, 17 Slemmons Road Telephone 2-3026

General Description of Work

To install oil burning equipment in connection with steam heating system.

IF HEATER, OR POWER BOILER

Location of appliance or source of heat Type of floor beneath appliance
If wood, how protected? Kind of fuel
Minimum distance to wood or combustible material, from top of appliance or casing top of furnace
From top of smoke pipe From front of appliance From sides or back of appliance
Size of chimney flue Other connections to same flue
If gas fired, how vented? Rated maximum demand per hour

IF OIL BURNER

Name and type of burner Montgomery & Ward Labelled by underwriter's laboratories? Yes
Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? bottom
Type of floor beneath burner concrete
Location of oil storage basement Number and capacity of tanks 1-275 gal.
If two, 275-gallon tanks, will three-way valve be provided?
Will all tanks be more than five feet from any flame? yes How many tanks fire proofed?
Total capacity of any existing storage tanks for furnace burners none

IF COOKING APPLIANCE

Location of appliance Kind of fuel Type of floor beneath appliance
If wood, how protected?
Minimum distance to wood or combustible material from top of appliance
From front of appliance From sides and back From top of smokepipe
Size of chimney flue Other connections to same flue
Is hood to be provided? If so, how vented?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

[Empty lines for miscellaneous information]

Amount of fee enclosed? 2.00 (\$200 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED:

OK 2-17-50 [Signature]

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

Signature of Installer

Richard P. Waltz

INSPECTION COPY

Permit No. 27/193 4/12/50

Location 98 Cumberland Ave.

Owner Nicholas Sykes

Date of Permit 2/18/50

Approved C. J. ...

NOTES

- 1. Fill Pipe
- 2. Vent Pipe
- 3. Kind of Heat
- 4. Direction of Supply
- 5. ...
- 6. ...
- 7. ...
- 8. ...
- 9. ...
- 10. ...
- 11. Capacity
- 12. Total Height
- 13. ...
- 14. ...
- 15. Instruction Card

3-27/50 7/11 FT  
00/11111  
10716

FILL IN COMPLETELY AND SIGN WITH INK



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

June 27 1930

Portland, Maine, \_\_\_\_\_

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:  
Tenement house

Location 93 Cumberland Ave. Use of Building 1

Name and address of owner Cohan & Lourie 116 Middle St. Ward 964

Contractor's name and address \_\_\_\_\_ Telephone \_\_\_\_\_

General Description of Work

Steam Heating System

To install \_\_\_\_\_

IF HEATER, POWER BOILER OR COOKING DEVICE Coal

Is heater or source of heat to be in cellar? \_\_\_\_\_ If not, which story Concrete Floor Kind of fuel Coal

Material of supports of heater or equipment (concrete floor or what kind) 30"

Minimum distance to wood or combustible material, from top of boiler or casing; top of furnace, 4'-0"

from top of smoke pipe \_\_\_\_\_, from front of heater \_\_\_\_\_ from sides or back of heater \_\_\_\_\_

IF OIL BURNER

Name and type of burner \_\_\_\_\_ Approved by Underwriters' Laboratories? \_\_\_\_\_

Location oil storage \_\_\_\_\_ No. and capacity of tanks \_\_\_\_\_

Will all tanks be more than seven feet from any flame? \_\_\_\_\_ How many tanks fireproofed? \_\_\_\_\_

Amount of fee enclosed? 1.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

Signature of contractor

*Cohan & Lourie*  
*M. Cohan* 314A

INSPECTION COPY

PERMIT  
JUN 27 1930

Ward 1 Permit No. 30/1318  
Location 98 Cumberland Ave  
Owner Fannie Levi  
Date of permit 6/27/30  
Notif. closing-in \_\_\_\_\_  
Inspn. closing-in \_\_\_\_\_  
Fir. Notif. \_\_\_\_\_  
Final Inspn. 7/18/30 - dls.  
Cert. of Occupancy issued \_\_\_\_\_

NOTES

~~7/1/30  
Work not complete.  
7/18/30  
Installation work  
complete appearance  
OK. chimney should  
have clear cut top.  
dls.~~



Location, Ownership and detail must be correct, complete and legible.  
 Separate application required for every building.  
 Plans must be filed with this application.

## Application for Permit for Alterations, etc.

To the

Portland, Me., JULY 1 19 24

INSPECTOR OF BUILDINGS:

The undersigned applies for a permit to alter the following described building:—

Description of Present Bldg.

Location 98 Cumberland Avenue Ward 1 in fire-limits? no  
 Name of Owner or Lessee, Harry Levi Address 96 Cumberland Ave.  
 " Contractor, B. Kroat " 106 Congress St.  
 " Architect, \_\_\_\_\_ " \_\_\_\_\_  
 Material of Building is wood Style of Roof, flat Material of Roofing, gravel  
 Size of Building is 50 feet long; 30 feet wide. No. of Stories, 3  
 Cellar Wall is constructed of stone is \_\_\_\_\_ inches wide on bottom and batters to \_\_\_\_\_ inches on top.  
 Underpinning is cement is \_\_\_\_\_ inches thick; is \_\_\_\_\_ feet in height.  
 Height of Building 36 ft. Wall, if Brick; 1st, \_\_\_\_\_ 2d, \_\_\_\_\_ 3d, \_\_\_\_\_ 4th, \_\_\_\_\_ 5th, \_\_\_\_\_  
 What was Building last used for? dwelling--three families of Families? 3  
 What will Building now be used for? dwelling--three families

PERMIT MUST BE OBTAINED BEFORE BEGINNING WORK

### Detail of Proposed Work

cut through one window. All to comply with the building ordinances.  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_ Estimated Cost \$25.

### If Extended On Any Side

Size of Extension, No. of feet long? \_\_\_\_\_; No. of feet wide? \_\_\_\_\_; No. of feet high above sidewalk? \_\_\_\_\_  
 No. of Stories high? \_\_\_\_\_; Style of Roof? \_\_\_\_\_; Material of Roofing? \_\_\_\_\_  
 Of what material will the Extension be built? \_\_\_\_\_ Foundation? \_\_\_\_\_  
 If of Brick, what will be the thickness of External Walls? \_\_\_\_\_ inches; and Party Walls \_\_\_\_\_ inches.  
 How will the extension be occupied? \_\_\_\_\_ How connected with Main Building? \_\_\_\_\_

### When Moved, Raised or Built Upon

No. of Stories in height when Moved, Raised, or Built upon? \_\_\_\_\_ Proposed Foundations \_\_\_\_\_  
 No. of feet high from level of ground to highest part of Roof to be? \_\_\_\_\_  
 How many feet will the External Walls be increased in height? \_\_\_\_\_ Party Walls \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

### If Any Portion of the External or Party Walls Are Removed

Will an opening be made in the Party or External Walls? \_\_\_\_\_ in \_\_\_\_\_ Story.  
 Size of the opening? \_\_\_\_\_ How protected? B. Kroat  
 How will the remaining portion of the wall be supported? \_\_\_\_\_

Signature of Owner or Authorized Representative, \_\_\_\_\_

Address \_\_\_\_\_

106 Congress St.

257



924121 924121

Permit # \_\_\_\_\_ City of Portland BUILDING PERMIT APPLICATION Fee \$170 Zone \_\_\_\_\_ Map # \_\_\_\_\_ Lot# \_\_\_\_\_  
Please fill out any part which applies to job. Proper plans must accompany form.

Owner: Timothy Seavey Phone # \_\_\_\_\_  
Address: 98 Cumberland Ave; Ptld, ME 04101  
LOCATION OF CONSTRUCTION 98 Cumberland Ave.  
Contractor: John McGovern Sub: 828-1336  
Address: JT Assoc; 659 Warren Ave Ptld, ME 04103

For Official Use Only	
Date: <u>9/9/92</u>	Subdivisor: <u>SEP 15 1992</u>
Inside Fire Limits: _____	Name: _____
Bldg Code: _____	Lot: _____
Time Limit: _____	Ownership: _____ Public _____ Private _____
Estimated Cost: <u>30,000</u>	

Est. Construction Cost: 30,000 Proposed Use: 3-fam bldg w repair Zoning: \_\_\_\_\_  
Past Use: 3-fam

# of Existing Res. Units \_\_\_\_\_ # of New Res. Units \_\_\_\_\_  
Building Dimensions L \_\_\_\_\_ W \_\_\_\_\_ Total Sq. Ft. \_\_\_\_\_  
# Stories: \_\_\_\_\_ # Bedrooms \_\_\_\_\_ Lot Size: \_\_\_\_\_  
Is Proposed Use: Seasonal \_\_\_\_\_ Condominium \_\_\_\_\_ Conversion \_\_\_\_\_  
Explain Conversion: Repairs after fire- third floor

Street Frontage Provided: \_\_\_\_\_  
Provided Setbacks: Front \_\_\_\_\_ Back \_\_\_\_\_ Side \_\_\_\_\_  
Review Required:  
Zoning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
Planning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
Conditional Use: \_\_\_\_\_ Variance \_\_\_\_\_ Site Plan \_\_\_\_\_ Subdivision \_\_\_\_\_  
Shoreland Zoning Yes \_\_\_\_\_ No \_\_\_\_\_ Floodplain Yes \_\_\_\_\_ No \_\_\_\_\_  
Special Exception \_\_\_\_\_  
Other: WDA - 9-11-92 (Explain)

Foundation:  
1. Type of Soil: \_\_\_\_\_  
2. Set Backs - Front \_\_\_\_\_ Rear \_\_\_\_\_ Side(s) \_\_\_\_\_  
3. Footings Size: \_\_\_\_\_  
4. Foundation Size: \_\_\_\_\_  
5. Other: \_\_\_\_\_

Ceiling:  
1. Ceiling Joists Size: \_\_\_\_\_  
2. Ceiling Strapping Size \_\_\_\_\_ Spacing \_\_\_\_\_  Not in District nor Landmark.  
3. Type Ceilings: \_\_\_\_\_  Does not require review.  
4. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_  Requires Review.  
5. Ceiling Height: \_\_\_\_\_

Floor:  
1. Sills Size: \_\_\_\_\_ Sills must be anchored.  
2. Girder Size: \_\_\_\_\_  
3. Lally Column Spacing: \_\_\_\_\_ Size: \_\_\_\_\_  
4. Joists Size: \_\_\_\_\_ Spacing 16' O.C.  
5. Bridging Type: \_\_\_\_\_ Size: \_\_\_\_\_  
6. Floor Sheathing Type: \_\_\_\_\_ Size: \_\_\_\_\_  
7. Other Material: \_\_\_\_\_

Roof:  
1. Truss or Rafter Size \_\_\_\_\_ Spacing \_\_\_\_\_ Action:  Approved.  
2. Sheathing Type \_\_\_\_\_ S \_\_\_\_\_  Approved with Conditions.  
3. Roof Covering Type \_\_\_\_\_  
Chimneys:  
Type: \_\_\_\_\_ Number of Fire Places \_\_\_\_\_ Date: 9/9/92  
Signature: [Signature]

Exterior Walls:  
1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
2. No. windows \_\_\_\_\_  
3. No. Doors \_\_\_\_\_  
4. Header Sizes \_\_\_\_\_ Span(s) \_\_\_\_\_  
5. Bracing: Yes \_\_\_\_\_ No \_\_\_\_\_  
6. Corner Posts Size \_\_\_\_\_  
7. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_  
8. Sheathing Type \_\_\_\_\_ Size \_\_\_\_\_  
9. Siding Type \_\_\_\_\_ Weather Exposure \_\_\_\_\_  
10. Masonry Materials \_\_\_\_\_  
11. Metal Materials \_\_\_\_\_

Heating:  
Type of Heat: \_\_\_\_\_  
Electrical:  
Service Entrance Size: \_\_\_\_\_ Smoke Detector Required Yes \_\_\_\_\_ No \_\_\_\_\_  
Plumbing:  
1. Approval of soil test if required Yes \_\_\_\_\_ No \_\_\_\_\_  
2. No. of Tubs or Showers \_\_\_\_\_  
3. No. of Flushes \_\_\_\_\_  
4. No. of Lavatories \_\_\_\_\_  
5. No. of Other Fixtures \_\_\_\_\_  
Swimming Pools:  
1. Type: \_\_\_\_\_  
2. Pool Size: \_\_\_\_\_ x \_\_\_\_\_ Square Footage \_\_\_\_\_  
3. Must conform to National Electrical Code and State Law.

Interior Walls:  
1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
2. Header Sizes \_\_\_\_\_ Span(s) \_\_\_\_\_  
3. Wall Covering Type \_\_\_\_\_  
4. Fire Wall if required \_\_\_\_\_  
5. Other Materials \_\_\_\_\_

Permit Received By Lois Chase  
Signature of Applicant John McGovern Date 9/9/92  
CEO's District \_\_\_\_\_

PERMIT ISSUED WITH REQUIREMENTS

CONTINUED TO REVERSE SIDE  
White - Tax Assessor  
Ivory Tag - CEO



**APPLICATION FOR PERMIT**  
**DEPARTMENT OF BUILDING INSPECTIONS SERVICES**  
**ELECTRICAL INSTALLATIONS**

Date September 23, 1992 19  
 Receipt and Permit number 3931

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:  
 The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of  
 Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 98 Cumberland Ave  
 OWNER'S NAME: Tim Seavey ADDRESS: \_\_\_\_\_

	FEES
<b>OUTLETS:</b>	
Receptacles <u>25</u> Switches <u>8</u> Plugmold _____ ft. TOTAL _____	6.60
<b>FIXTURES:</b> (number of)	
Incandescent <u>10</u> Fluorescent _____ (not strip) TOTAL _____	2.00
Strip Fluorescent _____ ft. _____	
<b>SERVICES:</b>	
Overhead _____ Underground _____ Temporary _____ TOTAL amperes _____	
<b>METERS:</b> (number of) _____	
<b>MOTORS:</b> (number of)	
Fractional _____	
1 HP or over _____	
<b>RESIDENTIAL HEATING:</b>	
Oil or Gas (number of units) _____	
Electric (number of rooms) _____	
<b>COMMERCIAL OR INDUSTRIAL HEATING:</b>	
Oil or Gas (by a main boiler) _____	
Oil or Gas (by separate units) _____	
Electric Under 20 kws _____ Over 20 kws _____	
<b>APPLIANCES:</b> (number of)	
Ranges _____ Water Heaters _____	
Cook Tops _____ Disposals _____	
Wall Ovens _____ Dishwashers _____	
Dryers _____ Compactors _____	
Fans _____ Others (denote) _____	
TOTAL _____	
<b>MISCELLANEOUS:</b> (number of)	
Branch Panels <u>1</u> _____	4.00
Transformers _____	
Air Conditioners Central Unit _____	
Separate Units (windows) _____	
Signs 20 sq. ft. and under _____	
Over 20 sq. ft. _____	
Swimming Pools Above Ground _____	
In Ground _____	
Fire/Burglar Alarms Residential _____	
Commercial _____	
Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under _____	
over 30 amps _____	
Circus, Fairs, etc. _____	
Alterations to wires _____	
Repairs after fire _____	
Emergency Lights, battery _____	
Emergency Generators _____	

FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT ..... INSTALLATION FEE DUE:  
 FOR REMOVAL OF A "STOP ORDER" (304-16.b) ..... DOUBLE FEE DUE:  
 TOTAL AMOUNT DUE: 15.00

**INSPECTION:**  
 Will be ready on \_\_\_\_\_, 19\_\_; or Will Call \_\_\_\_\_ xx  
**CONTRACTOR'S NAME:** Breggia Electric  
**ADDRESS:** 1901 Forest Ave  
**TEL.:** 797-8888  
**MASTER LICENSE NO.:** 3931 **SIGNATURE OF CONTRACTOR:** \_\_\_\_\_  
**LIMITED LICENSE NO.:** \_\_\_\_\_

INSPECTOR'S COPY — WHITE  
 OFFICE COPY — CANARY  
 CONTRACTOR'S COPY — GREEN

824121 924121

Permit # City of Portland BUILDING PERMIT APPLICATION Fee 1470 Zone Map # Lot#

Please fill out any part which applies to job. Proper plans must accompany form.

Owner: Timothy Seavey Phone # \_\_\_\_\_  
 Address: 98 Cumberland Ave; Apt 1041  
 LOCATION OF CONSTRUCTION 98 Cumberland Ave.  
 Contractor: John McGovern Sub: \_\_\_\_\_  
 Address: JT Assoc, 559 Larran Ave Phone # 761-0403  
 Est. Construction Cost: 30,000 Proposed Use: 3-300 bldg w repair  
 Present Use: 3-100  
 # of Existing Res. Units: \_\_\_\_\_ # of New Res. Units: \_\_\_\_\_  
 Building Dimensions L \_\_\_\_\_ W \_\_\_\_\_ Total Sq. Ft. \_\_\_\_\_  
 # Stories: \_\_\_\_\_ # Bedrooms: \_\_\_\_\_ Lot Size: \_\_\_\_\_  
 Is Proposed Use: Seasonal \_\_\_\_\_ Condominium \_\_\_\_\_ Conversion \_\_\_\_\_  
 Explain Conversion: Remains after fire- third floor

**For Official Use Only**

Date: 9/9/92 Subdivision Name: SEP 15 1992  
 Inside Fire Limits \_\_\_\_\_  
 Building Code \_\_\_\_\_  
 True Limit \_\_\_\_\_  
 Estimated Cost: 30,000  
 Owner: CITY OF PORTLAND  
 Zoning: \_\_\_\_\_  
 Street Frontage Provided: \_\_\_\_\_  
 Provided Setbacks: Front \_\_\_\_\_ Back \_\_\_\_\_ Side \_\_\_\_\_  
 Review Required:  
 Zoning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
 Planning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
 Conditional Use: \_\_\_\_\_ Variance \_\_\_\_\_ Site Plan \_\_\_\_\_ Subdivision \_\_\_\_\_  
 Shoreland Zoning Yes \_\_\_\_\_ No \_\_\_\_\_ Floodplain Yes \_\_\_\_\_ No \_\_\_\_\_  
 Special Exception \_\_\_\_\_  
 Other (Explain): 9-11-92

**Foundation:**  
 1. Type of Soil: \_\_\_\_\_  
 2. Set Backs - Front \_\_\_\_\_ Rear \_\_\_\_\_ Side(s) \_\_\_\_\_  
 3. Footings Size: \_\_\_\_\_  
 4. Foundation Size: \_\_\_\_\_  
 5. Other: \_\_\_\_\_

**Floors:**  
 1. Sills Size: \_\_\_\_\_ Sills must be anchored.  
 2. Girder Size: \_\_\_\_\_  
 3. Lally Column Spacing \_\_\_\_\_ Size: \_\_\_\_\_  
 4. Joists Size: \_\_\_\_\_ Spacing 16" O.C.  
 5. Bridging Type: \_\_\_\_\_ Size: \_\_\_\_\_  
 6. Floor Sheathing Type: \_\_\_\_\_ Size: \_\_\_\_\_  
 7. Other Material: \_\_\_\_\_

**Exterior Walls:**  
 1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. No. windows \_\_\_\_\_  
 3. No. Doors \_\_\_\_\_  
 4. Header Sizes \_\_\_\_\_ Span(s) \_\_\_\_\_  
 5. Bracing: Yes \_\_\_\_\_ No \_\_\_\_\_  
 6. Corner Posts Size \_\_\_\_\_  
 7. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_  
 8. Sheathing Type \_\_\_\_\_ Size \_\_\_\_\_  
 9. Siding Type \_\_\_\_\_ Weather Exposure \_\_\_\_\_  
 10. Masonry Materials \_\_\_\_\_  
 11. Metal Materials \_\_\_\_\_

**Interior Walls:**  
 1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. Header Sizes \_\_\_\_\_ Span(s) \_\_\_\_\_  
 3. Wall Covering Type \_\_\_\_\_  
 4. Fire Wall if required \_\_\_\_\_  
 5. Other Materials \_\_\_\_\_

**Ceiling:**  
 1. Ceiling Joists Size \_\_\_\_\_  
 2. Ceiling Strapping Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 3. Type Ceiling: \_\_\_\_\_  
 4. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_  
 5. Ceiling Height: \_\_\_\_\_  
**Roof:**  
 1. Truss or Rafter Size \_\_\_\_\_ Span \_\_\_\_\_  
 2. Sheathing Type \_\_\_\_\_ Size \_\_\_\_\_  
 3. Roof Covering Type \_\_\_\_\_  
**Chimneys:**  
 Type: \_\_\_\_\_ Number of Fire Places \_\_\_\_\_  
**Heating:**  
 Type of Heat: \_\_\_\_\_  
**Electrical:**  
 Service Entrance Size: \_\_\_\_\_ Smoke Detector Required Yes \_\_\_\_\_ No \_\_\_\_\_  
**Plumbing:**  
 1. Approval of soil test if required Yes \_\_\_\_\_ No \_\_\_\_\_  
 2. No. of Tubs or Showers \_\_\_\_\_  
 3. No. of Flushes \_\_\_\_\_  
 4. No. of Lavatories \_\_\_\_\_  
 5. No. of Other Fixtures \_\_\_\_\_  
**Swimming Pools:**  
 1. Type: \_\_\_\_\_  
 2. Pool Size: \_\_\_\_\_ x \_\_\_\_\_ Square Footage \_\_\_\_\_  
 3. Must conform to National Electrical Code and State Law.

Permit Received By: E. Chase  
 Signature of Applicant: John McGovern Date: 9/9/92  
 CEO's District: \_\_\_\_\_  
 CONTINUED TO REVERSE SIDE  
 Ivory Tag - CEO  
 MR. Leary

PERMIT ISSUED WITH REQUIREMENTS

White - Tax Assessor

10-11-1988 5:12

N  
↑

PLOT PLAN

FEES (Breakdown From Front)  
Base Fee \$ 190-  
Subdivision Fee \$ \_\_\_\_\_  
Site Plan Review Fee \$ \_\_\_\_\_  
Other Fees \$ \_\_\_\_\_  
(Explain) \_\_\_\_\_  
Late Fee \$ \_\_\_\_\_

Type	Inspection Record	Date
_____	_____	____/____/____
_____	_____	____/____/____
_____	_____	____/____/____
_____	_____	____/____/____

COMMENTS 9-22-92 Site has started on sewer repairs 11-2-92 Street work has been  
put up 1-25-93 Work is all completed

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as has authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the code official or the code official's authorized representative shall have the authority to enter areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit.

John M. Love  
SIGNATURE OF APPLICANT

ADDRESS

8281336  
PHONE NO.

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

PHONE NO.

BUILDING PERMIT REPORT

ADDRESS: 98 Cumberland Ave. DATE: 14/Sept/97

REASON FOR PERMIT: MAKE repairs after a fire -  
Third Floor.

BUILDING OWNER: Seavey, McGovern

CONTRACTOR: John McGovern

PERMIT APPLICANT: ll

APPROVED: \*3 \*4 \*5 \*6 \*7 \*9

CONDITION OF APPROVAL:

- 1.) Before concrete for foundation is placed, approvals from Public Works and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection.)
- 2.) Precaution must be taken to protect concrete from freezing.
- \* 3.) All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with self-closers.
- \* 4.) Each apartment shall have access to two(2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- \* 5.) The boiler shall be protected by enclosing with one(1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply system having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessible location between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 square feet per sprinkler.
- \* 6.) Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping rooms must have minimum net clear openings of 5.7 square feet (0.53m<sup>2</sup>). The minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm).
- \* 7.) All single and multiple-station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the building code (BOCA National Building Code 1990, and N.F.P.A. 101 Chapter 18 & 19.

8.) Private garages located beneath rooms in buildings of Use Groups R-1, R-2, R-3 or I-1 shall have walls, partitions, floors and ceilings separating the garage space from the adjacent interior spaces constructed of not less than 1-hour fire-resistance rating. Attached private garages shall be completely separated from the adjacent interior spaces and the attic area by means of 1/2-inch gypsum board or equivalent applied to the garage side. The sills of all door openings between the garage and adjacent interior spaces shall be raised not less than 4 inches (102 mm) above the garage floor. The door opening protectives shall be 1 3/4-inch solid core wood doors or approved equivalent.

\*9.) A guardrail system located near the open side of deck or elevated walking surfaces shall be constructed. Guards in buildings of Use Group R-3 shall be not less than 36 inches in height. Open guards shall have intermediate rails, balusters or other construction such that a sphere with a diameter of 4 inches cannot pass through any opening. Handrails on stairs shall be no less than 34 inches nor more than 38 inches. Handrails within individual dwelling units shall not be less than 30 inches nor more than 38 inches. For more detail on guards & handrails see Article 8 section 824.0 and 825.0 of the BOCA National Building Code.

10.) Section 25-135 of the Municipal Code for the City of Portland states: "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year.


11.) The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 M.R.S.A. refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

12.) Stair construction in Use Group R-3, R-4, is a minimum of 9" tread and 8-1/4" maximum rise.

13.) Headroom in habitable spaces is a minimum of 7'6".

14.) The minimum headroom in all parts of a stairway shall not be less than 6 feet 8 inches.

Sincerely,


  
P. Samuel Hoffses  
Chief of Inspection Services

/el  
11/16/88  
11/27/90  
8/14/91  
9/2/92

RECEIVED

SEP - 9 1992

DEPT. OF BUILDING INSPECTIONS  
CITY OF PORTLAND



Replace 4 new windows

Replace ~~BR~~ ~~STAIRS~~

R side 10 x 10

Shed Roof All Rooms

New KITCHEN  
New BATH

**PLUMBING APPLICATION**

Department of Human Services  
Division of Health Engineering  
(207) 285-3826

**PROPERTY ADDRESS**

Town Or Plantation: Portland

Site/ Subdivision Lot #: 98 Cumberland Ave

**PROPERTY OWNERS NAME**

Last: J. T. First: Associates

Applicant Name: S.P. Plumbing

Mailing Address of Owner/Applicant (if different): 42 Huntress Ave  
50 Portland, ME

PORTLAND 4650 TOWN COPY

Date Permitted: 11.19.92 Fee: \$11.15

Local Plumbing Inspector Signature: [Signature] License #: 01124

**Owner/Applicant Statement**

I certify that the information submitted is correct to the best of my knowledge and I understand that any falsification is reason for the Local Plumbing Inspector to deny a Permit.

Signature of Owner/Applicant: [Signature] Date: \_\_\_\_\_

**Caution: Inspection Required**

I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.

Local Plumbing Inspector Signature: Merlin Leary Date Approved: 1-25-93

**PERMIT INFORMATION**

This Application is for:

1.  NEW PLUMBING

2.  RELOCATED PLUMBING

Type Of Structure To Be Served:

1.  SINGLE FAMILY DWELLING

2.  MODULAR OR MOBILE HOME

3.  MULTIPLE FAMILY DWELLING

4.  OTHER - SPECIFY \_\_\_\_\_

Plumbing To Be Installed By:

1.  MASTER PLUMBER

2.  OIL BURNERMAN

3.  MFG'D. HOUSING DEALER/MECHANIC

4.  PUBLIC UTILITY EMPLOYEE

5.  PROPERTY OWNER

LICENSE # 127071

Hook-Up & Piping Relocation Maximum of 1 Hook-Up	Column 2		Column 1	
	Number	Type of Fixture	Number	Type of Fixture
<p>HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District.</p> <p><b>OR</b></p> <p>HOOK-UP: to an existing subsurface wastewater disposal system.</p>		Hosebibb / Silcock	1	Bathtub (and Shower)
		Floor Drain		Shower (Separate)
		Urinal	2	Sink
		Drinking Fountain	1	Wash Basin
		Indirect Waste	1	Water Closet (Toilet)
		Water Treatment Softener, Filter, etc.		Clothes Washer
		Grease/Oil Separator		Dish Washer
<p>PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.</p>		Dental Cuspidor		Garbage Disposal
		Bidet		Laundry Tub
		Other: _____		Water Heater
Number of Hook-Ups & Relocations		Fixtures (Subtotal) Column 2	5	Fixtures (Subtotal) Column 1
Hook-Up & Relocation Fee		Fixtures (Subtotal) Column 2		Fixtures (Subtotal) Column 1
SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE				
				Total Fixtures
			\$	Fixture Fee
			\$	Hook-Up & Relocation Fee
			\$ 15-	Permit Fee (Total)

TOWN COPY

