Remove this label after final is spection; SAVE for future reference



National Fenestration Reting Council® Pella Corporation

20 Replacement
Double Hung
Annealed
One Wide
Advanced Lcw-E



CERTIFIED

PEL-N-108 -00043-00001

ENERGY PERFORMANCE RATINGS

U-Factor

Solar Heat Gain Coefficient

0.30

1./L

Argon Gas


0.28

ADVITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.53

Manufacturer stipulates 'hat these ratings conform to applicable NFRC procedures for determining whole product performal ce. NFRC ratings are determined for a fixed set of environmental condition and a specific product siz 1. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use. For more information, call (641)621—3114 or visit the Pella web site 1 www.pella.com or visit the NFRC web site at www.nfrc.org



WDMA Hallmark Certified www.wdma.com Licensee:411 – H – 862
ThermaStar by Pella – Double Hung
Ma utacturer Stipulates Hallmark Certification as indicated below

AAMA/WDMA/CSA 101/I.S.2/A440 - 08 R - PG35. Size Tested 914x1575mm(36x62in) - Type H

WDMA HALLMARK CERTIFICATION requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to multed and/or product combinations unless noted. Actual product results will vary and change over the product's life. For details, go to www.wdma.com.

Complies with HUD 111 (Gettysburg, PA)

Fi. rida Product Approval System(FPAS) Number:FL11152
Texas Dept. of Insurance(TDI) Evaluation Report Number:WIN - 816
Glaz ng type and thickness:Annealed,2.5MMboth panes, designed per ASTM E1300
Wino w or Door Actual Size:33.125" wide by60.500" tall