





SIP WALL SCHEDULE

MARK	SPLINE TYPE	SKIN NAILING TO ALL SPLINES, PLATES, BLOCKING, ECT...	MAXIMUM SIP SCREW SPACING	CAP & BOTTOM PLATE FASTENING TO FRAMING BELOW (U.N.O.)
SIP1	8"x3" PLYWOOD SURFACE SPLINES	0.131" DIA. x 2 1/2" GALV. NAILS @ 6" o.c.	8" o.c.	0.162"x3/4" NAILS @ 6" o.c. STAGGERED
SIP2	8"x3" PLYWOOD SURFACE SPLINES	0.131" DIA. x 2 1/2" GALV. NAILS @ 3" o.c.	6" o.c.	0.162"x3/4" NAILS @ 3" o.c. STAGGERED
SIP3	3 1/2"x7 1/4" SCL	0.131" DIA. x 2 1/2" GALV. NAILS @ 3" o.c.	4" o.c.	0.162"x3/4" NAILS @ 2" o.c. STAGGERED

WALL PANEL LAYOUT: SURFACE 5
 SCALE: 3/8" = 1'-0"
 PANEL_SPEC: 84" EPS SIP



© 2017
 THIS DRAWING IS THE SOLE & EXCLUSIVE PROPERTY OF FOAM PANEL INC. & MAY NOT BE REPRODUCED OR PUBLISHED IN ANY MANNER WHATSOEVER WITHOUT THE EXPRESSED WRITTEN CONSENT OF FOAM PANEL INC.

SELLERS TREYBAL
sts
 STRUCTURAL ENGINEERS
 SELLERS TREYBAL STRUCTURAL ENGINEERS PC
 65 Huntington Rd. Suite 201
 Richmond, VT 05477
 802.497.1174 | www.STS-Engineers.com

TITLE: CLEMENTS-KING
 LOCATION: 48 MERRILL ST. PORTLAND ME
 DRAWING TITLE: PANEL LAYOUT DRAWINGS
 DRAWN BY: AEM
 JOB CONTACT: KEVIN @ FOAM PANEL
 CHECKED BY: DATE: JANUARY 17th, 2018

DRAWING NO. S-13
 SHEET NO. 13 OF 25