
REVISIONS

1 - 11/11/16
2 - 12/15/16
3 - 12/20/16
4 - 03/09/17



NUMBER OF WOOD STUDS IN POST BELOW COLUMN CONTINUOUS THROUGH THIS LEVEL CONTINUOUS JOIST WITH INTERMEDIATE BEARING FLUSH FRAMED JOIST BEARING WITH HANGER NUMBER OF TRIM STUDS UNDER HEADER NUMBER OF KING STUDS ADJACENT TO HEADER

WOOD POST

✓ JOIST BEARING

STEEL COLUMN

COLUMN ABOVE THIS LEVEL

WOOD STUD BEARING WALL BELOW

OVER FRAMING BY OTHERS -TYP



1. SEE SHEET S1.0 FOR GENERAL STRUCTURAL NOTES 2. ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE 3-2x6 AND IN 2x4 WALLS SHALL BE 3-2x4 UNLESS NOTED OTHERWISE ON PLANS

3. ALL BEAMS ARE DROPPED, UNO

4. ALL HEADERS IN 2x6 BEARING WALLS ARE (2) 2x6 NO.1 GRADE SPF MIN, UNO

5. ALL HEADERS IN 2x4 BEARING WALLS ARE (2) 2x6 NO.1 GRADE SPF MIN, UNO 6. ALL ROOF SHEATHING TO BE 5/8", SEE GENERAL NOTES FOR ADDITIONAL INFORMATION -TYP

77 Oak Street Portland, ME, 04101 p. 207-774-4614 f. 866-793-7835 www.structuralinteg.com

BUILD WITH CONFIDENCE

© 2012 Structural Integrity Consulting Engineers, Inc.

SI# 16-0080

ISSUE DATE
8/23/16
SHEET SCALE
AS NOTED