



□	WOOD POST
○	STEEL COLUMN
⊗	NUMBER OF WOOD STUDS IN POST BELOW
⊕	COLUMN ABOVE THIS LEVEL
⊖	COLUMN CONTINUOUS THROUGH THIS LEVEL
— —	JOIST BEARING
— — —	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
— — — —	FLUSH FRAMED JOIST BEARING WITH HANGER
— — — — —	WOOD STUD BEARING WALL BELOW
— — — — — —	OVER FRAMING BY OTHERS - TYP
— — — — — — —	NUMBER OF TRIM STUDS UNDER HEADER
— — — — — — — —	NUMBER OF KING STUDS ADJACENT TO HEADER



### THIRD FLOOR FRAMING PLAN



SCALE 1/4"=1'-0"

**NOTES:**

- SEE SHEET S1.0 FOR GENERAL STRUCTURAL NOTES
- ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE 3-2x6 AND IN 2x4 WALLS SHALL BE 3-2x4 UNLESS NOTED OTHERWISE ON PLANS
- ALL BEAMS ARE DROPPED, UNO
- ALL HEADERS IN 2x6 BEARING WALLS ARE (2) 2x6 NO.1 GRADE SPF MIN. UNO
- ALL HEADERS IN 2x4 BEARING WALLS ARE (2) 2x4 NO.1 GRADE SPF MIN. UNO
- ALL FLOOR SHEATHING TO BE 3/4", SEE GENERAL NOTES FOR ADDITIONAL INFORMATION -TYP

REVISION:  
GENERAL FULL PAGE REVISION  
OF BEARING WALL LOCATIONS -  
AND ADDED EXTERIOR DECK

PROJECT NO.  
**16-0080**  
PROJECT NAME  
**Merrill Street - 7 unit  
Portland, ME**

1	-	11/11/16
2	-	12/15/16
3	-	12/20/16
4	-	03/09/17
5	-	04/05/17

**PERMIT SET**

THIRD FLOOR FRAMING PLAN

ISSUE DATE  
**8/23/16**  
SHEET SCALE  
**AS NOTED**

**S1.4**