COPYRIGHT: Reuse or reproduction of the contents of this document is not permitted without written permission of Bild Architecture LLC

MAX WALL OPENING					
ELEVATION	SEPARATION DISTANCE	NFPA SPRINKLERED	PROTECTED OPENINGS	ALLOWABLE AREA	% OF WALL OPENING
SOUTH WEST -1ST	5' TO 10'	NO	NO	10%	5.38%
SOUTH WEST -2ND	5' TO 10'	NO	NO	10%	9.45%
SOUTH WEST -3RD	5' TO 10'	NO	NO	10%	9.45%
SOUTH WEST - 4TH	15' TO 20'	NO	NO	25%	13%
NORTH EAST - 1ST	5' TO 10'	NO	NO	10%	5.38%
NORTH EAST - 2ND	5' TO 10'	NO	NO	10%	9.45%
NORTH EAST - 3RD	5' TO 10'	NO	NO	10%	9.45%
NORTH EAST - 4TH	5' TO 10'	NO	NO	10%	4%
SOUTH EAST	30' OR GREATER	NO	NO	N/A	-
NORTH WEST	30' OR GREATER	NO	NO	N/A	-

GENERAL NOTES:

A. GLAZING IN ALL DOORS IS REQUIRED TO BE SAFETY GLAZING

B. FINAL FINISHES TO BE SELECTED BY OWNER.

C. ----

D. ----

X KEYNOTES:

1. LP SMART SIDING - SMOOTH FINISH - CLAPBOARD - 11.84 WIDTH - CO
2. LP SMART SIDING - SMOOTH FINISH - CLAPBOARD - 11.84 WIDTH - CO
3. FABRICATED METAL GUARD SYSTEM - WEDGE LOCK 3000 BY DECK-R
4. -
5. HANDRAIL W/ 42" HISS HSS GUARDRAIL W/ HORIZONTAL STEEL RODS
6. -
7. -
8. GALVANIZED FINISHED BREAK METAL COPING
9. FABRICATED METAL AWNING WITH METAL ROD SUPPORTS
10. EXTERIOR STAIR
11. BREAK METAL WINDOW TRIM DETAIL
12. LINE OF ROOF BEYOND
13. LINE REPRESENTS BASEMENT BELOW GRADE
14. SCUPPER AND DOWNSPOUT -SEE DETAIL 10/A3.2
15. DRYER VENT
16. HVAC EXHAUST
17. HVAC INTAKE
18. LOCATION FOR INSTALLATION OF HEAT PUMP UNITS
19. CONCRETE STEPS

1 NORTH EAST ELEVATION

0 4'-0" SCALE: 1/4" = 1'-0"

2 BACK (NORTH WEST) ELEVATION

0 4'-0" SCALE: 1/4" = 1'-0"

Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 10/27/17

LICENSED ARCHITECT
2/24/17
EVAN A. CARROLL
No. 3987
STATE OF MAINE

PROJECT NO.
16035
PROJECT NAME
7 CUMBERLAND
PORTLAND, ME

REVISIONS
1 03-15-2017
2 05-12-2017
3 07-01-2017
4 -
5 -

PERMIT SET
NOT FOR CONSTRUCTION

DRAWN BY
EMW
SHEET TITLE
ELEVATIONS

ISSUE DATE
2/24/17
SHEET SCALE
1/4" = 1'-0"

A

2.2