
- EL.+28'-11" TOP OF TURRET — ASPHALT SHINGLES OVER BUILT-UP ROOFING OVER \$ CDX PLYWD OVER 2xi2s @ 16" O.C. WITH 10 ¼" FIBERGLASS BATTS & INSULATION BAFFLES - DBL. 2x6 TOP PLATES _ <u>EL.+19'-@"</u> Turret floor — 1x4 WOOD TRIM - IX8 WOOD TRIM — 1x6 WOOD TRIM - CONT. SOFFIT VENT - 1" CONT. XPS RIGID INSULATION 1" GWB OVER 1×3 STRAPPI G @ 16" O.C. _<u>EL,+10'-0"</u> 2nd FLOOR - SIDING BY OWNER - 2x6 BTM, PLATE — 2×12 RIM JOIST $^-$ 5 $\frac{1}{2}$ " FIBERGLASS BATTS (R-21) — 2x69 @ 16" O.C. (PRE-CUT FOR 9' CLG.) - 1" CONT. XPS RIGID IXB STRAPPING @ 16" INSULATION — ¾" PLYWD. \overline{a} $\overline{\omega}$ ______<u>EL.+Ø'-Ø"</u> |st FLOOR — 2×12s @ 16" O.C. EL.-3'<u>-8"</u> 1st FL*OO*R - EXISTING FOUNDATION $\overline{4}$ $\overline{\omega}$



CODE: IRC 2009 TOWN: PORTLAND

DATE: 03-20-20

SCALE: As Noted DESIGNED:

DRAWN:

TITLE:

BUILDING SECTIONS

SHEET:

THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY.

IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY

FOR LOCAL CODE COMPLIANCE.

ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR

CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT

AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES

AND LOCAL CODES. NONE OF THE EMPLOYEES OF FMC CADD DRAFTING

SERVICES, INC ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND

SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED

BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION

BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED

BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION

BEGINS FMC CADD DRAFTING SERVICES, INC. WILL BE HELD HARMLESS BEGINS FMC CADD DRAFTING SERVICES, INC. WILL BE HELD HARMLESS FMC CADD DRAFTING SERVICES, INC. ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.