BUILDING SECTION "B"

SCALE: 1/4"=1'-0"

WINDOW NOTES:

1. ALL WINDOWS & DOORS SHALL BE 200 SERIES FROM ANDERSEN WINDOWS.
2. COLOR:
   INTERIOR: T.B.D.
   EXTERIOR: T.B.D.
3. GRILLS:
   PATTERN AS SHOWN ON THE ELEVATIONS
   7/8" SIMULATED DIVIDED LIGHT
4. EXTENSION JAMBS:
   4 9/16" JAMBS
5. GLAZING
   HIGH PERFORMANCE LOW-E GLASS W/ ARGON
6. CASINGS:
   INTERIOR: FIELD APPLIED (BY G.C.)
   EXTERIOR: FIELD APPLIED (BY. G.C.)
7. SCREENS: (SHIP/ PACKAGE SEPARATE FROM WINDOWS)
   STANDARD MESH INSECT SCREENS
8. HARDWARE:
   STAINLESS STEEL COASTAL HARDWARE OR EQUAL
   SATIN NICKEL - VERIFY W/ OWNER
   STYLE T.B.D. BY OWNER
9. G.C. TO VERIFY WINDOW R.O. W/ WINDOW SUBMITTAL PRIOR TO CONSTRUCTION.
10. G.C. SHALL SUBMIT WINDOW SPECIFICATIONS FOR APPROVAL PRIOR TO ORDER.
11. ALL FACTORY MULLS SHALL BE REINFORCED.
12. ALL WINDOWS IN SLEEPING ROOMS SHALL BE EGRESS WINDOWS MEETING THE FOLLOWING MINIMUM CLEAR OPENING REQUIREMENTS: 22" WIDE - 24" HIGH - 5.7 S.F.
13. ALL WINDOWS WITHIN 60" HORIZ. & VERT. DIMENSION OF STAIRS MUST BE TEMPERED.
    ALL WINDOWS WITHIN 24" OF A DOOR SWING MUST BE TEMPERED.
    ALL WINDOWS WITHIN A SHOWER ENCLOSURE MUST BE TEMPERED.

EXISTING SECTION "C"

SCALE: 1/4"=1'-0"

BUILDING SECTION "A"

SCALE: 1/4"=1'-0"

REVISED BUILDING PERMIT SET: MARCH 03, 2015

Reviewed for Code Compliance
Inspections Division
Portland, Maine
Date: 03/04/15

MARK MUELLER ARCHITECTS A.I.A.
100 Commercial Street
Suite 205
Portland, Maine 04101
Phone: 207.774.9057
Email: rfi@muellerarchitects.com

© COPYRIGHT 2014
MARK MUELLER ARCHITECTS

Condominiums at:

HARKLEROAD RESIDENCE

47 HOWARD STREET
PORTLAND, MAINE 04101

BUILDING SECTION

REVISIONS	
DATE	12.15.2014
PROJECT	HARKLEROAD RESIDENCE
DRAWN BY	MLM/TJD
CHECK BY	MLM

A-3.1