



Andersen Windows - Abbreviated Quote Report

Project Name: DEKKO LLC

Quote #: 2510


Print Date: 09/22/2016

Quote Date: 09/22/2016


iQ Version: 16.1




Dealer: Hancock Lumber 258 Main St. Yarmouth, Maine 04096 207-846-5559	Customer: DEKKO LLC
Sales Rep: CRAIG WEEEMAN	Billing Address: Phone: Contact: Trade ID:
Created By: RANDY FARRINGTON	Promotion Code:



Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0001	2	ADH3054 (AA)	#1	\$ 698.81	\$ 1397.62
<b>RO Size = 3' 0" W x 5' 4" H Unit Size = 2' 11 1/4" W x 5' 3 1/4" H</b> Unit: 4 9/16" Frame Depth, Black/Pine, White - Factory Painted, High Performance Low-E4 (Each Sash), Divided Light with Spacer, Specified Equal Lite, 2W1H, 3/4", Ext Grille - Black, Int Species - Pine, Int Grille Color - White - Factory Painted(Each Sash), Traditional, White, 1 Sash Locks, w/ Standard Flange Equal Sash, Insect Screen, Black Zone: Northern U-Factor: 0.30, SHGC: 0.27, ENERGY STAR® Certified: No					




0002	1	ADH3060 (AA)	#2	\$ 742.76	\$ 742.76
<b>RO Size = 3' 0" W x 6' 0" H Unit Size = 2' 11 1/4" W x 5' 11 1/4" H</b> Unit: 4 9/16" Frame Depth, Black/Pine, White - Factory Painted, High Performance Low-E4 (Each Sash), Divided Light with Spacer, Specified Equal Lite, 2W1H, 3/4", Ext Grille - Black, Int Species - Pine, Int Grille Color - White - Factory Painted(Each Sash), Traditional, White, 1 Sash Locks, w/ Standard Flange Equal Sash, Insect Screen, Black Zone: Northern U-Factor: 0.30, SHGC: 0.27, ENERGY STAR® Certified: No					



Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0003	2	ADH1860 (AA)	#3	\$ 654.88	\$ 1309.76
<b>RO Size = 1' 8" W x 6' 0" H Unit Size = 1' 7 1/4" W x 5' 11 1/4" H</b> Unit, 4 9/16" Frame Depth, Black/Pine, White - Factory Painted, High Performance Low-E4 (Each Sash), Divided Light with Spacer, Specified Equal Lite, 2W/1H, 3/4", Ext Grille - Black, Int Species - Pine, Int Grille Color - White - Factory Painted(Each Sash), Traditional, White, 1 Sash Locks, w/ Standard Flange Equal Sash, Insect Screen, Black					


Zone: Northern  
 U-Factor: 0.30, SHGC: 0.27, ENERGY STAR® Certified: No



0004	4	ADH2654-ADH2654 (AA-AA)	#4	\$ 1404.51	\$ 5618.04
<b>RO Size = 5' 0" W x 5' 4" H Unit Size = 4' 11 1/4" W x 5' 3 1/4" H</b> Composite Unit, 4 9/16" Frame Depth, Black/Pine, White - Factory Painted, High Performance Low-E4 Top/Bottom*High Performance Low-E4 Top/Bottom Glass, Divided Light with Spacer Top/Bottom*Divided Light with Spacer Top/Bottom, Mulling Location: Factory (Direct), Mull Type: Non-Reinforced Mull, Mull Priority: Vertical Equal Sash, Insect Screen, Black					

Zone: Northern  
 Unit U-Factor SHGC ENERGY STAR® Certified

1	0.30	0.27	No
2	0.30	0.27	No




0005	3	ADH2650-ADH2650 (AA-AA)	#5	\$ 1358.58	\$ 4075.74
<b>RO Size = 5' 0" W x 5' 0" H Unit Size = 4' 11 1/4" W x 4' 11 1/4" H</b> Composite Unit, 4 9/16" Frame Depth, Black/Pine, White - Factory Painted, High Performance Low-E4 Top/Bottom*High Performance Low-E4 Top/Bottom Glass, Divided Light with Spacer Top/Bottom*Divided Light with Spacer Top/Bottom, Mulling Location: Factory (Direct), Mull Type: Non-Reinforced Mull, Mull Priority: Vertical Equal Sash, Insect Screen, Black					

Zone: Northern  
 Unit U-Factor SHGC ENERGY STAR® Certified

1	0.30	0.27	No
2	0.30	0.27	No


Item Qty Item Size (Operation) Location Unit Price Ext. Price



0006 1 ADH2640-ADH2640 (AA-AA) #6 \$ 1222.39 \$ 1222.39  
 RO Size = 5' 0" W x 4' 0" H Unit Size = 4' 11 1/4" W x 3' 11 1/4" H  
 Composite Unit, 4 9/16" Frame Depth, Black/Pine, White - Factory Painted, High Performance Low-E4 Top/Bottom  
 Glass, Divided Light with Spacer Top/Bottom\*Divided Light with Spacer Top/Bottom, Mulling Location: Factory (Direct), Mull Type: Non-Reinforced Mull,  
 Mull Priority: Vertical  
 Equal Sash, Insect Screen, Black

Zone: Northern  
 Unit U-Factor SHGC ENERGY STAR® Certified

1	0.30	0.27	No
2	0.30	0.27	No




0007 2 ADH2640 (AA) #7 \$ 656.00 \$ 1312.00  
 RO Size = 2' 6" W x 4' 0" H Unit Size = 2' 5 1/4" W x 3' 11 1/4" H  
 Unit, 4 9/16" Frame Depth, Black/Pine, White - Factory Painted, High Performance Low-E4 Tempered (Each Sash), Divided Light with Spacer, Specified  
 Equal Lite, 2W1H, 3/4", Ext Grille - Black, Int Species - Pine, Int Grille Color - White - Factory Painted(Each Sash), Traditional, White, 1 Sash Locks, w/  
 Standard Flange  
 Equal Sash, Insect Screen, Black

Zone: Northern  
 U-Factor: 0.30, SHGC: 0.27, ENERGY STAR® Certified: No

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
------	-----	-----------------------	----------	------------	------------


0008	1	FWHID3168 (AL)		\$ 1809.88	\$ 1809.88
------	---	----------------	--	------------	------------



**RO Size = 3' 1" W x 6' 8" H Unit Size = 3' 0 1/8" W x 6' 7 1/2" H**  
 Unit, 6 9/16" Frame Depth, Gray Sill, AL Handing, Black/Pine, White - Factory Painted, High Performance Low-E4 Tempered, Factory Applied Satin Nickel Hinges  
 Hardware Trim Set, FWH/FWO, LH, Newbury - Satin Nickel  
 Lock, FWH/FWO, Exterior Keyed, Satin Nickel, with Cylinders Keyed Alike

Zone: Northern  
 U-Factor: 0.30, SHGC: 0.24, ENERGY STAR® Certified: Yes

0009	1	FWHID5068 (APLR)		\$ 3790.68	\$ 3790.68
------	---	------------------	--	------------	------------



**RO Size = 5' 0" W x 6' 8" H Unit Size = 4' 11 1/4" W x 6' 7 1/2" H**  
 Unit, 6 9/16" Frame Depth, Gray Sill, AP/LR Handing, Black/Pine, White - Factory Painted, High Performance Low-E4 Tempered, Factory Applied Satin Nickel Hinges  
 Hinged Insect Screen, AP/LR, Black  
 Hardware Trim Set, FWH/FWO, AP/PA, Newbury - Satin Nickel  
 Lock, FWH/FWO, Exterior Keyed, Satin Nickel, with Cylinders Keyed Alike

Zone: Northern  
 U-Factor: 0.30, SHGC: 0.24, ENERGY STAR® Certified: Yes

Customer Signature	Dealer Signature
Total Load Factor	5.786
Subtotal	\$ 21,278.87
Tax ( 5.500%)	\$ 1,170.34
Grand Total	\$ 22,449.21

\*\* All graphics viewed from the exterior  
 Rough opening dimensions are minimums and may need to be increased to allow for use of building wraps or flashings or sill panning or brackets or fasteners or other items.

Item Qty Item Size (Operation) Location Unit Price Ext. Price



Ask to see if all of the products you purchase can be upgraded to be ENERGY STAR® certified.



This image indicates that the product selected is certified in the US ENERGY STAR® climate zone that you have selected.

Data is current as of December 2015. This data may change over time due to ongoing product changes or updated test results or requirements. Ratings for all sizes are specified by NFRC for testing and certification. Ratings may vary depending on the use of tempered glass or different grille options or glass for high altitudes etc.

Nexia is a registered trademark of Ingersoll Rand Inc.

Project Comments:

Handwritten notes: 143033-1

# DOUBLE-HUNG WINDOWS

## Table of Double-Hung Window Sizes

Unit Dimension	1'-7 1/4"	1'-11 1/4"	2'-3 1/4"	2'-5 1/4"	2'-7 1/4"	2'-9 1/4"	2'-11 1/4"	3'-1 1/4"	3'-3 1/4"	3'-7 1/4"	3'-11 1/4"	Cottage and reverse cottage are available based on a 60/40 proportion in all widths and heights up to 6'-7 1/4".	
Minimum Rough Opening	(489)	(591)	(692)	(743)	(794)	(845)	(895)	(946)	(997)	(1099)	(1200)		
Unobstructed Glass (lower sash only)	(508)	(610)	(711)	(762)	(813)	(864)	(914)	(965)	(1016)	(1118)	(1219)		
<b>CUSTOM WIDTHS — 1'-3 1/4" to 3'-11 1/4"</b>													
2'-11 1/4"	(895)	3'-0"	(914)	12-13/16"	(925)								 Cottage Reverse Cottage
ADH1830	ADH2030	ADH2430	ADH2630	ADH2830	ADH21030	ADH3030	ADH3230	ADH3430	ADH3830*	ADH4030*			
3'-3 1/4"	(997)	3'-4"	(1016)	14-13/16"	(1027)								
ADH1834	ADH2034	ADH2434	ADH2634	ADH2834	ADH21034	ADH3034	ADH3234	ADH3434	ADH3834*	ADH4034*			
3'-7 1/4"	(1099)	3'-8"	(1118)	16-13/16"	(1129)								
ADH1838	ADH2038	ADH2438	ADH2638	ADH2838	ADH21038	ADH3038	ADH3238	ADH3438	ADH3838*	ADH4038*			
3'-11 1/4"	(1200)	4'-0"	(1219)	18-13/16"	(1230)								
ADH1840	ADH2040	ADH2440	ADH2640	ADH2840	ADH21040	ADH3040	ADH3240	ADH3440	ADH3840*	ADH4040*			
4'-3 1/4"	(1302)	4'-4"	(1321)	20-13/16"	(1332)								
ADH1844	ADH2044	ADH2444	ADH2644	ADH2844	ADH21044	ADH3044	ADH3244	ADH3444	ADH3844*	ADH4044*			
4'-7 1/4"	(1403)	4'-8"	(1422)	22-13/16"	(1433)								
ADH1848	ADH2048	ADH2448	ADH2648	ADH2848	ADH21048	ADH3048	ADH3248	ADH3448	ADH3848*	ADH4048*			
4'-11 1/4"	(1505)	5'-0"	(1524)	24-13/16"	(1535)								
ADH1850	ADH2050	ADH2450	ADH2650	ADH2850	ADH21050	ADH3050	ADH3250 <sup>o</sup>	ADH3450 <sup>o</sup>	ADH3850 <sup>o*</sup>	ADH4050 <sup>o*</sup>			
5'-3 1/4"	(1607)	5'-4"	(1626)	26-13/16"	(1637)								
ADH1854	ADH2054	ADH2454	ADH2654	ADH2854	ADH21054	ADH3054 <sup>o</sup>	ADH3254 <sup>o</sup>	ADH3454 <sup>o</sup>	ADH3854 <sup>o*</sup>	ADH4054 <sup>o*</sup>			
5'-7 1/4"	(1708)	5'-8"	(1727)	28-13/16"	(1739)								
ADH1858	ADH2058	ADH2458	ADH2658	ADH2858	ADH21058 <sup>o</sup>	ADH3058 <sup>o</sup>	ADH3258 <sup>o</sup>	ADH3458 <sup>o</sup>	ADH3858 <sup>o*</sup>	ADH4058 <sup>o*</sup>			
5'-11 1/4"	(1810)	6'-0"	(1829)	30-13/16"	(1841)								
ADH1860	ADH2060	ADH2460	ADH2660	ADH2860 <sup>o</sup>	ADH21060 <sup>o</sup>	ADH3060 <sup>o</sup>	ADH3260 <sup>o</sup>	ADH3460 <sup>o</sup>	ADH3860 <sup>o**</sup>	ADH4060 <sup>o**</sup>			
6'-3 1/4"	(1911)	6'-4"	(1930)	32-13/16"	(1942)								
ADH1864	ADH2064	ADH2464	ADH2664 <sup>o</sup>	ADH2864 <sup>o</sup>	ADH21064 <sup>o</sup>	ADH3064 <sup>o</sup>	ADH3264 <sup>o</sup>	ADH3464 <sup>o</sup>	ADH3864 <sup>o**</sup>	ADH4064 <sup>o**</sup>			

continued on next page

# CASEMENT WINDOWS

## Table of Casement Window Sizes

Scale 1/8" (3) = 1'-0" (305) – 1:96


Window Dimension	1'-7 1/4" (489)	1'-11 1/4" (591)	2'-3 1/4" (692)	2'-5 1/4" (743)	2'-7 1/4" (794)	2'-9 1/4" (845)	2'-11 1/4" (895)	3'-1 1/4" (946)	3'-3 1/4" (997)	3'-5 1/4" (1048)	3'-7 1/4" (1099)	3'-9 1/4" (1149)	3'-11 1/4" (1200)
<b>Minimum Rough Opening</b>	1'-8" (508)	2'-0" (610)	2'-4" (711)	2'-6" (762)	2'-8" (813)	2'-10" (864)	3'-0" (914)	3'-2" (965)	3'-4" (1016)	3'-6" (1067)	3'-8" (1118)	3'-10" (1168)	4'-0" (1219)
Unobstructed Glass	12 5/8" (320)	16 5/8" (422)	20 5/8" (523)	22 5/8" (574)	24 5/8" (625)	26 5/8" (676)	28 5/8" (726)	30 5/8" (777)	32 5/8" (828)	34 5/8" (890)	36 5/8" (1031)	38 5/8" (1133)	40 5/8" (1234)

### CUSTOM SIZES AVAILABLE

CUSTOM SIZES AVAILABLE	1'-11 1/4" (591)	2'-3 1/4" (692)	2'-7 1/4" (794)	2'-11 1/4" (895)	3'-3 1/4" (997)	3'-7 1/4" (1099)	3'-11 1/4" (1200)	4'-3 1/4" (1302)	4'-7 1/4" (1403)	4'-11 1/4" (1505)	5'-3 1/4" (1607)	5'-7 1/4" (1708)
ACW1820	ACW2020	ACW2420										
ACW1824	ACW2024	ACW2424	ACW2624	ACW2824								
ACW1828	ACW2028	ACW2428	ACW2628	ACW2828	ACW21028	ACW3028						
ACW1830	ACW2030	ACW2430	ACW2630	ACW2830	ACW21030	ACW3030	ACW3230*	ACW3430*				
ACW1834	ACW2034	ACW2434	ACW2634	ACW2834	ACW21034	ACW3034	ACW3234*	ACW3434*	ACW3634*	ACW3834**		
ACW1838	ACW2038	ACW2438	ACW2638*	ACW2838*	ACW21038*	ACW3038*	ACW3238*	ACW3438*	ACW3638*	ACW3838**	ACW31038**	ACW4038**
ACW1840	ACW2040	ACW2440*	ACW2640*	ACW2840*	ACW21040*	ACW3040*	ACW3240*	ACW3440*	ACW3640*	ACW3840**	ACW31040**	ACW4040**
ACW1844	ACW2044	ACW2444*	ACW2644*	ACW2844*	ACW21044*	ACW3044*	ACW3244*	ACW3444*	ACW3644*	ACW3844**	ACW31044**	ACW4044**
ACW1848	ACW2048	ACW2448*	ACW2648*	ACW2848*	ACW21048*	ACW3048*	ACW3248*	ACW3448*	ACW3648*	ACW3848**	ACW31048**	ACW4048**
ACW1850	ACW2050	ACW2450*	ACW2650*	ACW2850*	ACW21050*	ACW3050*	ACW3250*	ACW3450*	ACW3650*	ACW3850**	ACW31050**	ACW4050**
ACW1854	ACW2054	ACW2454*	ACW2654*	ACW2854*	ACW21054*	ACW3054*	ACW3254*	ACW3454*	ACW3654*	ACW3854**	ACW31054**	ACW4054**
ACW1858	ACW2058	ACW2458*	ACW2658*	ACW2858*	ACW21058*	ACW3058*	ACW3258*	ACW3458*	ACW3658*	ACW3858**	ACW31058**	ACW4058**



Custom-size windows are available in 1/8" (3) increments.



Choose left, right or stationary as viewed from the exterior.

• "Window Dimension" always refers to outside frame to frame dimension.  
 • "Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.  
 • Dimensions in parentheses are in millimeters.  
 \*Meet or exceed clear opening area of 5.7 sq.ft. or 0.53 m<sup>2</sup>, clear opening width of 20" (508) and clear opening height of 24" (610).  
 \*Available with straight-arm operators only; all other sizes have split-arm operators only.  
 †Not available with triple-pane glass.

continued on next page