

## DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK CITY OF PORTLAND

BUILDING PERMIT



This is to certify that Michael J Frankel

Job ID: 2011-10-2414-ALTR

Located At 67 QUEBEC ST

CBL: 014- M-013-001

has permission for an interior fit-up (See Permit # 2011-05-997) Two Family Dwelling Unit.

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 HOUR NOTICE IS REQUIRED. A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be

11/03/2011

**Fire Prevention Officer** 

Code Enforcement Officer Plan Reviewer

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY PENALTY FOR REMOVING THIS CARD BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 or 874-8693 (ONLY) or email: buildinginspections@portlandmaine.gov

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- 1. Footings/Setbacks prior to pouring concrete
- 2. Close In Elec/Plmb/Frame prior to insulate or gypsum
- 3. Insullation prior to Close-In
- 4. Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

CITY OF PORTLAND, MAINE Department of Building Inspections			
Original Receipt			
Debber 3 2011 Received from Papi - Rimano Buildus, Inc.			
Location of Work 67 Wreter St			
Cost of Construction \$60,000 Building Fee:			
Permit Fee         \$         Site Fee:			
Certificate of Occupancy Fee:			
Total: 120.00			
Building (IL) Plumbing (I5) Electrical (I2) Site Plan (U2)			
Other CBL: <u>14- M-13</u> Check #: <u>6703</u> Total Collected \$ 630.00			
No work is to be started until permit issued. Please keep original receipt for your records.			
Taken by:			
WHITE - Applicant's Copy YELLOW - Office Copy PINK - Permit Copy			

### City of Portland, Maine - Building or Use Permit Application

389 Congress Street, 04101 Tel: (207) 874-8703, FAX: (207) 8716

Job No: 2011-10-2414-ALTR	Date Applied: 10/4/2011		CBL: 014- M-013-001			
Location of Construction: 67 QUEBEC ST	Owner Name: Michael J Frankel		Owner Address: 67 QUEBEC ST PORTLAND, ME 04101 Contractor Address: PO Box 1079, Portland, ME 04104			Phone: Phone: 207-797-3381
Business Name:	Contractor Name: Papi & Romano Build Romano	ders, Rick				
Lessee/Buyer's Name:	Phone:		Permit Type: BLDG - Building			Zone: R-6
Past Use: Two family Proposed Project Description ##2011-05-997 – interior fit up	connected 97 –				CEO District: Inspection: Use Group: Type: MUDEC Signature:	
Permit Taken By:			Zoning Approval			
<ol> <li>This permit application of Applicant(s) from meetin Federal Rules.</li> <li>Building Permits do not septic or electrial work.</li> <li>Building permits are void within six (6) months of False informatin may inv permit and stop all work</li> </ol>	Special Zone or Reviews Shoreland Wetlands Flood Zone Subdivision Site Plan Maj _Min _MM Date: Or Madular		Zoning Appeal Variance Miscellaneous Conditional Use Interpretation Approved Denied Date:	Historic Preservation Not in Dist or Landmark Does not Require Review Requires Review Approved Approved w/Conditions Denied Date: ARM		

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the appication is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE	
RESPONSIBLE PERSON IN CHARGE	OF WORK, TITLE	DATE	PHONE	



Strengthening a Remarkable City, Building a Community for Life . www.portlandmaine.gov

Director of Planning and Urban Development Penny St. Louis

Job ID: 2011-10-2414-ALTR

Located At: 67 QUEBEC ST

CBL: 014- M-013-001

#### **Conditions of Approval:**

#### Zoning

- 1. This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.
- 2. All previous conditions from permit #2011-05-997 are still in effect with the issuance of this permit.

#### Fire

- 1. All construction shall comply with City Code Chapter 10.
- 2. A sprinkler system shall be installed.
- 3. A separate no fee One- or Two-family Fire Sprinkler Permit is required.
- 4. All smoke detectors and smoke alarms shall be photoelectric.
- 5. Hardwired Carbon Monoxide alarms with battery back up are required on each floor.

#### Building

- 1. Separate permits are required for any electrical: plumbing, sprinkler, fire alarm, HVAC systems, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 2. Window sills in locations more than 72 inches from finished grade shall be a minimum of 24 inches above the finished floor of the room, unless a window fall prevention devices is installed in accordance with section R612.3.
- 3. A code compliant emergency escape shall be provided in each bedroom. Window sills in locations more than 72 inches from finished grade shall be a minimum of 24 inches (no higher than 44 inches) above the finished floor of the room, or in compliance with Section R612.4.2 Operation for emergency escape.
- 4. A graspable handrail (34-38 inches in height) shall be provided on at least one side of each continuous run of treads or flight with four or more risers. Fall protection (36 inches) from exterior decks may be required if floor joist are at or above thirty (30) inches from grade.
- 5. Stairway headroom shall be not less than 6 feet 8 inches measured vertically from the sloped plane adjoining the tread nosing or from the floor surface of the landing or platform.
- 6. A photoelectric Carbon Monoxide (CO) detector shall be installed in each area within or giving access to bedrooms. That detection must be powered by the electrical service (plug-in or hardwired) in the building and battery.

#### Job ID: 2011-10-2414-ALTR Located At: 67 QUEBEC ST CBL: 014- M-013-001

 Hardwired photoelectric interconnected battery backup smoke detectors shall be installed in all bedrooms, protecting the bedrooms, and on every level. A field inspection will verify your current smoke detector arraignment and the City's minimal code requirements.

R302.3 Two-family dwellings. Dwelling units in two-family dwellings shall be separated from each other by wall and/or floor assemblies having not less than a 1-hour fire-resistance rating when tested in accordance with ASTM E 119 or UL 263. Fire-resistance-rated floor-ceiling and wall assemblies shall extend to and be tight against the *exterior wall*, and wall assemblies shall extend from the foundation to the underside of the roof sheathing.

#### **Exceptions:**

8.

- A fire resistance rating of <sup>1</sup>/<sub>2</sub> hour shall be permitted in buildings equipped throughout with an automatic sprinkler system installed in accordance with NFPA 13.
- 2. Wall assemblies need not extend through *attic* spaces when the ceiling is protected by not less than  ${}^{5}/_{8}$ -inch (15.9 mm) Type X gypsum board and an *attic* draft stop constructed as specified in Section R302.12.1 is provided above and along the wall assembly separating the *dwellings*. The structural framing supporting the ceiling shall also be protected by not less than  ${}^{1}/_{2}$ -inch (12.7 mm) gypsum board or equivalent.

R302.3.1 Supporting construction. When floor assemblies are required to be fire-resistance rated by Section R302.3, the supporting construction of such assemblies shall have an equal or greater fire-resistance rating.

**R302.4 Dwelling unit rated penetrations.** Penetrations of wall or floor/ceiling assemblies required to be fire-resistance rated in accordance with Section R302.2 or R302.3 shall be protected in accordance with this section.

# ALSURGATE AND PR

## Jo 1/10 JY14 General Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 67 QUEBEC ST.					
Total Square Footage of Proposed Structure/A		Square Footage of Lot	Number of Stories		
Tax Assessor's Chart, Block & Lot	Applicant *must be owner, Lessee or Buyer* Telephone:				
Chart# Block# Lot#	Name M	- 832. 1720			
014 M 013	Address 67 QUEBEC St.				
	City, State &	Zip POMULAND ME	-		
Lessee/DBA (If Applicable) RECEIVED	Owner (if di	ifferent from Applicant)	Cost Of		
RECEIVED	Name		Work: \$ 60,000		
	Address		C of O Fee: \$		
OCT - 3 2011	City, State & Zip		Total Fee: \$		
Dept. of Building Inspections					
City of Portland Maine Current legal use (i.e. single family)Number of Residential Units					
If vacant, what was the previous use?					
Proposed Specific use: Is property part of a subdivision?					
Project description: AMN	12pp	MENT TO C	AMINAL		
interier fit up - prisinal point 2011-05-557					
Contractor's name: PAULS ROMANO BUILDERS, INC.					
Address: P.O. Box 1079					
City, State & Zip PORICAND, NIE 09109 Telephone: 797.3381					
Who should we contact when the permit is ready: PKK ROMAND Telephone:					
Mailing address:					

Please submit all of the information outlined on the applicable Checklist. Failure to do so will result in the automatic denial of your permit.

In order to be sure the City fully understands the full scope of the project, the Planning and Development Department may request additional information prior to the issuance of a permit. For further information or to download copies of this form and other applications visit the Inspections Division on-line at <u>www.portlandmaine.gov</u>, or stop by the Inspections Division office, room 315 City Hall or call 874-8703.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

	1	0			
Signature: (	Ch	K	mund	Date: (0/2/11	

This is not a permit; you may not commence ANY work until the permit is issued